Glacier 2025 Nursery, LLC



WHOLESALE PRICE LIST

TABLE OF CONTENTS

WHAT'S NEW FOR 2025?

ONE STOP SHOPPING for all your plant needs. We offer over 900 varieties of trees, shrubs, evergreens, and perennials. Our plants are suited to the rigors of Montana's climate and synchronized with Montana's seasons, late spring frosts, and early fall freezes.

WEEKLY DELIVERIES during the growing season throughout most of Montana. Orders received by Thursday at 4:00 p.m. are delivered by the following Friday afternoon (delivery location and order size affect this schedule). Our 2024 freight charges on plant shipments averaged 7.4% of the total plant invoice.

OUR WEBSITE glaciernursery.com lists our plant availability

and allows you to order plants 24 hours a day, 7 days a week, even from your mobile device! Access the plant availability portion of our website using the following information:

User Name: avail and Password: gnursery

See Page 7 for more details on how to use our website.

H2A We have utilized the H2A Federal Labor program for the past two years. This program has allowed us to stabilize our work schedules and in return, produce higher quality plants for our customers.

NOTE FROM BRAD After 41 years, I am reducing my day to day involvement. Glacier Nursery is supported by an extremely capable staff who are happy to help at any time.

- » Shane Rogers 34 years in Management and Sales at Glacier Nursery
- James Prchal 30 years in the nursery industry, 3 years at Glacier Nursery »
- Mariah Thurston 3 years at Glacier Nursery and current Office Manager »
- Greyson Anderson 1 year as Inventory Manager and Shipping Scheduler »

Thank you all for your past and future support!

Brad Bloom Owner

n	tr	~	Р		0	H	~	n
		U	u	L			U	

Introduction	
Terms & Conditions	2
Orders, Pickup Information, and Payments	3
Rebate/DiscountSchedule	4
Plant Information	4-5
How to use our Catalog/Ordering Hints	5-6
How to use our Website/Sustainability	7
Plant Groups	
Shade, Flowering and Fruit Trees	8
Shrubs	
Evergreens	67
Perennials	79
Vines	100
Grasses	102
Fruits, Herbs & Vegetables	
Plant Information	
PlantingInstructions	
Trees with Good Fall Color	13
Crabapple Flower Colors	21
Fruiting Apple Color, Seasons, Pollinations and Uses	23
Native Species & Adapted Species Listing	
Small Trees-Less than 25'	
B&B Ball Specifications/Planting Tips	
Smaller Selections of Shrub Species	51
Shade Tolerant Shrub and Evergreen Listing	54
Rose Flower Color and Cycle Listing	54
Lilac Flower and Season Listing	64
Dwarf Shrub Selections less than 3'	66
Grass Chart	
Ground Covers	110
Perennial Charts	111-114
Deer Resistance Information	115
Common Name Index	116-119

TERMS AND CONDITIONS OF SALE

PRICES:

- All prices are quoted in U.S. dollars, F.O.B. Kalispell, Montana and are subject to change without
 notice. The invoiced price per plant depends upon the number of plants ordered of a species and size
 on an individual order and delivered in one shipment to the same location. See Page 3 for specific
 pricing instructions.
- A two percent discount on plant material is offered to those with established credit who pay in full within 10 days of the invoice date (this does not apply to purchases made with credit cards).
- All payments go toward interest, freight, then the oldest invoices remaining (in that order).
- Special handling is charged at cost; see Cancellation and Restocking Fees on Page 3.
- Glacier Nursery, LLC, charges freight on behalf of our carriers. A <u>minimum</u> freight charge of \$275.00 will apply to orders we deliver through our carriers. Freight on deliveries will be computed on each individual truck and will be based on the volume of each customer and reflect rates at the time of shipment. Discounts are not offered on freight and all payments are applied toward freight first.
- Volume Rebate is offered on the amount of the purchases made during the calendar year; see Rebate/ Discount Schedule on Page 4.
- Interest of 1.5 percent per month equaling an annual rate of 18 percent (or the maximum allowable rate) will be charged on all accounts past 30 days. We appreciate your prompt payment.
- Prices in this catalog are effective for plants delivered after January 1, 2025.

TERMS:

- Customers should anticipate paying in advance, a week prior to shipment, until payment terms are established with completion of a credit application.
- · Terms of 30 days net, from date of invoice, are extended to customers with established credit.
- Nursery stock travels at purchaser's risk and expense. Our responsibility ceases upon delivery to the carrier.
- · Glacier Nursery, LLC, retains a vendor's interest in all goods until such goods have been paid for in full.
- Any legal actions by Glacier Nursery, LLC, shall be initiated in the jurisdiction of our choice. Glacier Nursery, LLC, will be entitled to all costs incurred enforcing this agreement, including attorney fees.
- Payment may be required to hold stock for shipment or pickup after July 1, 2025. Trees held for pickup after July 1, 2025 may be invoiced at the size they are at the time of delivery, not necessarily the size at which they were acknowledged. Payments for plants held are applied to specific orders and will not be applied to any other orders, or to the account as a whole. Failure to make a payment will result in conversion of an order to a quote (order information is retained, but plants are not reserved).
- We require a valid Montana State Nursery License to purchase plants. Available from Montana Department of Agriculture.

CLAIMS:

- Any claim regarding incorrect counts, breakage, or stock quality must be made in writing within 10 days
 of delivery of plants. Claims of stock viability for spring delivered material must be made no later than
 May 31, 2025. Claims for losses of goods while in transit must be filed with the carrier, not with Glacier
 Nursery, LLC. We will of course assist you, if necessary, in filing your claim with the carrier.
- We cannot be responsible for the results secured in transplanting.
- Credits for nursery stock will be issued as replacement plants. Those situations where replacement plants are impractical will be subject to receiving replacement plants the following year.

GUARANTEE: We accept orders subject to crop conditions and with the understanding that we may cancel a portion of the order should injury befall our stock from causes beyond our control such as frost, hail, windstorms, drought, or other weather conditions, errors in count, disease and insect injury, or other natural causes. We warranty, to the extent of the purchase price only, that nursery stock sold is in good healthy condition when leaving our nursery, is true to name, and as described within recognized tolerances. Seller gives no further or other warranty, expressed or implied, and will under no circumstances be liable for more than the invoice value at the time of purchase. This warranty is not transferable and is void if payment is not made in full when due for the full contract price of all nursery stock shipped.

ORDERS, PICKUP INFORMATION, AND PAYMENTS

PLANT PRICING: All prices are quoted in U.S. dollars, F.O.B. Kalispell, Montana and are subject to change without notice. The invoiced price per plant depends upon the number of plants delivered of a species and size on an <u>individual</u> order and delivered in <u>one shipment</u> to the same location. Orders are invoiced **individually** as they were placed and **are not combined** for volume pricing at shipping and delivery. Quantity column headings at the top of each page will help you price the quantity of plants you are looking for. Price breaks are offered at quantities of 5, 25, and 50+ for plants of the same species and container size. Only select items receive 25 or 50+ pricing.

ORDERS: Orders are placed with a scheduled ship date at the direction of the customer. The customer is responsible for informing us **in writing** of changes to the ship date. If the shipment or pick up of an order is delayed 30 days or more past the scheduled ship date, we will attempt to contact those with orders in excess of \$1,000 to reschedule. Orders less than \$1,000 will be automatically cancelled. Failure to respond **in writing** to our request past July 1, 2025 may result in conversion of the order to a quote (order information retained, but plants not reserved). Orders with a ship date after July 1, 2025 may require a payment to keep the plants reserved. Our last week of shipping begins October 6th, 2025.

<u>PICKUP ORDERS</u>: A MINIMUM ORDER OF \$200 IS REQUIRED FOR A CUSTOMER PICKUP. Orders that do not total \$200 or more will be subject to a \$25 surcharge. Customers picking up orders should arrive properly equipped with suitable tarps and rope to transport the stock. Failure to properly secure and cover your plants will nullify any guarantee of stock viability. We require at least 24 hours advance notice so we may have the order assembled and ready for pick up.

CANCELLATION AND RESTOCKING FEE: Plants that are readied and staged for shipping or pickup and subsequently cancelled less than 24 hours before scheduled pickup or delivery, or picked up by the customer and later returned will be assessed a 20 percent restocking fee. We begin covering our plants for winter during the third full week of October. Plants that are covered are unavailable for delivery or pickup.

CREDIT CARD PURCHASES: Customers with prepayment terms as well as those with established credit may use a Visa, MasterCard, or Discover Card to purchase plants at Glacier Nursery, LLC. For customers with prepayment terms who choose to pay with a credit card, payment is expected within one day of pickup or receipt of delivery; payments made after that time will be subject to a 2.5 percent service charge. For customers with established credit, credit card payments must be made within 10 days of invoice to avoid a service charge. Credit card payments made after 10 days will be subject to an additional 2.5 percent service charge. Payments made with credit cards are not eligible for the two percent discount for payment within 10 days.

DISCOUNT FOR PROMPT PAYMENT: A two percent discount is offered on plant material to those customers with established credit and credit applications on file who pay in full within 10 days of the invoice date. All payments go toward the **oldest** invoices remaining. **Payments made with credit cards are not eligible for the two percent discount for payment within 10 days.**

ELECTRONIC PAYMENTS: Checks may be mailed or sent via text message and are electronically deposited the day they are received. We can also accept credit card information or an account and routing number for a bank account over the phone.

REBATE/DISCOUNT SCHEDULE

VOLUME REBATE PLAN: The Volume Rebate Plan is available to those who pay their accounts fully within 30 days of the invoice date **or** who pay **all** finance charges:

Total Volume of:	\$50,000 - 74,999	5%	\$125,000 - 149,999 8%
	\$75,000 - 99,999	6%	\$150,000 - 199,999 9%
	\$100,000 - 124,999	7%	\$200,000 and up 10%

The volume rebate will be computed on sales of plant material purchased in a calendar year. Those who do not pay in full within 30 days, do not pay all finance charges, or who make unreasonable claims will forfeit volume rebates. Rebate checks will be mailed before December 31 each year, or may be applied to your account as a credit for the following year. Volume rebate checks will not be issued for any account unpaid as of December 31, 2025.

EARLY ORDER PROGRAM WITH EXTENDED TERMS: If you find yourself ordering next year's plants from this year's order, consider the advantage of our Early Order Program. For all nursery stock ordered prior to September 30, 2024 and delivered between March 1, 2025 and May 15, 2025, customers will be included on the first allocation of plant material for the next season, and will receive 2024 prices for these orders. Only orders placed by September 30, 2024 and shipped in full by May 15, 2025 will be eligible for the Early Order Program.

PLANT INFORMATION

ACCLIMATED PLANT MATERIAL: In many cases, climatic conditions determine the success and failure of plants in the landscape. It is our aim to offer the customer plants that have been grown in our nursery for a period of years and have thrived under severe changes of weather. Please contact us and we will be able to assist you in determining a plant's suitability to your climate.

PICTURE TAGS: Picture tags are applied to plants bound for retail sales or per customer request. We do apply a "Grown in Montana" sticker to those plants that have been overwintered in Montana or have been spring planted and grown in the pot in which they are sold for three or more months. Our picture tags are purchased from suppliers and occasionally there is information on the tag that does not completely agree with our catalog descriptions. We may apply additional information stickers if the printed information is grossly inaccurate. We make every attempt to properly label all of our plants. If we should ever mislabel a plant, please notify us promptly and we will accept it for return and offer a full refund for the purchase price of the plant.

PLANTS PURCHASED FOR RESALE: Most of the deciduous trees, deciduous shrubs, and perennials we sell are overwintered at our nursery or have been grown in the pot in which they are sold for three months or more (two months for perennials). Most of our evergreens are grown by nurseries in our region; early spring shipments are generally overwintered here in Montana. We purchase plants for resale, paying strict attention to our sources both for plant quality and compatibility to our climate. We are more than willing to share information regarding the source of a plant purchased from Glacier Nursery, LLC.

We have tried propagating almost every species we sell here at Glacier Nursery, LLC, at one time or another and have found that some species grow fine in Montana **but** are not suited for production growing in our climate, our soil types, our watering regimes, or cannot be grown profitably by us. What we have found is that our customers **expect** quality first and accept the reality that Montana may not be where their plant was originally propagated and subsequently grown. As previously stated, ask us; we are more than willing to share the location of where our plants were grown.

A WORD ABOUT HOW OUR CATALOG IS CONSTRUCTED AND SHOULD BE USED

NOMENCLATURE: We use the *Manual of Woody Landscape Plants* by Dr. Michael A. Dirr (fifth edition) as our primary source for botanical and common names. For native plants we use the USDA NRCS Plant Database.

HARDINESS: We have made an attempt, based on our experience and input from other knowledgeable nursery persons, to provide information on how these many species may perform here in Montana. Our experience suggests most of Western Montana would be classed as Zone 4, while much of Eastern Montana would be Zone 3, and other parts of Montana (due to elevation and especially exposure) would be Zone 2. Glacier Nursery, LLC, is located in Zone 4. Severity of winter temperatures does not completely predict hardiness in a state susceptible to extreme temperature fluctuations. The earliest severe cold in the fall and the plants preconditioning to winter also dictate hardiness.

One qualification regarding hardiness recommendations—there are numerous microclimates, both less severe (for example, sheltered areas around homes) and more severe (exposed/barren sites), where we can see a zone of hardiness different than within the general area. Please determine the zone where the plants are to be placed and use the enclosed information to help your customers attain the optimal level of success with their planting.

DESCRIPTIONS: The descriptions and uses of plants are based on our observations and experiences and, of course, are subject to your interpretation.

<u>SIZES</u>: These are cultivated as an average for what these plants might be expected to achieve as mature specimens here in the Montana landscape. As such, there are plants that may be larger or smaller; consequently these sizes should be used as guidelines.

<u>NATIVE PLANTS</u>: Native to us means **native to North America**. See Pages 36, 66, and 110 for a list of our native plants. A website that helps determine the distribution of a species is available from the USDA Natural Resources Conservation Service Plant Database: <u>http://www.plants.usda.gov</u>.

<u>ORDERING HINTS</u>: It is more economical to order in quantities of **5 or more** whenever possible. At the beginning of each of the four product groups in the catalog is information noting the dimensions of the pots, weight of the finished plant in those pots, and a **general description** of the size of the plant to expect at delivery.

CODE INFORMATION: To expedite ordering, use the plant codes in our inventory system that are included just beneath the plant description in this catalog. You will notice the species is the first of the three characters. The second and third characters are selected from the species and/or cultivar on all but perennials. For perennials, the second and third characters represent the common name. Multi-stem and single-stem trees and shrubs are differentiated by the suffix 3 or 1, respectively, in the three-character code.

FALL PLANTING PRECAUTIONS: Our experience suggests that extra precautions need to be taken to successfully plant in the fall in Montana. Fall planting may result in higher plant mortality than spring planting due to variable fall weather **and** the care taken at planting.

All fall plantings require additional water <u>at planting</u> to settle the soil around the plants thus, eliminating air pockets and ensuring all the backfill and surrounding soils are saturated. **This needs to be repeated just before the ground freezes solid**. The following guidelines apply to the **minimum** volume of water required at each of these waterings: 10 gallons of water per caliper inch of the trees, 5 gallons of water per gallon of container.

Of additional concern, is that the plants need to be protected on the job site prior to planting. B&B material should be covered with wood chips or straw and watered. Container stock should be watered thoroughly and packed tight with the edges of the group insulated. All the plants should be stored on the ground, **not** on pallets, to avoid rapid freezing of the plants that happens when they are elevated above the ground. This will protect the plants from freezing rapidly or from drying out excessively. We would also recommend applying Wilt Pruf to all evergreens after planting to reduce the amount of moisture loss from the plant during the winter.

Any plant material that we need to special purchase for a fall planting should be in Montana by August 15 so it can acclimate to our colder climate. This will require a 50 percent deposit made on these plants by August 15 so that we can have them delivered to the nursery in a timely fashion.

As in our normal policy, our plants are warranted to be alive at the time of shipment. Every fall and winter is different and the success or failure of planting in the fall depends very much on the weather: how early it freezes, how much moisture we have before it freezes, and how much snow, cold, and sunshine we have during the winter. We cannot be responsible for plant survival after delivery and transplanting. We offer no guarantee that the plants will survive the winter and leaf out the following spring.

www.glaciernursery.com: To assist our customers, we have a website to help with plant purchases.

Our availability is updated at least weekly. Our inventory numbers represent the present, not the future, so please contact us with orders that are for weeks or months in the future. Inventory is always changing, whether it is from the plants growing or orders being placed or adjusted. If you do not see what you are looking for on the availability list, feel free to give us a call, send us an email, or leave a comment in the 'Order Comments' box at checkout. We can let you know the status of that particular item. This is a quick and convenient way to order 24 hours a day. It is as easy as entering a number in the box to the right of the amount available and then adding it to your cart. Once you submit your order, you will receive an email confirmation and a call back from someone in the sales department confirming your order. We will not have a record of the plants you quoted unless you formally submit the order to us.

Another way to use the online ordering is for your bidding process when all you desire is an idea of what the plants will cost. Simply go through the ordering procedure and print your order out before submitting the actual order.

<u>SUSTAINABILITY, MORE THAN A WORD TO US AT GLACIER NURSERY, LLC:</u> Over the last 40 years we have instituted numerous cost saving procedures that also contribute to reducing our carbon footprint and allow us to operate in an environmentally friendly manner. Below are a list of the more significant procedures employed by Glacier Nursery, LLC.

- Reusing plastic pots that are returned from our customers (we pay four cents per gallon). Each year, over 60 percent of our plantings are into reused pots. Returns that are less than \$25.00 will not be credited to the account.
- Reusing all our cull and discarded plants by grinding them into compost, thus avoiding the need for topsoil and other potting media components that would need to be purchased and delivered.
- Chipping all our tree tops and eliminating plant material burning at Glacier Nursery, LLC. The chips are added to our potting mix. Diseased trees are chipped and disposed off site.
- Reusing all our runoff water from irrigation. None of our irrigation water drains off the farm; we reuse all runoff and mix the used water, after chlorine treatment, with fresh water in our irrigation system.
- Old pallets are dismantled and used as blocking on outbound shipments. Many of our outbound trucks return with the blocks that are used to stabilize the loads, reducing the need for new blocks.
- Cardboard boxes and pallets we receive with inbound plants are re-utilized as packing for outbound shipments. Used pallets and pots are made available to passersby on our highway frontage, keeping these products out of landfills.
- Pesticides and fertilizers are banded or applied on individual crops rather than broadcast applications. This reduces the quantity of pesticides and fertilizers used.
- We practice integrated pest management systems that reduce frequency of pesticide applications as well as minimizes the use of pesticides with a warning label.
- Use of electronic communication with customers for ordering, invoicing, and payments reduces paper usage and mail expenses.
 glaciernurserv.com

SHADE, FLOWERING, AND FRUIT TREES

All plants are well branched and suited for either immediate sale in the retail yard or for planting into the landscape. Containerized plants are **established** and rooted into the media with roots to the edge of the plastic container. Potting media contains compost that helps retain moisture, nutrients, and reduces the number of plants that blow over in the wind. Below is a potting schedule guide:

4' trees are in #5 containers, 12" in diameter, 11" in depth; weighing ~ 25 pounds. Our most economical size. Lightly branched with four or more 12" or longer branches.

6' trees are in #7 containers, 14" in diameter, 11" in depth; weighing ~ 40 pounds. Generally 6' in height (species dependent) and nearing one inch caliper. Plants are not sized, therefore you pay one price for all plants of the same species in the same size container.

1.25" & 1.5" trees in #15 containers, 17" in diameter, 15" in depth; weighing ~ 100 pounds. 1.25" caliper and larger, trees have secondary branching and many are grown two growing seasons in the container, giving them a fuller appearance.

#20 containers, 19" in diameter, 17" in depth; weighing ~ 140 pounds. Intended to be comparable in fullness to small B&B trees of the same size. Many are grown two growing seasons in the container.

1.75" & 2" and larger trees are in #25 containers, 23" in diameter, 18" in depth; weighing ~ 200 pounds. Our largest container plants, which are grown to be comparable in size and fullness to mid-range B&B trees, 2" in caliper size. Most are grown for two growing seasons in the container. Approximately half are upshifts from #15 containers and the other half are field grown transplants.

For pricing, consider both the caliper (1.25" and up) of the plant **and** size of the container it is growing in. **Container size is trade designation only.**

Generally, 1.75" to 2.25" balled and burlap trees are in 28" baskets and 2.5" to 3" trees are in 32" baskets. There are exceptions to this criteria, please inquire for specific ball sizes. A trunk protector is applied for protection during handling.

The invoiced price per plant depends upon the number of plants delivered of a species and size on an **individual** order and delivered in **one shipment** to the same location. Orders are invoiced **individually** as they were placed and **are not combined** for volume pricing at shipping and delivery. Quantity column headings at the top of each page will help you price the quantity of plants you are looking for. Price breaks are offered at quantities of 5, 25, and 50+ for plants of the same species and container size. Only select items receive 25 or 50+ pricing.

Most of the trees are overwintered or have grown at Glacier Nursery, LLC for three months or more, though occasionally trees are purchased for resale to supplement plant availability. If you have any questions regarding the source of plants purchased from Glacier Nursery, LLC, feel free to ask, as we are more than willing to share that information with you.

TREE PLANTING INSTRUCTIONS

It is imperative customers planting container trees remove the outer one inch of the root plug sides <u>and</u> bottom prior to planting. Cutting the root plug into a cube shape with a 12" wood pruning blade seems the fastest and most complete method (a reciprocating saw does an excellent job). This reduces the opportunity for circling roots to grow unimpeded and potentially weaken or kill the tree as it matures.

There are different guidelines for tree planting based on profession. Arborists differ from Landscape Contractors and Landscape Architects may differ from Nurserymen. Below are procedures that accommodate these differing professions.

Dig the hole twice as wide as the container plug/root ball **but** only as deep as the root plug/ball. Preferably hand dig the last 3-6" so the root plug/ball sits on compacted or undisturbed soil and will not settle deeper than originally planted. Measure the depth of the root ball from the bottom to the base of the tree trunk. **Verify the top of the root plug/ball (as measured above) will be level, or slightly higher (3")**, than the existing grade once placed in the hole. **Trees are often killed, or have reduced vigor when planted too deep**. Backfill with the native soil or a mix of one quarter to one half well blended soil amendments and native soil. Settle the soil with abundant water, mulch if desired, and stake the tree to avoid wind damage, placing the stakes outside the planting hole.

For planting balled and burlap trees, follow the procedure outlined above. Additionally, handle the plant by the root ball not the top, being careful to avoid tearing the burlap or distorting the shape of the root ball. Avoid handling if the root ball is waterlogged. Place the tree in the hole with the twine, burlap, and basket attached to verify the correct depth and alignment; this makes it easier to make adjustments if needed. Then remove the twine, burlap, and the top two horizontal rings of the wire basket using wire cutters.

5 - 24	25 - 49	50+	1 - 4	

Abies - See Evergreens Page 67.

Acer ginnala, Amur Maple 15-20'

Small tree or large shrub with exceptional fall color and interesting bark. Irregular habit. Useful for smaller areas, especially beneath overhead utility lines. Multi-stem plants are grown with three or more stems.

AG1	#7		
	#15	1.25"	
	#25	1.75"	
AG3	multi-stem #1		
	multi-stem #2		
	multi-stem #5		
	multi-stem #7	~3'	
	multi-stem #15	4'	
	multi-stem #15	6'	
	multi-stem #25	8'	
	multi-stem B&	B 8'	

11

Zone 3

12 Specimen	and Container Trees	Specimen and Container Trees 1
	5 - 24 25 - 49 50+ 1 - 4	5 - 24 25 - 49 50+ 1 - 4
	Rocky Mountain Maple 20-25' Zone	Acer platanoides 'Royal Red', Royal Red Norway Maple 40-50' Zone
Native Maple wit	h reddish colored twigs and red-tinted samaras. Yellow-orange fall color. Multi-stem form.	Rich maroon foliage throughout the season. Slower growing than green leafed Norway Maples. Large tree
AR3	multi-stem #1	that stands out in the landscape.
	multi-stem #5	ARR #7 1" min
	multi-stem #7 SOLD OUT	#15 1.25"
	multi-stem B&B 6'	#15 1.5" #25 1.75"
	multi-stem B&B 8'	#25 1.75" #25 2"
Acer grandiden	tatum 'Schmidt', Rocky Mountain Glow Maple® 20-25' Zone	Assessed a sisk a bligger an Marsha 40.452
Attractive small to	ree suited for planting location where mature tree height is limited. Selected from the	Acer pseudosieboldianum, Korean Maple 10-15' Zone
Big Tooth Maple	exhibiting yellow to orange-red fall color. A western 'cousin' of Sugar Maple.	A hardier substitute for Acer palmatum varieties. Palmate green leaf, attractive fall color and unique multi-
ARM	#25 1.75"	stem character make for an interesting accent plant. Not for hot, dry, full sun situations, but rather a more
	B&B 2"	sheltered planting site. Grown as a multi-stem.
A	Orwesting Longeting Martin 00.40	AK3 multi-stem #7
	Sensation', Sensation Maple 30-40' Zone	
	e controlled grower than the species. A uniform rounded habit with green foliage that turns t e fall. The bark has an attractive maroon hue in youth that adds winter interest. Seedless.	Acer rubrum 'Autumn Radiance', Autumn Radiance® Red Maple 30-40' Zone
	-	Selection that displays brilliant red fall color. Rounded habit. Faster growing than Northwood Red Maple.
ANS	#7	AAR #15 1.25"
	#15 1.25"	#15 1.5"
	#15 1.5"	
	B&B 2.25"	Acer rubrum 'Northwood', Northwood Red Maple 40-50' Zone 2
Acor polyotum	'Red Emperor'. Red Emperor Japanese Maple 12-18' Zone 4.	Excellent fall colors of orange and almost red. Good clean summer foliage. Does not appear to be
	'Red Emperor', Red Emperor Japanese Maple 12-18' Zone 4. diest of the red leaved Japanese Maples. Suitable for Missoula or around Flathead Lake.	susceptible to sun scald with the silver-gray bark reflecting the sun. Nice shade tree for large areas.
Grown as multi-s		ANW #7 1" min
		#15 1.25" #15 1.5"
ARE	multi-stem #5	#15 1.5" #25 1.75"
	multi-stem #7	#25 2"
Acer platanoide	s 'Helena', Helena Maple 40-50' Zone 3.	
	from a surviving Norway Maple in Helena, MT. Green leafed and slow growing.	Acer rubrum 'Red Rocket', Red Rocket Red Maple 30-35' Zone
APH	#15 1.25"	Upright habit. Less than 10' wide. Red fall color and a Northern Minnesota seed source make this a worthy
/	#15 1.5"	selection. Slow growing.
		ARO #7
	es 'Pond', Emerald Lustre Norway Maple 50-60' Zone	#15 1.25"
Large tree with a	n upright spreading habit with green foliage and yellow fall color. Fast growing, well	#15 1.5"
branched, and ni	ce shaped container plants.	
AEL	#7	
	#15 1.25"	
	#15 1.5"	
	#25 1.75" #25 2"	
	#25 2"	
		We grow a number of trees that are excellent for planting beneath overhead utility wires or on smaller sized
		properties. This list of tree form plants would include: Acer ginnala and tataricum; Amelanchier species;

Trees planted in irrigated turf benefit from allowing the turf to dry in September, then water the trees heavily before the ground freezes. This allows the trees to harden off for winter.

glaciernursery.com

Carpinus caroliniana, Crataegus species; Hydrangea paniculata species; Maackia amurensis; Malus

species; Prunus species; Pyrus usseriensis 'Bailfrost'; Sorbus decora; Syringa species; and Viburnum

lentago. See page 36 for a comprehensive list of trees under 25' tall.

		5 - 24	25 - 49	50+	1 - 4				5 - 24	25 - 49	50+	1 - 4
	Bailsta', Fall Fiesta Sugar Ma				Zone 3/4		т	rees with Go	od Fall	Color		
	ning with upright rounded habit					Acorginnal						Maraan
-	rs sets this selection apart from	other Sugar N	laples. Good s	shade tree f	for large areas.	Acer ginnala		ange-Red	Fraxinus		1 4	Maroon
AFF	#7 1" min					Acer glabrui		llow-Orange		riacanthos se	elections	Yellow
	#15 1.25"					Acer grandi		ange-Red	Malus 'Pı			Orange
	#15 1.5"					Acer neguno	do 'Sensation' Re	ed	Malus 'Sp	ring Snow'		Yellow
	#25 1.75"					Acer x p. 'Ha	asselkus' Or	ange-Red	Populus t	remuloides		Yellow
	#25 2"					Acer rubrum	selections Ye	llow-Orange-Red	Prunus m	aackii		Yellow
Acor cocoborum (Barrett Cole', Apollo® Sugar	Maple 20.20'			Zone 4	Acer saccha	rum selections Ye	llow-Orange	Prunus ni	gra 'Princess	Kay'	Orange-Maroon
	compact form make this a sma		suited for limit	tod space (Acer tataricu	Im selections Ye	llow-Orange	Quercus I	ubra		Red-Brown
vellow-orange fall c	•		Sulled for limit	ieu space.	Slow growing and	Acer x freen	nanii selections Ye	llow-Orange-Red				Orange
-						Aesculus gla		llow-Orange-Red				Yellow
ABT	#15 1.25" #15 1.5"					Amelanchie		ange-Red	Ulmus se			Yellow
	#15 1.5" B&B 2"							-				
	DQD Z					Betula papy		llow	Viburnum	ientago		Maroon
Acer saccharum '	Green Mountain', Green Moui	ntain Sugar M	anle 50-60'		Zone 3/4	Crataegus c	<i>rusgalli inermis</i> Or	ange				
vigorous grower.	#15 1.5" #25 1.75" #25 2" • Silver Queen', Silver Queen Foliage has light green surface in the fall. May experience tip of #7 1" min #15 1.25" #15 1.5"	with the under	side having a	silvery appe	Zone 4 earance. The		cies. Excellent small tro nala. Multi-stem are gro #7 #15 #15 #20 #25 #25 B&B	wn with three or r 1.25" 1.5" 1.75" 1.75" 2" 2"		wires and mo	ore tolera	nt of alkaline soils
							B&B					
	tarian Maple 15-25'				Zone 3	AH3	multi-stem #7	~3'				
	shrub, similar to Acer ginnala in						multi-stem #15	4'				
	ve early red color followed by ye						multi-stem #15	6'				
	ation in habit, size of the lobes					A o o x y froom	anii (laffararad) Autu	mn Blaza Manla	15 60'			Zana
-	s probably a stronger growing p	plant, and more	tolerant of alk	caline soils t	than Acer ginnala.		<u>anii</u> 'Jeffersred', Autu					Zone
Multi-stem are grov	n with three or more stems.						er and Red Maples. Ra					
AT1	#7 1" min					-	lay experience some tip			irrigating late	summer	to early fall.
	#15 1.25" #25 1.75"					AJF	#7 #15 #15	1.25" 1.5"	OLD OUT			
At Glacier Nurserv	we have found that we can imp	prove the overw	vinterina of ter	nder species	s by stopping		#25 #25	1.75"				
							#75	2"				
ertilization by the e	•	o he moisture o	stressed in So	ntember (a								
	nd of July, allowing the plants t irrigation), and abundantly wate						#25 B&B	2.25"				

B&B

2.5"

14 Specimen and Container Trees

Specimen and Container Trees 15

5 - 24 25 - 49 50+ 1 - 4	5 - 24 25 - 49 50+ 1 - 4
	<u>Amelanchier</u> x grandiflora 'Autumn Brilliance', Autumn Brilliance Apple Serviceberry 20-25' Zone A
<u>Acer x freemanii</u> 'Sienna', Sienna Glen Maple 50-60' Zone 3 A potentially hardier selection of the Silver and Red Maple hybrids. More of an upright grower and does not	Great four season plant that is an improvement of the species because plants are uniform in habit. In spring
have such a sporadic or wild growing form as Autumn Blaze. This selection seems to have more Red Maple	stems are covered with white flowers, in summer purple-black fruit and brilliant orange-red color in fall.
	Winter character is fine in texture and interesting branching habit. Spreading, irregular rounded habit in
traits than Autumn Blaze which has more Silver Maple traits. Fall color is orange-red to burgundy.	youth. Multi-stem plants have three or more stems.
ASG #7 1" min	• •
#15 1.25"	AB1 #7
#15 1.5"	#15 1.25"
#25 1.75"	B&B 2"
#25 2"	AB3 multi-stem #7 ~3'
#25 2.25"	multi-stem #15 4'
B&B 2.25"	multi-stem #15 6'
B&B 2.5"	multi-stem #25 8'
	multi-stem B&B 8'
Acer x palmatum 'Hasselkus', Northern Glow Maple 15-20' Zone 4	
Hybrid selection of a cross between <u>Acer palmatum</u> (hardy Z4/5) and <u>Acer pseudosieboldianum</u> (hardy Z4)	Betula occidentalis, Water Birch or Western Birch 20-30' Zone 3
exhibits orange to red fall color.	Native Western River Birch with cherry-brown bark. Bark is slow to turn a gray/white color.
ANG #7	BO3 multi-stem #1
	multi-stem #5
Acer x 'Warrenred', Pacific Sunset® Maple 25-30' Zone 4	multi-stem #7
Hybrid Maple that is mid-sized and good as a street tree. The city of Whitefish, MT has specimens that are	multi-stem #15 4'
surviving in boulevards. Upright, round habit. Smooth, glossy dark green foliage in the summer and yellow-	multi-stem #15 6'
orange fall color if leaves do not get frozen first.	
APS #15 1.25"	Betula papyrifera, Paper Birch 40-50' Zone 3
#15 1.5"	Vigorous growing. Has an excellent white bark, though it is slow to turn white. One of the hardiest and
#25 1.75"	longest lived Birches. Does well in varied soil types. Multi-stem has three or more stems. Native.
#25 2"	BP1 #7
B&B 2.5"	#15 1.25"
	#15 1.5"
Aesculus glabra, Ohio Buckeye 20-40' Zone 3	#25 1.75"
Rounded habit. Early to leaf and just as early to defoliate. Yellow to orange to red fall color. Suited for large	#25 2"
areas, but slow growing. Native to the Eastern United States.	BP3 multi-stem #7
AGL #7 1" min	multi-stem #15 8'
B&B 1.75"	
B&B 2"	multi-stem #15 10' multi-stem #25 12'
Amelanchier laevis 'Snowcloud', Snowcloud Serviceberry 20-25' Zone 4	Betula platyphylla 'Fargo', Dakota Pinnacle Asian White Birch 25-30', 15' wide Zone
Smaller tree for beneath utility wires. Upright habit. Abundant white flowers before foliage emergence.	Columnar habit and yellow-white bark at an early age distinguishes this selection from <i>Betula papyrifera</i> .
Makes for a short lived spring flower display. Single-stem tree.	As this is a cultivar, the growth habit is very uniform from plant to plant.
ALC B&B 2"	
	BDP #7
	#15 1.25" SOLD OUT
	#15 1.5" SOLD OUT
	Betale also and the first Edition of Dealership Birch of All Aleria
More trees are planted too deep than too shallow. Avoid placing the container plug/root ball on disturbed	Betula platyphylla 'Jefpark', First Editions® Parkland Pillar Birch 35-40', 8' wide Zone
soil that might allow the plant to settle from its original planting depth. For a complete description of how we	Dense, narrow and upright growing. The Parkland Pillar is fast growing and tolerant of heat, drought and
recommend planting trees, see pages 9 and 37. See page 37 for B&B ball specifications and planting tips.	alkaline soils.
recommend planting trees, see pages 3 and 37. See page 37 for both ball specifications and planting tips.	BPP #7

16 Specimen and Container Trees

Specimen and Container Trees 17

			5 - 24	25 - 49	50+	1 - 4	
<u>Carpinus</u> carolinian Eastern North Americ				ll tree suitable	e for planting	Zone 3	Fraxinus <u>americana</u> ' Reliable purple leaf co
wires.	sa nativo. olow gro	Swing, in ogun				g bonoutr utinty	FAP
CBB	#15	1.25"					
	#15	1.5"					<u>Fraxinus americana</u> '
	B&B	2"					Superior hardy White A produces limited seed
NEW! <u>Carpinus</u> care Small tree with good				n Hornbeam	25-30'	Zone 5	FAC
CNF	B&B	2"					
<u>Catalpa</u> <u>speciosa</u> , N	lorthern Catalpa	40-60'				Zone 4	<u>Fraxinus pennsylvan</u>
Very large 6-9" by 3-6				-	-		Very uniform habit mal
weak wooded, along	-	-	long make this	s a plant for o	pen areas, r	not necessarily	selection with clean, g
in a boulevard or mai	nicured residential	l yard.					FP1
CSP	#25	1.75"					
	B&B	2.5"					
<u>Celtis occidentalis,</u>	Common Hackbe	erry 40-60'				Zone 3	
Adaptable to drought	t and poor soils. To	plerant of urba	an pollution. Ra	apid growth o	nce establis	hed.	
Yellow fall color. Nativ	ve. Corked bark or	n trunks does	not frost dama	age or sun so	ald.		
COC	#15	1.25"					
	#15	1.5"					
	#15	1.75"					<u>Ginkgo biloba</u> 'Autur
	#25	2"					Male selection of this l
	#25	2.25"					worthy of further trial ir
	B&B	2"					GAG
	B&B	2.25"					
	B&B	2.5"					
<u>Crataegus</u> crusgalli	<u>i</u> var. <u>inermis</u> , Tho	ornless Cock	spur Hawtho	rn 15-20'		Zone 4	NEW! <u>Ginkgo biloba</u>
A good four season p winter habit of attract							Pyramidal male selecti GBM
CC1	#7						
	#15	1.25"					<u>Gleditsia</u> <u>triacanthos</u>
	B&B	1.75"					This North Dakota Sta and much slower grow
Crataegus x morde	nensis 'Toba'. To	ba Hawthorn	15-20'			Zone 3	-
Double white flowers				ttle fruit and h	as light gree		GNA
foliage. Attractive ora	•		-		• •		
CMT	#7					· -·· •	
	πι						

			5 - 24	25 - 49	50+	1 - 4
Fraxinus americana 'A			-			Zone 4
Reliable purple leaf colo	or early in fall. S	eedless. (Coarse habit. Larç	ge shade tree		
FAP	B&B	2"				
<u>Fraxinus americana</u> '(Calypso', Calyr	oso Ash 4	0-50'			Zone 3
Superior hardy White A	sh from Manitol	ba, Canad	a. Good purple fa	Il color, slow g	growing. Fei	male selection
produces limited seed a						
FAC	#7					
	#15	1.25"				
	#15	1.5"				
<u>Fraxinus pennsylvani</u>	ica 'Patmore'. F	Patmore G	reen Ash 50-60'			Zone 3
Very uniform habit mak					portant. Th	
selection with clean, gro						
FP1	#7	J- J	5			
	#15	1.25"				
	#15	1.5"				
	#18 #15	1.75"				
	#18	2"				
	#25	2.25"				
	#25	2.5"				
	#20 B&B	2.25"				
	DQD	2.20				
Ginkao bilobo (Autur	nn Gold', Autun	nn Gold G	Sinkgo 30-50'			Zone 4
GIIIKYO DIIODA AULUII						
-	ving dinosaur. In	nteresting	leaf and growth h	abit make this	a unique s	
Male selection of this live worthy of further trial in	-	-	leaf and growth h	abit make this	a unique s	
Male selection of this liv worthy of further trial in	-	-	leaf and growth h	abit make this	a unique s	
Male selection of this liv	Western Monta	ina.	leaf and growth h	abit make this	a unique s	
Male selection of this liv worthy of further trial in	Western Monta #15	ina. 1.25"	leaf and growth h	abit make this	a unique s	
Male selection of this liv worthy of further trial in GAG	Western Monta #15 #15 B&B	na. 1.25" 1.5" 2"	SOLD OUT	abit make this	a unique s	election
Male selection of this liv worthy of further trial in GAG NEW! <u>Ginkgo biloba</u> f	Western Monta #15 #15 B&B Magyar', Magya	na. 1.25" 1.5" 2" ar Ginkgo	SOLD OUT 40-50'	abit make this	a unique s	election
Male selection of this liv worthy of further trial in GAG NEW! <u>Ginkgo biloba</u> f Pyramidal male selectio	Western Monta #15 #15 B&B Magyar', Magy on (fruitless), wit	na. 1.25" 1.5" 2" ar Ginkgo	SOLD OUT 40-50'	abit make this	a unique s	
Male selection of this liv worthy of further trial in GAG NEW! <u>Ginkgo biloba</u> f	Western Monta #15 #15 B&B Magyar', Magya	na. 1.25" 1.5" 2" ar Ginkgo	SOLD OUT 40-50'	abit make this	a unique s	election
Male selection of this liv worthy of further trial in GAG NEW! <u>Ginkgo biloba</u> " Pyramidal male selection GBM <u>Gleditsia triacanthos</u>	Western Monta #15 #15 B&B Magyar', Magya on (fruitless), wit B&B 'Harve', Northe	na. 1.25" 1.5" 2" ar Ginkgo th yellow fa 2" ern Acclai	SOLD OUT 40-50' all color. m® Honeylocus t	t 30-40'		election Zone 4 Zone 4
Male selection of this liv worthy of further trial in GAG NEW! <u>Ginkgo biloba</u> Pyramidal male selectio GBM <u>Gleditsia triacanthos</u> This North Dakota State	Western Monta #15 #15 B&B Magyar', Magya on (fruitless), with B&B 'Harve', Northe e University sele	na. 1.25" 1.5" 2" ar Ginkgo th yellow fa 2" ern Acclai	SOLD OUT 40-50' all color. m® Honeylocus t	t 30-40'		election Zone 4 Zone 4
Male selection of this liv worthy of further trial in GAG NEW! <u>Ginkgo biloba</u> f Pyramidal male selectio	Western Monta #15 #15 B&B Magyar', Magya on (fruitless), with B&B 'Harve', Northe e University sele	na. 1.25" 1.5" 2" ar Ginkgo th yellow fa 2" ern Acclai	SOLD OUT 40-50' all color. m® Honeylocus t	t 30-40'		election Zone 4 Zone 4

More trees are planted too deep than too shallow. Avoid placing the container plug/root ball on disturbed soil that might allow the plant to settle from its original planting depth. For a complete description of how we recommend planting trees, see Pages 9 and 37.

1.25"

1.5"

1.75"

#15 #15

#25

Specimen and Container Trees

18

Specimen and Container Trees 19

			5 - 24	25 - 49	50+	1 - 4				5 - 24	25 - 49	50+	1 - 4
<u>Gleditsia</u> triacantho						Zone 4	<u>Crabapples</u>			4	7 containers y	will general	y be 6' or taller
Broad spreading to ro			ellow fall color.							#	7 containers v	will generali	y be o or taller
GIM	B&B	1.75"					Malua (Caralada) Caral	hurst Crabs	nnla 0 10	,			Zan
	B&B	2"					<u>Malus</u> 'Coralcole', Corall						Zone
	B&B	2.25"					A very dense, rounded tre Looks like a lollypop and a					k flowers ar	id slow growing.
Gleditsia triacantho						Zone 4	MCB	#7		SOLD OUT			
Nice shade tree that a													_
the lack of seed pods	s make this a good	d choice. D	oes well in dry	sites with a me	ore alkaline s	oil. Broadly	<u>Malus</u> 'Dolgo', Dolgo Cra						Zone
pyramidal growth hab	oit.						A large, rounded, white flow						
GSK	#7						small shade tree and can b						
	#15	1.25"					resistance. Not an appropr	riate choice i	n high traff	ic areas where fal	len apples cou	uld create a	hazard.
	#20	1.5"					MD1	#7	1" min				
	#25	1.75"	SOLD OUT					#15	1.25"	SOLD OUT			
	#25	2"	SOLD OUT					#15	1.5"				
	B&B	1.75"	0012 007					#25	1.75"				
	B&B	2"						#25	2"				
	B&B	2.25"						#25	2.25"				
	B&B	2.5"											
	DQD	2.0					<u>Malus</u> 'JFS-KW5', Royal	Raindrops	R Crabapp A Second Content Seco	ole 15-20'			Zone
Gymnocladus dioica	a. Kentucky Coff	eetree 40	-60'			Zone 4	Upright spreading with cut	tleaf purple f	oliage, pin	k-red flower and	small red fruit.		
This dramatically coa				kes vears to fill	out into an a		MRR	#7					
specimen, but is wort					out into an a			#15	1.25"				
GDI	B&B	2"						#15	1.5"				
GDI	DQD	2											
Hydrangea panicula	<u>ata</u> 'Limelight', Li	imelight H	ydrangea Sin	gle-Stem 6-8'		Zone 3	<u>Malus</u> 'Louisa', Louisa C						Zone
Small tree form Hydra	angea with lime-g	reen late s	ummer flowers	s. Use as an ac	cent plant. S	eed head	Weeping Crabapple with p	oink flowers	and green	leaves. Replaces	i 'Red Jade' o	n our plant	list.
attractive in winter.							MLC	#7					
HL1	#7							#15	1.25"	SOLD OUT			
Hydrangea panicula	ata 'Renhy', Vanil	lla Strawb	erry™ Hydran	iqea Single-St	em 8-10'	Zone 3	<u>Malus</u> 'Prairifire', Prairifi	ire Crabapp	le 15-20'				Zone
Small tree with white						ised as	Red-maroon to green folia						
an small accent plant	t in the landscape	. Attractive	in winter with	the dried flowe	r head.		Excellent disease resistan	it foliage. Or	ne of the be	est Crabapples fo	r fall color, wh	iich has ora	nge tints.
HV1	#7						MPF	#7					
								#15	1.25"				
Maackia amurensis	'JFS-Schichtel1	', MaacNif	icent Maackia	20-25'		Zone 3		#15	1.5"				
J. Frank Schmidt intro	oduction. A vigoro	us grower	with a vase sh	ape growth hal	oit. Green lea	aves with a		B&B	2"				
silver pubescence an	-	-											
MMN	, #7			5			<u>Malus</u> 'Radiant', Radiant						Zone
	#1						Compact rounded habit th					I. Pink flowe	ering, bronze
<u>Maackia</u> amurensis	'Summertime'. S	Summertir	ne Maackia 1	5-20'		Zone 3	foliage turning to green lat	ter in seasor	n. Scab is a	a problem during	a wet spring.		
An interesting small h					a unique silv		MR1	#7	1" min	SOLD OUT			
and creamy white flow				e sineige mar				#15	1.25"	SOLD OUT			
MAS	#7							#15	1.5"				
WA3		1 05"						#15	1.75"				
	#15	1.25"	SOLD OUT					B&B	2"				

20 Specimen and Container Trees

B&B

B&B

2"

2.25"

Specimen and Container Trees 21

22 Specimen and	I Container Trees					5	Specimen and Container Trees
		5 - 24 25 - 49	50+	1 - 4		5 - 24	25 - 49 50+ 1 - 4
	or', Red Splendor Crabapple		norgiotant fr	Zone 3		o', First Editions® Gladiator Crabappl imilar to Thunderchild in upright habit, pir	
	Foliage color deep green to	 Pink flowers and small red maroon. 	persistent in	iit. Early to lear	but with greater disease resi		ik nower and glossy purple lear cold
MRS	#7	SOLD OUT			MGL	#5	
-	#15 1.25"					#7	
	#15 1.5"					#15 1.25"	
	#25 1.75"					#15 1.5"	
	#25 2"					#25 1.75"	
Malus 'Reizam' Reid	oice Crabapple 15-20'			Zone 4		#25 2" B&B 2.25"	
		ink flower and dark green foli	age with a bu			B&B 2.23	
	Good disease resistance.	0	0	0 9	<u>Malus</u> x 'Jeflite', Starlite® (Crabapple 15-20'	Zo
MRE	#7					ith small fruit that persists on the tree into	
	#15 1.25"					re a small fruited (crabapple) could be to	erated as it is of similar size
	#15 1.5"				and habit.		
	#15 1.75"				MJS	#7	
	#25 1.75"	SOLD OUT				Prohemple Flewer Colore (Le	
<u>Malus</u> 'Royalty', Roy	yalty Crabapple 12-15'			Zone 3	<u> </u>	Crabapple Flower Colors (Lea	at Color)
Glossy, deep maroon	colored foliage, rounded hal	bit and red flowers with minir	nal fruit set. S	stands out in the	White	Red	<u>Pink</u>
landscape. Extremely	/ hardy. Scab is a problem in	a wet spring.			Dolgo <i>(green)</i>	Prairifire (maroon to green)	Coralburst <i>(green)</i>
MRY	#7				Spring Snow (green)	Royal Raindrops <i>(purple)</i>	Gladiator (glossy purple)
	#15 1.25"					• • • • • •	
	#15 1.5"				Starlite <i>(green)</i>	Royalty (glossy, deep maroon)	Louisa <i>(green)</i>
	#15 1.75" #25 2"						Radiant (bronze turning green)
	#25 2"						Red Splendor (deep green to maro
	', Spring Snow Crabapple			Zone 3			Rejoice (dark green)
		ice where an attractive, dens					
-		y of white flowers. Scab is a	problem in a v	vet spring.	Fruiting Apples	Rec	uire a pollinator for fruit production
MS1	#5 #7 1" min				Malus (Chostnut' Standard	I Chestnut Fruiting Crabapple	Zo
	#7 1" min #15 1.25"				MCH	#7	20
	#15 1.5"				WCH	#1	
	#20 1.75"				<u>Malus</u> 'Goodland', Standar	d Goodland Fruiting Apple	Zo
	#25 2"				MGD	#5	
	#25 2.25"					#7 1" min	
	#25 2.5"					#15 1.25"	
						#15 1.5"	
					<u>Malus</u> 'Haralred', Standard	Haralred Fruiting Apple	Zo
					MHR	#5	
						#7 SOLD OUT	
						#15 1.25"	
	benefit from thinning — remo	oving 1/4 to 1/3 of the new gr	owth in the sp	oring after	MDD somi du	#15 1.5"	
ropoplopting This is i	appaged by true for DVD appage						

MDR

semi-dwarf #7

transplanting. This is especially true for B&B specimens.

24 Specimen and Container Trees

Specimen and Container Trees 25

			5 - 24	25 - 49	50+				5 - 24	25 - 49	50+	1 - 4
<u>Malus</u> 'Harals	son', Standard Haralso	n Fruiting	Apple			Zone 3	<u>Malus</u> 'Sweet Sixteen', Sweet S	ixteen Fruiting	Apple			Zone
MHA	#5 #7	1" min	SOLD OUT SOLD OUT					¢5 ¢7 1" min	SOLD OUT			
	#15	1.25"						15 1.25"				
MDA	semi-dwarf #7		SOLD OUT				# MDS semi-dwarf #	ŧ15 1.5" ŧ7 1" min				
<u>Malus</u> 'Haze	en', Std Hazen Fruit App	ole				Zone 3	<u>Malus</u> 'Wealthy', Standard Wea	Ithy Fruiting Ap	ple			Zone
MHZ	#7	1" min					MWL #	ŧ7				
Malus 'Honey	ycrisp', Standard Honey	vorisn Fru	iting Apple			Zone 4	<u>Malus</u> 'Whitney', Standard Whi		abapple			Zone
MHC	#5	yonopiio				Zone 4	MWT #	\$7				
	#5 #7	1" min						<u> </u>			· / 7	
	#15	1.25"					Standard Rootstock – All of our generally attain a height				K (Zone	e 3). These trees
	#15	1.5"										
	#15	1.75"					Semi-Dwarf Rootstock – Malling					
MDH	semi-dwarf #7						reduces the size of the tr	ee by approximat	ely 40 percent. Tr	ees will be ap	proxima	ately 12-15 in heig
			ting Annle			Zone 4						
	ygold', Standard Honey	ygolu i iui					Dellinetien	of Amula Tueses	/ Ammla Calan			
	#5								/ Apple Color, S			
	#5 #7	1" min					Use two	o varieties from th	/ Apple Color, similar			
<u>Malus</u> 'Honey MHG	#5 #7 #15	1" min 1.25"					Use two Early - Hazen, Norland, State Fair, V	varieties from th Wealthy, Whitney	e same or similar	flowering time	s.	
	#5 #7	1" min					Use two	o varieties from th Wealthy, Whitney isp, Honeygold, Ke	e same or similar rr, McIntosh, Red B	flowering time arron, Sweet Si	s.	
MHG	#5 #7 #15 #15 #15	1" min 1.25" 1.5" 1.75"				Zone 3	Use two Early - Hazen, Norland, State Fair, Mid - Chestnut, Goodland, Honeycr	o varieties from th Wealthy, Whitney isp, Honeygold, Ke	e same or similar rr, McIntosh, Red B	flowering time arron, Sweet Si	s. xteen	Uses
MHG NEW! <u>Malus</u>	#5 #7 #15 #15	1" min 1.25" 1.5" 1.75"					Use two Early - Hazen, Norland, State Fair, Mid - Chestnut, Goodland, Honeycr Late - Haralred, Haralson (these two	o varieties from th Wealthy, Whitney isp, Honeygold, Ke o are not suitable p	e same or similar rr, McIntosh, Red B ollinators for each c	flowering time arron, Sweet Si other)	s. xteen ng	
MHG NEW! <u>Malus</u> MKR	#5 #7 #15 #15 #15 'Kerr', Standard Kerr F i #7	1" min 1.25" 1.5" 1.75" Truiting Ap	ple			Zone 3	Use two Early - Hazen, Norland, State Fair, Mid - Chestnut, Goodland, Honeycr Late - Haralred, Haralson (these two <u>Variety</u>	o varieties from th Wealthy, Whitney isp, Honeygold, Ke o are not suitable p Fruit Color	e same or similar rr, McIntosh, Red B ollinators for each o Flowers	flowering time arron, Sweet Si ther) Ripeni n	s. xteen ng	Uses
MHG NEW! <u>Malus</u> MKR <u>Malus</u> 'McInt	#5 #7 #15 #15 #15 'Kerr', Standard Kerr F i #7 tosh', Standard McIntos	1" min 1.25" 1.5" 1.75" Truiting Ap	ple Apple				Use two Early - Hazen, Norland, State Fair, Mid - Chestnut, Goodland, Honeycr Late - Haralred, Haralson (these two Variety Chestnut – Std (Crabapple)	o varieties from th Wealthy, Whitney isp, Honeygold, Ke o are not suitable p <u>Fruit Color</u> Red Red	e same or similar rr, McIntosh, Red B ollinators for each o <u>Flowers</u> Early to Mid	flowering time arron, Sweet Si ther) <u>Ripenin</u> Early F	s. xteen ng	<u>Uses</u> Eating
MHG NEW! <u>Malus</u> MKR <u>Malus</u> 'McInt	#5 #7 #15 #15 #15 */Standard Kerr Fi #7 tosh', Standard McIntos #5	1" min 1.25" 1.5" 1.75" Truiting Ap	ple Apple SOLD OUT			Zone 3	Use two Early - Hazen, Norland, State Fair, ' Mid - Chestnut, Goodland, Honeycr Late - Haralred, Haralson (these two <u>Variety</u> <u>Chestnut – Std (Crabapple)</u> <u>Goodland – Std</u>	o varieties from th Wealthy, Whitney isp, Honeygold, Ke o are not suitable p <u>Fruit Color</u> Red Red	e same or similar rr, McIntosh, Red B ollinators for each o <u>Flowers</u> Early to Mid Mid	flowering time arron, Sweet Si ther) <u>Ripenin</u> Early F Fall	s. xteen ng all	Uses Eating Eating Eating
MHG NEW! <u>Malus</u> MKR <u>Malus</u> 'McInt	#5 #7 #15 #15 */Standard Kerr Fi #7 tosh', Standard McIntos #5 #7	1" min 1.25" 1.5" 1.75" Truiting Ap Sh Fruiting 1" min	ple Apple			Zone 3	Use two Early - Hazen, Norland, State Fair, Mid - Chestnut, Goodland, Honeycr Late - Haralred, Haralson (these two Variety Chestnut – Std (Crabapple) Goodland – Std Haralred/Haralson – Std & Semi-Dw Hazen – Std	o varieties from th Wealthy, Whitney isp, Honeygold, Ke o are not suitable p <u>Fruit Color</u> Red Red f Red	e same or similar rr, McIntosh, Red B ollinators for each o Flowers Early to Mid Mid Late	flowering time arron, Sweet Si ther) <u>Ripenii</u> Early F Fall Fall Summ	s. xteen ng all er	Uses Eating Eating Eating Eating and Baking
MHG NEW! <u>Malus</u> MKR <u>Malus</u> 'McInt	#5 #7 #15 #15 */Standard Kerr Fi #7 tosh', Standard McIntos #5 #7 #15	1" min 1.25" 1.5" 1.75" Truiting Ap Sh Fruiting 1" min 1.25"	ple Apple SOLD OUT			Zone 3	Use two Early - Hazen, Norland, State Fair, ' Mid - Chestnut, Goodland, Honeycr Late - Haralred, Haralson (these two Variety Chestnut – Std (Crabapple) Goodland – Std Haralred/Haralson – Std & Semi-Dw Hazen – Std Honeycrisp – Std & Semi-Dwf	o varieties from th Wealthy, Whitney isp, Honeygold, Ke o are not suitable p Fruit Color Red Red f Red Dark Red Red	e same or similar rr, McIntosh, Red B ollinators for each o <u>Flowers</u> Early to Mid <u>Mid</u> Late Early Mid	flowering time arron, Sweet Si ther) <u>Ripenin</u> Early F Fall Summ Early F	s. xteen ng all er	Uses Eating Eating Eating Eating and Baking Eating
MHG NEW! <u>Malus</u> MKR <u>Malus</u> 'McInt MMI	#5 #7 #15 #15 */Standard Kerr Fi #7 tosh', Standard McIntos #5 #7	1" min 1.25" 1.5" 1.75" Truiting Ap Sh Fruiting 1" min	ple Apple SOLD OUT			Zone 3	Use two Early - Hazen, Norland, State Fair, Mid - Chestnut, Goodland, Honeycr Late - Haralred, Haralson (these two Variety Chestnut – Std (Crabapple) Goodland – Std Haralred/Haralson – Std & Semi-Dw Hazen – Std	o varieties from th Wealthy, Whitney isp, Honeygold, Ke o are not suitable p <u>Fruit Color</u> Red Red f Red Dark Red	e same or similar rr, McIntosh, Red B ollinators for each o <u>Flowers</u> Early to Mid Mid Late Early	flowering time arron, Sweet Si ther) <u>Ripenii</u> Early F Fall Fall Summ	s. xteen ng all er	Uses Eating Eating Eating Eating and Baking
MHG NEW! <u>Malus</u> MKR <u>Malus</u> 'McInt MMI MDM	#5 #7 #15 #15 */15 */15 */15 */7 */7 */15 */15 */7 */15 */15 */7	1" min 1.25" 1.5" fruiting Ap sh Fruiting 1" min 1.25" 1.5"	ple Apple SOLD OUT SOLD OUT			Zone 3 Zone 4	Use two Early - Hazen, Norland, State Fair, Mid - Chestnut, Goodland, Honeycr Late - Haralred, Haralson (these two Variety Chestnut – Std (Crabapple) Goodland – Std Haralred/Haralson – Std & Semi-Dw Hazen – Std Honeycrisp – Std & Semi-Dwf Honeygold – Std	o varieties from th Wealthy, Whitney isp, Honeygold, Ke o are not suitable p Fruit Color Red Red f Red Dark Red Red Yellow	e same or similar rr, McIntosh, Red B ollinators for each o Flowers Early to Mid Mid Late Early Mid Mid	flowering time arron, Sweet Si other) <u>Ripenin</u> Early F Fall Summ Early F Early F	s. xteen ng all er	Uses Eating Eating Eating Eating and Baking Eating Baking
MHG NEW! <u>Malus</u> MKR <u>Malus</u> 'McInt MMI MDM <u>Malus</u> 'Norla)	#5 #7 #15 #15 #15 */Kerr', Standard Kerr Fr #7 tosh', Standard McIntos #5 #7 #15 #15 #15 semi-dwarf #7	1" min 1.25" 1.5" fruiting Ap sh Fruiting 1" min 1.25" 1.5"	ple Apple SOLD OUT SOLD OUT			Zone 3	Use two Early - Hazen, Norland, State Fair, Mid - Chestnut, Goodland, Honeycr Late - Haralred, Haralson (these two Variety Chestnut – Std (Crabapple) Goodland – Std Haralred/Haralson – Std & Semi-Dw Hazen – Std Honeycrisp – Std & Semi-Dwf Honeygold – Std Kerr - Std	o varieties from th Wealthy, Whitney isp, Honeygold, Ke o are not suitable p Fruit Color Red Red f Red Dark Red Red Yellow Red	e same or similar rr, McIntosh, Red B ollinators for each o <u>Flowers</u> Early to Mid Mid Late Early Mid Mid Mid	flowering time arron, Sweet Si ther) <u>Ripenii</u> Early F Fall Summ Early F Early F Fall Fall	s. xteen all er all	Uses Eating Eating Eating Eating and Baking Eating Baking Eating
MHG NEW! <u>Malus</u> MKR <u>Malus</u> 'McInt MMI MDM <u>Malus</u> 'Norla: MNL	#5 #7 #15 #15 #15 ***************************	1" min 1.25" 1.5" 1.75" Fruiting Ap 5h Fruiting 1" min 1.25" 1.5" Fruiting A	ple Apple SOLD OUT SOLD OUT			Zone 3 Zone 4 Zone 3	Use two Early - Hazen, Norland, State Fair, ' Mid - Chestnut, Goodland, Honeycr Late - Haralred, Haralson (these two Variety Chestnut – Std (Crabapple) Goodland – Std Haralred/Haralson – Std & Semi-Dw Hazen – Std Honeycrisp – Std & Semi-Dwf Honeygold – Std Kerr - Std McIntosh – Std & Semi-Dwf	o varieties from th Wealthy, Whitney isp, Honeygold, Ke o are not suitable p Fruit Color Red Red Dark Red Dark Red Yellow Red Red Red	e same or similar rr, McIntosh, Red B ollinators for each o Flowers Early to Mid Late Early Mid Mid Mid Mid	flowering time arron, Sweet Si ther) <u>Ripenin</u> Early F Fall Summ Early F Early F Fall Fall Fall	s. xteen all er all er	Uses Eating Eating Eating and Baking Eating Baking Eating Eating Eating
MHG NEW! <u>Malus</u> MKR <u>Malus</u> 'McInt MMI MDM <u>Malus</u> 'Norla MNL <u>Malus</u> 'Red E	#5 #7 #15 #15 *******************************	1" min 1.25" 1.5" 1.75" Truiting Ap Sh Fruiting 1" min 1.25" 1.5" Fruiting A Barron Fru	ple Apple SOLD OUT SOLD OUT SOLD OUT			Zone 3 Zone 4	Use two Early - Hazen, Norland, State Fair, Mid - Chestnut, Goodland, Honeycr Late - Haralred, Haralson (these two Variety Chestnut – Std (Crabapple) Goodland – Std Haralred/Haralson – Std & Semi-Dw Hazen – Std Honeycrisp – Std & Semi-Dwf Honeygold – Std Kerr - Std McIntosh – Std & Semi-Dwf Norland – Std	o varieties from th Wealthy, Whitney isp, Honeygold, Ke o are not suitable p Fruit Color Red Red Dark Red Red Yellow Red Red Red Red Red	e same or similar rr, McIntosh, Red B ollinators for each o <u>Flowers</u> Early to Mid <u>Mid</u> Late Early Mid Mid Mid Early Mid Mid	flowering time arron, Sweet Si ther) Ripenin Early F Fall Summ Early F Early F All Fall Fall Summ Fall	s. xteen all er all er er	Uses Eating Eating Eating and Baking Eating Baking Eating Eating Eating Eating and Baking Eating and Baking
MHG NEW! <u>Malus</u> MKR <u>Malus</u> 'McInt MMI MDM <u>Malus</u> 'Norla MNL <u>Malus</u> 'Red E	#5 #7 #15 #15 #15 ***************************	1" min 1.25" 1.5" 1.75" Truiting Ap Sh Fruiting 1" min 1.25" 1.5" Fruiting A Barron Fru	ple Apple SOLD OUT SOLD OUT			Zone 3 Zone 4 Zone 3	Use two Early - Hazen, Norland, State Fair, Mid - Chestnut, Goodland, Honeycr Late - Haralred, Haralson (these two Variety Chestnut – Std (Crabapple) Goodland – Std Haralred/Haralson – Std & Semi-Dw Hazen – Std Honeycrisp – Std & Semi-Dwf Honeygold – Std Kerr - Std McIntosh – Std & Semi-Dwf Norland – Std Red Barron – Std State Fair – Std	o varieties from th Wealthy, Whitney isp, Honeygold, Ke o are not suitable p Fruit Color Red Red Dark Red Dark Red Yellow Red Red Red Yellow-Red Red	e same or similar rr, McIntosh, Red B ollinators for each o Flowers Early to Mid Late Early Mid Mid Mid Mid Early Mid Early Mid Early	flowering time arron, Sweet Si other) Ripenin Early F Fall Summ Early F Fall Fall Fall Summ Fall Summ	s. xteen all er all er	Uses Eating Eating Eating Eating and Baking Eating Eating Eating Eating and Baking Eating and Baking Eating and Baking
MHG NEW! <u>Malus</u> MKR <u>Malus</u> 'McInt MMI MDM <u>Malus</u> 'Norlai MNL <u>Malus</u> 'Red E MRB	#5 #7 #15 #15 *******************************	1" min 1.25" 1.5" 1.75" Truiting Ap Sh Fruiting 1" min 1.25" 1.5" Fruiting A Barron Fru 1" min	ple Apple SOLD OUT SOLD OUT SOLD OUT iting Apple SOLD OUT			Zone 3 Zone 4 Zone 3	Use two Early - Hazen, Norland, State Fair, Mid - Chestnut, Goodland, Honeycr Late - Haralred, Haralson (these two Variety Chestnut – Std (Crabapple) Goodland – Std Haralred/Haralson – Std & Semi-Dwf Honeygold – Std Kerr - Std McIntosh – Std & Semi-Dwf Norland – Std Red Barron – Std	o varieties from th Wealthy, Whitney isp, Honeygold, Ke o are not suitable p Fruit Color Red Red Dark Red Red Yellow Red Red Red Red Red	e same or similar rr, McIntosh, Red B ollinators for each o <u>Flowers</u> Early to Mid <u>Mid</u> Late Early Mid Mid Mid Early Mid Mid	flowering time arron, Sweet Si ther) Ripenin Early F Fall Summ Early F Early F All Fall Fall Summ Fall	s. xteen all er all er er	Uses Eating Eating Eating and Baking Eating Baking Eating Eating Eating Eating and Baking Eating and Baking

Phone: (406) 755-2248

before the ground freezes. This allows the trees to harden off for winter.

26 Specimen and Container Trees

	5 - 24 25 - 4	9 50+ 1-4				5 - 24	25 - 49	50+	1 - 4
<u>)strya virginiana</u> ,		Zone 3	-	<u>uloides</u> , Quaking Asp					Zone
Blow growing small Vestern Montana.	tree. Oval to rounded habit. Eastern North American na	tive. Worthy of trial in		Aspen. Very natural in a ind make this a superb					
WIC	#15 1.25"		PT1	#1					
	#15 1.5"			#2					
	#15 1.75"			#5					
				#7	1" min				
i cea & <u>Pinus</u> - See	Evergreens Pages 71-77.			#10	1" min				
		7 0		#15	1.25"				
	<i>lia</i> , Narrowleaf Cottonwood 50-60'	Zone 3		#15	1.5"				
	ell in high altitudes. Has a pyramidal growth habit with a	iscending branches and narrow,		#15	1.75"				
	endency to sucker. Not cottonless.			#20 #25	2" 2.25"				
AG	#7			#25	2.25				
	#15 1.25"		PT3	#23 multi-stem #5	2.0				
	#15 1.5"		115	multi-stem #7					
	#15 1.75"			multi-stem #15	8'				
	#25 2"			multi-stem #15	10'				
	#25 2.25"			multi-stem #25	12'				
opulus deltoides	'Siouxland', Siouxland Poplar 70-80'	Zone 3							
	bunded habit at maturity. Tolerates moist soil conditions.		<u>Populus</u> trich	ocarpa, Black Cotton	vood 60-75	5'			Zone
DS	#5	2	Native Cottony	vood. Not cottonless. M	oisture tole	rant, surviving in	river beds. La	arge growin	g.
	#7 1" min		PTC	#5					
	#15 1.25"			#7		SOLD OUT			
	#15 1.5"			#15	1.25"				
	#15 1.75"			#15	1.5"				
	#25 2"								
	#25 2.25"			<i>uminata</i> , Lanceleaf Co					Zone
	#25 2.5"			Cottonwood. Glossy da				in tough sit	uations for
			instant shade	as it grows very fast. Th	is is not a s	eedless selection	n. Native.		
	', Highland Poplar 45-50'	Zone 3	PAC	#7		SOLD OUT			
-	mpact habit makes this desirable where other Poplars w	ouid be too large. Cottoniess.		#15	1.25"				
Н	#7 1" min					1			-
opulus tremula 'l	Erecta', Swedish Columnar Aspen 30-40'	Zone 3		<u>nadensis</u> 'Robusta', R					Zone
arrow, columnar g	rowing tree, which is excellent for screening. One of the			cottonless Cottonwood		al snape. A vigoro	us grower.		
eaves similar to Q	uaking Aspen.		PRB	#7	1" min				
TE	#5 SOLD OUT			#15	1.25"				
	#7 1" min			#15	1.5"				
	#15 1.25"			#15	1.75"				
	#15 1.5"			#25 #25	2" 2.25"				
	#25 1.75"			#25 #25	2.25 2.5"				
	#25 2"			π23	2.0				

At Glacier Nursery LLC, we have found that we can improve the overwintering of tender species, specifically Maples, by stopping fertilization by the end of July, allowing the plants to be moisture stressed in September (achieving slight wilting by reducing irrigation), and abundantly watering after the first killing frost.

28 Specimen and Cor	itainer Tre	es						Specimen	and Contai	iner Trees 2
			5 - 24 25 - 49 50+	1 - 4			5 - 24	25 - 49	50+	1 - 4
Peach						Royal', Standard Mount R			-12'	Zone 4
						lum, good for eating right fi		Э.		
<u>Prunus</u> x 'Contender', St				Zone 4/5	PMR	#5 #7	SOLD OUT SOLD OUT			
•		an offer for the	e few peach growing areas of Western Mon	tana.		#7 #15 1.2				
РСТ	#10					#15 1.2	5 30LD 001			
Fruiting Cherrie	S					a', Standard Pembina Fru at is sweet and juicy. A goo				Zone 3
<u>Prunus</u> 'Eubank', Sweet	Cherry Pie	Cherry (self	-fruitful) 12-15'	Zone 4	PPN	#7	SOLD OUT			
			Sweet enough for fresh eating and great for	jam, jellies						7
and pies. Self-fruitful.						ne', Standard Pipestone			riam and ial	Zone 3
PCP	#7				• •	t produces large, red, edibl		son. Good io	jam and jei	ly. Clingstone.
				7 0	PPT	#7	SOLD OUT			
<u>Prunus</u> 'Evans Bali', Star Selected for good bud bar			ry (self-fruitful) 15-20′ at is one of the sweetest sour cherries. Self	Zone 3	<u>Prunus</u> 'Toka'. S	Standard Toka Fruiting Pl	um (self-sterile) 15-20)'		Zone 4
				-iruitiui.		apricot colored fruit. Clingst				
PBA	#7	i min	SOLD OUT		РТК	#7				
Prunus 'Lapin', Standard	l Lapin Sw	eet Fruiting	Cherry (self-fruitful) 15-20'	Zone 5						
Fruit is dark maroon, large	and extrer	nely juicy. Thi	s is one of the varieties commonly used in t	he orchards		', Standard Waneta Fruiti		10-15'		Zone 3
around Flathead Lake. Se	lf-fruitful.				-	lingstone. Old, reliable sele				
PLA	#7	1" min			PWN	#7	SOLD OUT			
Prunus (Masabi) Standa	rd Mocabi	Dia/Swoot Er	uiting Cherry (self-fruitful) 10-14'	Zone 4	Pollination of Plu	ms – Mount Royal is self fe	rtile and does not requ	ire a pollinato	or. The rema	ining selections
			uit is similar to the <i>Prunus 'Meteor'</i> .	Zone 4		ina, Pipestone, Toka, and V				
PME	#7	1" min								
					Ornament	al Cherries & Plu	lms			
<u>Prunus</u> 'Meteor', Standa				Zone 4	Drumus messiki		2'			7 0
			rt. Makes good sauce or pie. Self-fruitful.			, Amur Chokecherry 20-30 ason small tree. Attractive of		n areen foliaa	e black frui	Zone 2
PMT	#7	1" min				tic yellow fall foliage. Bark i				
Prunus (Montmoronov)	Standard N	Iontmorono	Pie Fruiting Cherry (self-fruitful) 12-18'	Zone 3		grown with three or more s			n rou, and o	strong into
			uit is firm and juicy and is good for pies or p		PM1	#7				
Most reliably hardy cherry			and to firm and juricy and to good for prod of p			#15 1.2	25"			
PMO	#5					#15 1	.5"			
	#7	1" min				#15 1.7	75"			
	#15	1.25"				#25	2"			
	#15	1.5"				#25 2.2				
For ideal r	ollination	plant two com	npatible varieties within 50' of one another.		PM3	#25 2 multi-stem #15	.5" 8'			
	Joiination,	plant two con			FINIS		0			
Fruiting Plums		Rog	uire a pollinator for fruit production (except	Mount Royal)	<u>Prunus nigra</u> 'P	rincess Kay', Princess Ka	y Plum 15-20'			Zone 2
		Ney		mount Noyal <u>).</u>		ee that is reliably hardy. Pro				
<u>Prunus</u> 'Compass', Stan	dard Com	ass Cherry	Plum (self-sterile) 4-8'	Zone 3		ange to maroon fall color. A	ttractive smooth, dark	brown bark w	ith prominer	nt white lenticels.
			ngstone. Good pollinator for other varieties.	20110 0	Occasionally bea					
,			-		PPK	#7				
PCC	#7		SOLD OUT			#15 1.2				

Spacin d Container Trees 29

			5 - 24	25 - 49	50+	1 - 4	
-	<u>ntii</u> 'JFS-KW58', Pink I					Zone 3/4	Pears
	rry with a narrow vase-s						
-	he breeder of this select	tion, but our e	experience sug	Igests Zone 5	. Suitable for	wissoula valley	<u>Pyrus</u> 'Early Gold', Stand
n Montana.		4					Canadian selection of an in
PSP	#25	1.75"					PYE
	<u>iana</u> , Common Chokee	-				Zone 2	<u>Pyrus</u> 'Golden Spice', Sta
-	dy native tree. Forms an						University of Minnesota sel
This plant suck	kers freely in the landsca	ape, and the	single-stem pla	ant requires fr	equent sucke	er removal.	-
PG1	#5						PGL
	#7						<u>Pyrus</u> 'Parker', Semi-Dwa
	#15	1.25"					-
	#15	1.5"					A large, fine grained, tende
PG3	multi-stem #1						Flowers in early May.
	multi-stem #2						PYP
	multi-stem #5						
	multi-stem #7	~4'					
	multi-stem #15	4'					
	multi-stem #15	6'					<u>Pyrus</u> 'Summercrisp', Se
	multi-stem #25	8'					Proven hardy selection. An
							mid August. Fruit green wit
Prunus virgin	<u>iana</u> 'Canada Red', Ca	nada Red Cl	hokecherry 20)-30'		Zone 2	PSM
Foliage emerge	es green and later chan	ges to deep	ourple. A round	led grower wi	th white flow	ers borne in a	
raceme and de	eep purple fruit. This pla	nt does suck	er freely in the	landscape ar	d should not	be considered	
maintenance fr	ree. Extremely hardy. M	ulti-stem grov	vn with three c	or more stems			<u>Pyrus</u> 'Ure', Standard Ure
PR1	#5						Hardy eating Pear. Greenis
	#7	1" min					good pollinator.
	#15	1.25"					PUR
	#15	1.5"					
	#20	1.75"					
	#20	2"					
	#25	2.25"					
	#25	2.5"					
PR3	multi-stem #1	2.0					<u>Ornamental Pea</u>
	multi-stem #2						
	multi-stem #5						<u>Pyrus calleryana</u> 'Chantic
	multi-stem #7	~4'					Narrow, pyramidal habit wi
	multi-stem #15	6'					fall color. One of the hardie
	multi-stem #15	8'					before succumbing to winte
	multi-stem #25	0 10'					PCH
	multi-stem #25	10 12'					
		12 14'					<u>Pyrus ussuriensis</u> 'Bailfr
	multi-stem #25	14					Vigorous, upright growth ha
Drunus y cist	<u>ena</u> , Single-Stem Purp	loloaf Sand	Cherry 7-10'			Zone 3	foliage provides a very tidy
			•	e off nink flow	ore in opring		
	aroon foliage as the shru n in the shrub section.		nueu iop snow	s on hirk now	ers in spring		PUB

			5 - 24	25 - 49	50+	1 - 4
ears				Require a po	ollinator for	fruit production.
<u>rus</u> 'Early Gold', Standa nadian selection of an im ′E	-	-				Zone 3
<u>rus</u> 'Golden Spice', Star iversity of Minnesota sele GL		-	-		r.	Zone 3
<i>rus 'Parker',</i> Semi-Dwar arge, fine grained, tender wers in early May. ′P					habit is vig	Zone 4 orous.
rus 'Summercrisp', Sem oven hardy selection. Ann d August. Fruit green with SM	ual bearer	produces 21/2	-3" pear shap	ed fruit. Flowe		Zone 4 May, harvest in
<i>rus 'Ure',</i> Standard Ure rdy eating Pear. Greenish od pollinator.				eter. Flowers e	arly May. C	Zone 3 Solden Spice is a
IR	#7 #15 #15	1.25" 1.5"				
	Polli	nation of Pears	s – Use two v	arieties.		
rnamental Pear	S					
rus calleryana 'Chanticl rrow, pyramidal habit with color. One of the hardier fore succumbing to winter CH	eer', Char white flow selections	vers in the sprin of Callery Pea	ng. Dark gree ar but still stru	n foliage in su ggled at Glaci	er Nursery	
rus ussuriensis 'Bailfro				ar coloction	The clear	Zone 3

habit makes for an improved Ussurian Pear selection. The clean, green, thick dy appearance in the summer.

#7

#15 1.25" SOLD OUT

PC1 Phone: (406) 755-2248 #7

Specimen and Container Trees 30

			5 - 24	25 - 49	50+	1 - 4					5 - 24	25 - 49	50+	1 - 4
<u>Quercus macrocarpa</u> ,	Bur Oak 50-70)'				Z	Zone 3	Robinia pseud	doacacia 'Purple Rob	e', Purple	Robe Locust 40-	50'		Zon
Native to Montana, slov			lardiest Oak f	or Eastern N	lontana. Sta	tely tree.			nt. Dark rose-pink flowe				n Montana.	
Use in large spaces. C	orky bark and b	ranches add in	erest year rou	und.				RPR	#7		SOLD OUT			
QMA	#7								#15	1.25"				
	#15	1.25"												
	#15	1.5"							e <i>llina',</i> Golden Willow					Zon
	#15	1.75"							ely hardy weeping tree				tough. Use	in moist
	#25	2"						-	uations. Multi-stem can	be found i	n the Shrub section	on (page 57).		
	#25	2.25"						SV1	#7					
	B&B	2.25"							#15	1.25"				
	B&B	2.5"							#15	1.5"				
• • • •						_			#15	1.75"				
<u>Quercus</u> <u>rubra</u> , North							Zone 4		#25	2"				
Excellent red-brown fal		irge areas. Sui	able for many	sites in wes	stern Montar	ıa.			0					-
Native to the Eastern U		4 11 .							e Cascade', Prairie Ca			ditiona llas		Zon
QRU	#7	1" min							bliage and golden stem	color. Ioler	ates moist soil cor	naltions. Use	in large area	as. Rapid growi
	#15	1.25"						SPC	#7	4.05"				
	#15	1.5"							#15	1.25"				
	#15	1.75"							#15	1.5"				
	#25	2"							#15	1.75"				
	#25	2.25"							#25	2"				
	B&B	1.75"							#25	2.25"				
	B&B	2"						Sarbua augur	oria European Moun	tain Aab 2	0.40'			700
	B&B	2.25"							p <u>aria</u> , European Moun orange fruit and an upr			tain Ach Bal	auct growth	Zon
<u>Quercus</u> x <u>macdaniel</u>	li 'Clemons' H	artiago Oak /(-50'			7	Zone 4		ore stems. Mountain As	-			-	
Hybrid between Q. mac				hane in vout	h and later h								on siles will	n poor urainage
nabit with thick green for			a pyrainidai a	mape in your			ucu	SA1	#7	1" min				
QMC	#15	1.25"							#15	1.25"				
	#15	1.25							#15	1.5"				
	#15 B&B	2.25"							#25	1.75"				
	DQD	2.20							#25	2"				
<u>Quercus</u> x <u>warei</u> 'Lon	a'. Regal Princ	e Oak 40-50'				Z	Zone 4	Sorbus decor	<u>a</u> , Showy Mountain A	sh 20-25'				Zon
Jpright oval habit make			reas than the	larger Querc	<i>us</i> . This is a				lidwest and Northeaste		w arowina, red fru	uited Mountai	n Ash, Beau	
Quercus robur fastigiata				•		•	many		small area. More resis					
sites in Western Montar			,		5		5		h grown at Glacier Nur					
QRP	#15	1.25"							over watered or planted	,				
	#15	1.5"						SD1	#5		SOLD OUT			
	#25	2"							#3	1" min	0010 001			
	B&B	2"							#15	1.25"				
	B&B	2.25"							#15	1.5"				
	2012								#25	1.75"				
Ne grow a number of t								SD3	multi-stem #7	1.10	SOLD OUT			
properties. This list wou														
Hydrangea paniculata s	species; <i>Maack</i>			Prunus spe	cies; <i>Pyrus</i> ι	usseriensis		Mountain Ash	should not be over wate	ered, plante	ed on sites with po	oor drainage,	or planted	deep. Planting
, ,												•	•	
Bailfrosť; Sorbus deco	ra; Syringa spe	cies; and Vibur	num lentago.					slightly above o	grade (3-6") allows exc	ess water t	o drain away from	i the tree and	is especial	ly useful where

Phone: (406) 755-2248

54 Specifien		4 4		•	
Svringa moveri '	5 - 24 25 - 49 50+ <i>Palibin'</i> , Dwarf Korean Tree Lilac 3-4'	1 - 4 Zone 4	Tilia americana 'Bo	5 - 24 25 - 49 <i>Ilevard',</i> Boulevard Linden 50-60'	50+ 1-4 Zone 3
	hat is very floriferous at an early age. Fragrant violet-purple flowers and s			n of American Linden. Ascending branches and upright	
	gorous or as hardy as Syringa patula 'Miss Kim' in Montana. Grafted on a		ТАВ	#7 SOLD OUT	5
SM1	#5		inte	#15 1.25"	
SIVIT	#5			#15 1.5"	
Svringa patula ʻl	Miss Kim', Miss Kim Tree Lilac 4-6'	Zone 3		#15 1.75"	
	best of the dwarf lilacs, and a good four season plant. Fragrant pale lilac			#25 2"	
	n summer foliage, burgundy fall color and an attractive winter habit. Hardy			#25 2.25"	
	Montana than its close cousin Syringa meyeri 'Palibin'. Grafted on a 40" s				
SK1	#5			Imond', Redmond Linden 40-60'	Zone 3/4
J.C.I.			-	rse winter habit. Very uniform upright habit makes this a	a good selection where
Syringa reticula	ta, Japanese Tree Lilac 20-25'	Zone 3	matched specimens	are desired.	
	reamy white flowers in June/July. Yellow-green fall color. Grown as both s		TAR	#15 1.25"	
	and a large specimen multi-stem shrub.			#15 1.5"	
SR3	multi-stem #7			#15 1.75"	
	multi-stem #15				
				try', American Sentry Linden 40-45'	Zone 3
	ta 'Ivory Silk', Ivory Silk Japanese Tree Lilac 20-25'	Zone 4		vith a symetrical habit that is two thirds as wide as it is ta	all, which provides for a
	ree that is well suited to a small site. Large creamy white flowers in early	July make	handsome appearan	-	
this a distinctive p	plant in the landscape. Yellow-green fall color. Single-stem form.		TAS	#15 1.25"	
SIS	#7			#15 1.5"	
	#15 1.25"			#15 1.75"	
	#15 1.5"			#25 2"	
	#25 1.75"			#25 2.25"	
	#25 2"		Tilia cordata (Groon	spire', Greenspire Littleleaf Linden 40-50'	Zone 3
	B&B 2"			iform grower with smaller leaves than American Linden	
	B&B 2.25"			act bees. The epitome of neat and tidy, it is ideally suited	
	B&B 2.5"			portant. One of the best of the Linden selections for Mo	-
Tilia amariaana	American Linder 40.00'	Zone 3	TGR	#7	nana regarang narameter.
	American Linden 40-60'			#10 1.25"	
	y shade tree with large leaves. Rounded growth habit. Not a budded sele een individual plants exists in both habit and growth rate. Native to North			#15 1.5"	
		America.		#15 1.75"	
ТАМ	#15 1.25" #15 1.5"			#25 2"	
				#25 2.25"	
	#15 1.75" #25 2"			#25 2.5"	
	#25 2.25"			vest Gold', Harvest Gold Linden 30-40'	Zone 3
Tilia americana '	'Bailyard', Frontyard Linden 60-75'	Zone 3		w fall color distinguish this Linden from others. Fast gro	wer that fills out with leaves
	amidal in youth than species, but finishes with a rounded habit. Symmetr		quickly. Hardy, pyran	idal habit and clean green foliage.	
that the species la		,	THG	#7	
TFY	#15 1.25"			#10 1.25"	
	#15 1.5"			#15 1.5"	
	#15 1.75"			#15 1.75"	
	#10 1.10			#25 2"	
				#25 2.25"	
				#25 2.5"	
DI					

34 Specimen and Container Trees

Specimen and Container Trees 35

36 Specimen and	Container Trees								Specime	n and Cont	ainer Trees 37
		5 - 24	25 - 49	50+	1 - 4			5 - 24	25 - 49	50+	1 - 4
<u>Ulmus americana</u> 'E	Brandon', Brandon Elm 60-7	0'			Zone 3			on', Accolade Elm 60-70			Zone 4
Fast growing adaptab	le American Elm from Canad	a that possess	es more of a c	compact gro	wth habit.			Good yellow fall color a			
	foliage is unique to its specie					tolerance. Very	y good Dutch Elm Dise	ase and leaf beetle resis	tance. Slowest	growing of t	the Elms we grow.
UAB	#15 1.25"					UMT	#7				
	#15 1.5"						#15	1.25"			
	#15 1.75"						#15	1.5"			
	#25 2"						#15	1.75"			
	#25 2.25"						#25	2"			
	#25 2.5"						#25	2.25"			
							B&B	2.5"			
Dutch Elm Disease to other American Elms) a problem. UCS	FS-Princell', Colonial Spirit lerant American Elm selection with an upright vase shape a #15 1.25" #15 1.5" #15 1.75" ewis & Clark', Prairie Expect survivor of Dutch Elm Diseas	n originating fro ind yellow fall o lition Elm 50-0	color. Use whe	ere Dutch El	m Disease is not Zone 3	A hybrid betwe Very rapid grov UMG <u>UImus</u> 'Patrio Complex Hybri	wing. #15 #15 B&B t', Patriot Elm 40-50' id Elm selected for Duto	m 40-50' lade with strong upright h 1.25" 1.5" 2.5" ch Elm Disease Resistan			Zone 4
rounded to vase-shap	ed habit. Glossy foliage and	ellow fall colo	r. Use where [Dutch Elm D	isease is not a	yellow fall colo	r.				
problem.						UPT	#15	1.25"			
ULC	#7						#15	1.5"			
	#15 1.25"						#15	1.75"			
	#15 1.5"										
	#25 1.75"						<u>tago</u> , Nannyberry Vibu				Zone 2
	#25 2"							growing Viburnum shruk			
								ccent plant for a small are	a. Well suited fo	or planting b	eneath utilities.
	i <u>mila</u> 'New Horizon', New H				Zone 4		rub section for multi-ste	em torm.			
	nybrid of <i>Ulmus davidiana va</i> l	: <i>japonica</i> and	Ulmus pumila	. Upright ov	al habit	VL1	#7				
and yellow fall color.											
UNH	#15 1.25"										
	#15 1.5"										

It is imperative that customers planting container trees remove the outer one inch of the root plug sides and bottom prior to planting. Cutting the root plug into a cube shape with a 12" wood pruning blade seems the fastest and most complete method (a reciprocating saw does an excellent job). This reduces the opportunity for circling roots to grow unimpeded and potentially weaken or kill the tree as it matures.

#15

1.75"

More trees are planted too deep than too shallow. Avoid placing the container plug/root ball on disturbed soil that might allow the plant to settle from its original planting depth. For a complete description of how we recommend planting trees see Pages 9 and 37.

Adapted Trees List

Selections of the native species or similar species (from other continents climatologically similar to North America) with many of the same attributes as the native selections, but with improvements such as uniformity, habit, fall color, flower, etc.

Acer ginnalaGleditsia triacanthos selectionsAcer tataricum selectionsPopulus tremula 'Erecta'Acer rubrum selectionsPrunus virginiana 'Canada Red'Acer saccharum selectionsRobinia pseudoacacia 'Purple Robe'Fraxinus 'Autumn Purple'Salix alba 'Vitellina'Fraxinus pennsylvancia 'Patmore'Tilia americana selections

Small Trees Less Than 25'

Acer ginnala 15-20' Acer palmatum 'Red Emperor' 12-18' Acer tataricum 15-25' Acer saccharum 'Barret Cole' 20-25' Amelanchier selections 20-25' Carpinus caroliniana 20-35' Crataegus crusgalli var. inermis 15-20' Crataegus x mordenensis 'Toba' 15-20' Hydrangea p. 'Limelight' 6-8' (tree form) Hydrangea p. 'Renhy' 8-10' (tree form) Maackia a. 'JFS-Schichtel1' 20-25' Maackia amurensis 'Summertime' 15-20' Malus 'Coralcole' 8-10' Malus 'Durleo' (Gladiator) 15-20' Malus 'Louisa' 10-12' Malus 'Radiant' 20-25'

Malus 'JFS-KW5' (Royal Raindrops) 15-20' Malus 'Prairifire' 15-20' Malus 'Radiant' 20-25' Malus 'Red Splendor' 15-20' Malus 'Rejzam' 15-20' Malus 'Royalty' 12-15' Malus 'Spring Snow' 15-20' Malus x 'Jeflite' (Starlite) 15-20' Prunus nigra 'Princess Kay' 15-20' Prunus x cistena 6-8' Prunus 'JFS-KW5' (Pink Flair) 15-20' Pyrus ussuriensis 'Bailfrost' 15-25' Sorbus decora 20-25' Syringa selections 20-25' Viburnum lentago 12-15'

Native Tree List

Acer glabrumCeltis occidentalisAesculus glabra (Eastern U.S.)Ostrya virginiana (Eastern U.S.)Betula occidentalisPopulus angustifoliaBetula papyrifera (Eastern U.S.)Populus tremuloidesCatalpa speciosaPopulus trichocarpaCarpinus caroliniana (Eastern U.S.)Prunus virginiana

Quercus macrocarpa Quercus rubra (Eastern U.S.) Sorbus decora Tilia americana (Eastern U.S.) Viburnum lentago (Eastern U.S.)

B&B BALL SPECIFICATIONS

<u>Caliper</u>	<u>Height</u>	Ball Diameter	Approximate Wt Lbs
1.75"	5'	28"	425
2"	6'	28"	475
2.25"	7'	28"	550
2.5"	8'	32"	550
3"	9'	32-36"	680
3.5"	10'	32-36"	680
4"	12'	36-44"	950

The above is only a **guide**. Plant species, root mass, soil type, and especially soil moisture are contributing factors to ball size and weight in addition to tree caliper.

TREE PLANTING INSTRUCTIONS

It is imperative customers planting container trees remove the outer one inch of the root plug sides <u>and</u> bottom prior to planting. Cutting the root plug into a cube shape with a 12" wood pruning blade seems the fastest and most complete method (a reciprocating saw does an excellent job). This reduces the opportunity for circling roots to grow unimpeded and potentially weaken or kill the tree as it matures.

There are different guidelines for tree planting based on profession. Arborists differ from Landscape Contractors and Landscape Architects may differ from Nurserymen. Below are procedures that accommodate these differing professions.

Dig the hole twice as wide as the container plug/root ball **but** only as deep as the root plug/ball. Preferably hand dig the last 3-6" so the root plug/ball sits on compacted or undisturbed soil and will not settle deeper than originally planted. Measure the depth of the root ball from the bottom to the base of the tree trunk. **Verify the top of the root plug/ball (as measured above) will be level, or slightly higher (3")**, than the existing grade once placed in the hole. **Trees are often killed, or have reduced vigor when planted too deep**. Backfill with the native soil or a mix of one quarter to one half well blended soil amendments and native soil. Settle the soil with abundant water, mulch if desired, and stake the tree to avoid wind damage, placing the stakes outside the planting hole.

For planting balled and burlap trees, follow the procedure outlined above. Additionally, handle the plant by the root ball not the top, being careful to avoid tearing the burlap or distorting the shape of the root ball. Avoid handling if the root ball is waterlogged. Place the tree in the hole with the twine, burlap, and basket attached to verify the correct depth and alignment; this makes it easier to make adjustments if needed. Then remove the twine, burlap, and the top two horizontal rings of the wire basket using wire cutters.

50+

25 - 49

5 - 24

Acer ginnala, 'Amur Maple' - See Specimen and Container Trees, Page 9.

<u>SHRUBS</u>

All plants are **established** and rooted into the media with roots to the edge of the plastic container. The potting media contains compost that helps retain moisture, nutrients and reduces the number of plants that blow over in the wind. All plants listed in the shrub section are multi-stem. Single-stem forms are listed in the tree section. The invoiced price per plant depends upon the number of plants delivered of a species and size on an individual order and delivered in **one** shipment to the same location. See price break information on Page 8.

9 to 12" shrubs are in #1 containers, 6" in diameter, 6" in depth; weighing ~ 6 pounds.

12 to 18" shrubs in #2 containers, 8" in diameter, 8" in depth; weighing \sim 10 pounds. Our #2 and #5 plants are listed without a height designation. Our sales staff can alway provide you with information regarding plant size. Pleas do not hesitate to inquire about the current size of specific plant crops.

2 to 3' shrubs are in #5 containers, 10" and 12" diameter, 11" and 10" in depth; weighing ~ 25 pounds.

3 to 4' shrubs are in #7 containers (unless noted smaller), 14" in diameter, 11" in depth; weighing ~ 40 pounds. Approximately 3 to 4' in height (species dependent). Started from a transplant or a smaller size plant shifted into the larger container. A plant with many stems that provides an instant effect in the landscape.

4 to 6' shrubs are in #15 containers, 17" in diameter, 15" in depth; weighing ~ 100 pounds. Approximately 4 to 6' in height (species dependent). Many of the popular large growing shrubs are offered in a #15 container. These plants are large, full plants, that provide an instant effect in the landscape as a screen or an accent plant. Attributes of these #15 shrubs include vigorous growing plants that are well rounded and full to the base of the plant.

6 to 8' and up shrubs are in #25 containers, 23" in diameter, 18" in depth; weighing ~ 200 pounds. Approximately 6 to 8' in height (species dependent). These plants are tall, large, full plants, that provide an instant effect in the landscape as a screen or an accent plant. Attributes of these #25 shrubs include vigorous growing plants that are well rounded and full to the base of the plant.

There are exceptions to the above schedule, especially with those plants normally graded by width. Many #7 and #15 shrubs are sold with an (~) approximate height designation, **not** as an absolute measure. **Container size is trade designation only.**

Most of the shrubs are overwintered or have grown at Glacier Nursery, LLC for three months or more, though occasionally shrubs are purchased for resale to supplement plant availability. If you have any questions regarding the source of plants purchased from Glacier Nursery, LLC, feel free to ask, as we are more than willing to share that information with you.

SHRUB PLANTING INSTRUCTIONS

Disturbing the container root plug at planting will improve the vigor and longevity of the plant in the landscape. This can be accomplished by using a reciprocating saw with a wood pruning blade as we have described with tree planting on page 9. Further tips for planting are covered on our website, within the Resources Tab.

	ct', Bailey Compact Amur Maple 6-10' tion of species. Attains approximately one half or more the size of hrub border. #5	Zone 4 species.
<u>Acer glabrum</u> , Rocky Mounta	ain Maple - See Specimen and Container Trees, Page 10.	
<u>Acer tataricum</u> 'GarAnn', Ho	t Wings Tatarian Maple - See Specimen and Container Trees, Pa	ge 13.
<u>Alnus tenuifolia</u> , Thinleaf Al Native Alder. Does well in wet a ATF	der 15-30' areas. Upright oval habit. Suited for naturalized areas. Grown as a m #1 #5 #15 4' #15 6'	Zone 2 nulti-stem.
	 sk', First Editions® Standing Ovation Serviceberry 10-15' viceberry, especially well suited as a tall, narrow hedge. #2 #5 	Zone 2
fall color that ranges from yello	nt', Regent Serviceberry 4-6' shrub that produces an excellent edible purple fruit. Also displays we to maroon. Very hardy. An attractive plant for naturalization or m prowse this plant as well. As a cultivar this offers uniformity of habit	assing.
ARG	#2 SOLD OUT #5	
Seedling grown, resulting in va	a naturalizing or xeriscape plant. White flowers, yellow to orange fariations in habit such as width and height. #1 SOLD OUT #2 #5 #7 ~3' Autumn Brilliance' - See Specimen and Container Trees, Page 15	
<u>Amorpha canescens</u> , Leadpl		Zone 4
cuncovene, Ecuap	·····	

More of an herbaceous perennial with a broad, rounded habit and gray-green foliage that contrasts with many other shrubs.

1 - 4

										Shrubs 4
		5 - 24 25 - 49		1 - 4			5 - 24	25 - 49	50+	1 - 4
<u>Arctostaphylos uva-ursi</u> 'N	lassachusetts',	, Massachusetts Kinnikinick -	See Perennials F	Page 82.		'Concorde', Concorde			o :	Zone
Avenie meleneerve ver	lata Classy Di	al Chalabarry 4.0'		Zana ()		age and an upright habit	distinguish this selec	tion from the	Crimson Py	/gmy, which is
<u>Aronia melanocarpa</u> var. <u>e</u>				Zone 3	slightly larger at matu	-				
		attractive purple-black fruit and c			BCC	#1				
		erse soil types. Upright habit. Use	e in shirub border	s of massed.		#2				
AML	#2					#5	SOLD OUT			
	#5				Berberis thunberaii	'Crimson Pygmy', Crin	nson Pygmy Barber	rv 2-3'		Zone 4
Aronia melanocarpa 'Autu	mn Magic' Aut	umn Magic Black Chokeberry	3-5'	Zone 3		ese Red Leaf Barberry w		•	tion or hedo	
		/ to clusters of edible dark purple			Use in protected loca					9° P
		ompact selection of the species.		ant globby	BCP	#1				
ΑΑΜ	#2					#2				
	#5					#5				
<u>Aronia melanocarpa</u> 'Low ·	Scape', Low Sc	cape® Mound Aronia 1-2'		Zone 4		'Goruzam', Golden Ru				Zone 4
Low growing mounded habit	. Tolerates a wid	le range of growing conditions.				oliage all season with a	golden margin on the	leaves. Low	growing.	
AME	#2				BGR	#2				
					Parbaris thunbargii	'Gold Pillar', Sunjoy G	old Billar M 2 4'			Zone 4
		eauty Black Chokeberry 2-3'		Zone 3		tion similar to the Helmo		t with bright v	ellow foliage	
		berries in the summer and ends				some orange fall color.	nu i illai Daibelity, bu	t with bright y	enow ionaye	e infougriout ine
	s. Very adaptab	le to both wet and dry conditions	 Half sized vers 	ion of Aronia	BGP	#2				
melanocarpa var. elata.					BGF	#2				
AMT	#2				Berberis thunbergii	'Monlers', Golden Nug	get Dwarf Barberry	12"		Zone 4
	#5	SOLD OUT							be.	
Aronia molanocarna Viking				Zone 3		with golden foliage. Mak #1			be.	
	y', Viking Black	Chokeberry 5-6'	that serves as a	Zone 3	A tidy dwarf Barberry	with golden foliage. Mak			be.	
Large dark purple edible (tar	r', Viking Black t) fruit. Attractive		that serves as a		A tidy dwarf Barberry BGN	with golden foliage. Mak #1 #2	kes a good contrast ir	n the landsca	De.	
Large dark purple edible (tar that will not grow large in the	y', Viking Black t) fruit. Attractive landscape.	Chokeberry 5-6'	that serves as a		A tidy dwarf Barberry BGN <u>Berberis</u> <u>thunbergii</u>	with golden foliage. Mak #1 #2 'Orange Rocket', Oran	es a good contrast ir ge Rocket Barberry	n the landscap 3-4'		Zone 4
Large dark purple edible (tar that will not grow large in the	r', Viking Black t) fruit. Attractive	Chokeberry 5-6'	that serves as a		A tidy dwarf Barberry BGN <u>Berberis</u> <u>thunbergii</u> Upright Barberry with	with golden foliage. Mak #1 #2	es a good contrast ir ge Rocket Barberry	n the landscap 3-4'		
Large dark purple edible (tar that will not grow large in the	y', Viking Black t) fruit. Attractive landscape.	Chokeberry 5-6'	that serves as a		A tidy dwarf Barberry BGN <u>Berberis</u> <u>thunbergii</u> Upright Barberry with a hedge plant.	with golden foliage. Mak #1 #2 'Orange Rocket', Oran orange-red foliage color	es a good contrast ir ge Rocket Barberry	n the landscap 3-4'		
Large dark purple edible (tar that will not grow large in the AVK	r', Viking Black t) fruit. Attractive landscape. #2	Chokeberry 5-6'	that serves as a		A tidy dwarf Barberry BGN <u>Berberis</u> <u>thunbergii</u> Upright Barberry with	with golden foliage. Mak #1 #2 'Orange Rocket', Oran orange-red foliage color #1	es a good contrast ir ge Rocket Barberry	n the landscap 3-4'		
that will not grow large in the AVK <u>Artemisia cana</u> , Sagebrush	y', Viking Black t) fruit. Attractive landscape. #2 2-5'	Chokeberry 5-6'		smaller shrub Zone 3	A tidy dwarf Barberry BGN <u>Berberis</u> <u>thunbergii</u> Upright Barberry with a hedge plant.	with golden foliage. Mak #1 #2 'Orange Rocket', Oran orange-red foliage color #1 #2	es a good contrast ir ge Rocket Barberry	n the landscap 3-4'		
Large dark purple edible (tar that will not grow large in the AVK <u>Artemisia cana</u> , Sagebrush Small mounding shrub, more	y', Viking Black t) fruit. Attractive landscape. #2 2-5'	Chokeberry 5-6' e white flowers and red fall color		smaller shrub Zone 3	A tidy dwarf Barberry BGN <u>Berberis</u> <u>thunbergii</u> Upright Barberry with a hedge plant.	with golden foliage. Mak #1 #2 'Orange Rocket', Oran orange-red foliage color #1	es a good contrast ir ge Rocket Barberry	n the landscap 3-4'		
Large dark purple edible (tar that will not grow large in the AVK <u>Artemisia cana</u> , Sagebrush Small mounding shrub, more	y', Viking Black t) fruit. Attractive landscape. #2 2-5' e upright than sp	Chokeberry 5-6' e white flowers and red fall color preading. Native throughout the v		smaller shrub Zone 3	A tidy dwarf Barberry BGN <u>Berberis thunbergii</u> Upright Barberry with a hedge plant. BOR	with golden foliage. Mak #1 #2 'Orange Rocket', Oran orange-red foliage color #1 #2 #5	es a good contrast ir ge Rocket Barberry that deepens to darl	n the landscap 3-4'		. Can be used as
Large dark purple edible (tar that will not grow large in the AVK <u>Artemisia cana</u> , Sagebrush Small mounding shrub, more	y', Viking Black t) fruit. Attractive landscape. #2 2-5' upright than sp #1	Chokeberry 5-6' e white flowers and red fall color preading. Native throughout the v		smaller shrub Zone 3	A tidy dwarf Barberry BGN <u>Berberis thunbergii</u> Upright Barberry with a hedge plant. BOR <u>Berberis thunbergii</u>	with golden foliage. Mak #1 #2 'Orange Rocket', Oran orange-red foliage color #1 #2 #5 'Pyruzam', Pygmy Rut	ge Rocket Barberry that deepens to darl	n the landscaµ 3-4' < red later in t	he summer.	. Can be used as Zone 4
Large dark purple edible (tar that will not grow large in the AVK <u>Artemisia cana</u> , Sagebrush Small mounding shrub, more ACA <u>Artemisia tridentata</u> , Basin	y', Viking Black t) fruit. Attractive landscape. #2 a 2-5' e upright than sp #1 #5 Big Sagebrus	a Chokeberry 5-6' e white flowers and red fall color preading. Native throughout the v SOLD OUT h 4-8'	vest. Drought tole	Smaller shrub Zone 3 erant. Zone 3	A tidy dwarf Barberry BGN <u>Berberis thunbergii</u> Upright Barberry with a hedge plant. BOR <u>Berberis thunbergii</u> 18" tall by 30" wide M	with golden foliage. Mak #1 #2 'Orange Rocket', Oran orange-red foliage color #1 #2 #5 'Pyruzam', Pygmy Ruk lonrovia selection of Dwa	ge Rocket Barberry that deepens to darl	n the landscaµ 3-4' < red later in t	he summer.	. Can be used as Zone 4
Large dark purple edible (tar that will not grow large in the AVK <u>Artemisia cana</u> , Sagebrush Small mounding shrub, more ACA <u>Artemisia tridentata</u> , Basin Silver-gray foliage, aromatic	y', Viking Black t) fruit. Attractive landscape. #2 2-5' upright than sp #1 #5 Big Sagebrusl leaves and sten	a Chokeberry 5-6' e white flowers and red fall color preading. Native throughout the v SOLD OUT	vest. Drought tole	Smaller shrub Zone 3 erant. Zone 3	A tidy dwarf Barberry BGN <u>Berberis thunbergii</u> Upright Barberry with a hedge plant. BOR <u>Berberis thunbergii</u> 18" tall by 30" wide M Crimson Pygmy Barb	with golden foliage. Mak #1 #2 'Orange Rocket', Oran orange-red foliage color #1 #2 #5 'Pyruzam', Pygmy Ruk lonrovia selection of Dwa erry.	ge Rocket Barberry that deepens to darl	n the landscaµ 3-4' < red later in t	he summer.	. Can be used as Zone 4
Large dark purple edible (tar that will not grow large in the AVK <u>Artemisia cana</u> , Sagebrush Small mounding shrub, more ACA <u>Artemisia tridentata</u> , Basin Silver-gray foliage, aromatic naturalized setting. Drought	y', Viking Black t) fruit. Attractive landscape. #2 2-5' upright than sp #1 #5 Big Sagebrusl leaves and sten	Chokeberry 5-6' e white flowers and red fall color preading. Native throughout the v <i>SOLD OUT</i> h 4-8' ns. Holds leaves late into seasor	vest. Drought tole	Smaller shrub Zone 3 erant. Zone 3	A tidy dwarf Barberry BGN <u>Berberis thunbergii</u> Upright Barberry with a hedge plant. BOR <u>Berberis thunbergii</u> 18" tall by 30" wide M	with golden foliage. Mak #1 #2 'Orange Rocket', Oran orange-red foliage color #1 #2 #5 'Pyruzam', Pygmy Ruk lonrovia selection of Dwa erry. #1	ge Rocket Barberry that deepens to darl	n the landscaµ 3-4' < red later in t	he summer.	. Can be used as Zone 4
Large dark purple edible (tar that will not grow large in the AVK <u>Artemisia cana</u> , Sagebrush Small mounding shrub, more ACA <u>Artemisia tridentata</u> , Basin Silver-gray foliage, aromatic naturalized setting. Drought	y', Viking Black t) fruit. Attractive landscape. #2 2-5' e upright than sp #1 #5 Big Sagebrusl leaves and sten tolerant. #1	Chokeberry 5-6' e white flowers and red fall color preading. Native throughout the v <i>SOLD OUT</i> h 4-8' ns. Holds leaves late into seasor <i>SOLD OUT</i>	vest. Drought tole	Smaller shrub Zone 3 erant. Zone 3	A tidy dwarf Barberry BGN <u>Berberis thunbergii</u> Upright Barberry with a hedge plant. BOR <u>Berberis thunbergii</u> 18" tall by 30" wide M Crimson Pygmy Barb	with golden foliage. Mak #1 #2 'Orange Rocket', Oran orange-red foliage color #1 #2 #5 'Pyruzam', Pygmy Ruk onrovia selection of Dwa erry. #1 #2	ge Rocket Barberry that deepens to darl	n the landscaµ 3-4' < red later in t	he summer.	. Can be used as Zone 4
Large dark purple edible (tar that will not grow large in the AVK <u>Artemisia cana</u> , Sagebrush Small mounding shrub, more ACA <u>Artemisia tridentata</u> , Basin Silver-gray foliage, aromatic naturalized setting. Drought	y', Viking Black t) fruit. Attractive landscape. #2 2-5' e upright than sp #1 #5 Big Sagebrus! leaves and sten tolerant.	Chokeberry 5-6' e white flowers and red fall color preading. Native throughout the v <i>SOLD OUT</i> h 4-8' ns. Holds leaves late into seasor	vest. Drought tole	Smaller shrub Zone 3 erant. Zone 3	A tidy dwarf Barberry BGN <u>Berberis thunbergii</u> Upright Barberry with a hedge plant. BOR <u>Berberis thunbergii</u> 18" tall by 30" wide M Crimson Pygmy Barb	with golden foliage. Mak #1 #2 'Orange Rocket', Oran orange-red foliage color #1 #2 #5 'Pyruzam', Pygmy Ruk lonrovia selection of Dwa erry. #1	ge Rocket Barberry that deepens to darl	n the landscaµ 3-4' < red later in t	he summer.	. Can be used as Zone 4
Large dark purple edible (tar that will not grow large in the AVK <u>Artemisia cana</u> , Sagebrush Small mounding shrub, more ACA <u>Artemisia tridentata</u> , Basin Silver-gray foliage, aromatic naturalized setting. Drought ATD	y', Viking Black t) fruit. Attractive landscape. #2 2-5' e upright than sp #1 #5 Big Sagebrusi leaves and sten tolerant. #1 #5	a Chokeberry 5-6' e white flowers and red fall color preading. Native throughout the v <i>SOLD OUT</i> h 4-8' ns. Holds leaves late into seasor <i>SOLD OUT</i> <i>SOLD OUT</i>	vest. Drought tole n. Native plant to	Zone 3 erant. Zone 3 be used in a	A tidy dwarf Barberry BGN <u>Berberis thunbergii</u> Upright Barberry with a hedge plant. BOR <u>Berberis thunbergii</u> 18" tall by 30" wide M Crimson Pygmy Barb BPR	with golden foliage. Mak #1 #2 'Orange Rocket', Oran orange-red foliage color #1 #2 #5 'Pyruzam', Pygmy Ruk onrovia selection of Dwa erry. #1 #2	ge Rocket Barberry ge Rocket Barberry that deepens to dark by Barberry 18" arf Red Leafed Barbe	n the landscaµ 3-4' < red later in t	he summer.	. Can be used as Zone 4
Large dark purple edible (tar that will not grow large in the AVK <u>Artemisia cana</u> , Sagebrush Small mounding shrub, more ACA <u>Artemisia tridentata</u> , Basin Silver-gray foliage, aromatic naturalized setting. Drought ATD <u>Berberis thunbergii</u> 'BailEn	y', Viking Black t) fruit. Attractive landscape. #2 2-5' upright than sp #1 #5 Big Sagebrus! leaves and sten tolerant. #1 #5	a Chokeberry 5-6' e white flowers and red fall color preading. Native throughout the v <i>SOLD OUT</i> h 4-8' ns. Holds leaves late into seasor <i>SOLD OUT</i> <i>SOLD OUT</i> <i>SOLD OUT</i> <i>SOLD OUT</i>	vest. Drought tole n. Native plant to 4'	Zone 3 erant. Zone 3 be used in a Zone 4	A tidy dwarf Barberry BGN <u>Berberis thunbergii</u> Upright Barberry with a hedge plant. BOR <u>Berberis thunbergii</u> 18" tall by 30" wide M Crimson Pygmy Barb BPR <u>Berberis thunbergii</u>	with golden foliage. Mak #1 #2 'Orange Rocket', Oran orange-red foliage color #1 #2 #5 'Pyruzam', Pygmy Ruk onrovia selection of Dwa erry. #1 #2 #5	ge Rocket Barberry ge Rocket Barberry that deepens to darl by Barberry 18" arf Red Leafed Barbe	a the landscap 3-4' < red later in t	he summer.	. Can be used as Zone 4
Large dark purple edible (tar that will not grow large in the AVK <u>Artemisia cana</u> , Sagebrush Small mounding shrub, more ACA <u>Artemisia tridentata</u> , Basin Silver-gray foliage, aromatic naturalized setting. Drought ATD <u>Berberis thunbergii</u> 'BailEn Yellow-green foliage with a re	y', Viking Black t) fruit. Attractive landscape. #2 2 -5' e upright than sp #1 #5 Big Sagebrus! leaves and sten tolerant. #1 #5 cin', First Editio ed margin sets t	a Chokeberry 5-6' e white flowers and red fall color oreading. Native throughout the v <i>SOLD OUT</i> h 4-8' ns. Holds leaves late into seasor <i>SOLD OUT</i> <i>SOLD OUT</i> <i>SOLD OUT</i> ons® Limoncello™ Barberry 3-4 this tidy round Barberry apart from	vest. Drought tole n. Native plant to 4'	Zone 3 erant. Zone 3 be used in a Zone 4	A tidy dwarf Barberry BGN <u>Berberis thunbergii</u> Upright Barberry with a hedge plant. BOR <u>Berberis thunbergii</u> 18" tall by 30" wide M Crimson Pygmy Barb BPR <u>Berberis thunbergii</u>	with golden foliage. Mak #1 #2 'Orange Rocket', Oran orange-red foliage color #1 #2 #5 'Pyruzam', Pygmy Ruk onrovia selection of Dwa erry. #1 #2 #5 'Rose Glow', Rose Glo	ge Rocket Barberry ge Rocket Barberry that deepens to darl by Barberry 18" arf Red Leafed Barbe	a the landscap 3-4' < red later in t	he summer.	. Can be used as Zone 4
Large dark purple edible (tar that will not grow large in the AVK <u>Artemisia cana</u> , Sagebrush Small mounding shrub, more ACA <u>Artemisia tridentata</u> , Basin Silver-gray foliage, aromatic naturalized setting. Drought ATD <u>Berberis thunbergii</u> 'BailEn	y', Viking Black t) fruit. Attractive landscape. #2 2 -5' e upright than sp #1 #5 Big Sagebrus! leaves and sten tolerant. #1 #5 cin', First Editio ed margin sets t	a Chokeberry 5-6' e white flowers and red fall color oreading. Native throughout the v <i>SOLD OUT</i> h 4-8' ns. Holds leaves late into seasor <i>SOLD OUT</i> <i>SOLD OUT</i> <i>SOLD OUT</i> ons® Limoncello™ Barberry 3-4 this tidy round Barberry apart from	vest. Drought tole n. Native plant to 4'	Zone 3 erant. Zone 3 be used in a Zone 4	A tidy dwarf Barberry BGN <u>Berberis thunbergii</u> Upright Barberry with a hedge plant. BOR <u>Berberis thunbergii</u> 18" tall by 30" wide M Crimson Pygmy Barb BPR <u>Berberis thunbergii</u> Dense, rounded habit	with golden foliage. Mak #1 #2 'Orange Rocket', Oran orange-red foliage color #1 #2 #5 'Pyruzam', Pygmy Rut lonrovia selection of Dwa erry. #1 #2 #5 'Rose Glow', Rose Glo t with rose-red foliage mo	ge Rocket Barberry ge Rocket Barberry that deepens to darl by Barberry 18" arf Red Leafed Barbe	a the landscap 3-4' < red later in t	he summer.	. Can be used as Zone 4

Phone: (406) 755-2248

			5 - 24	25 - 49	50+	1 - 4
<u>Betula occidentalis</u> , Wate	r Birch or Wes	tern Birch	- See Speci	men and Cor	tainer Trees	s, Page 15.
B <u>uxus</u> 'Green Mountain', A relatively fast growing, de <i>I</i> ontana. BGM				ne-shaped. L	lse only in n	Zone 5 nild areas of
<u>Buxus</u> <u>microphylla</u> 'Winte ardy, slow growing evergr BWL	-	green sum			een foliage	Zone 4 during winter.
<u>Buxus</u> x 'Green Velvet', G A slow growing, compact gl a formal aspect in the lands BGV	lobe shaped bro	adleaf. It's	bright glossy	-	s and tidy a	Zone 5 opearance create
Caragana <u>arborescens</u> , S arge growing shrub, yellov all. Use in shrub border, so CAR	v flowers, legum	ne (so it ha eak. Extren				Zone 2 a nuisance in the
caragana <u>frutex</u> 'Globosa ardy, drought tolerant dwa esistant to drought. Usefu CFG	arf shrub. Slow g	growing rou			dium green f	Zone 2 foliage in spring.
Caragana pygmaea, Pygn mall light green leaves an ummer and winter. Drough ttractive small yellow flow CPG	d thin twigs prod nt resistance and	duce an int d hardines	s make this a	useful plant	in xeriscape	plantings.
<u>Caryopteris</u> x <u>clandonens</u>	<u>sis</u> , Blue Mist C	aryopteri	s - See Perer	nials Page 8	4.	
<u>Cercoarpus ledifolius</u> , Cu Drought tolerant, large nativ CCM		emi-evergre		′ariable in size	e and habit.	Zone 4
Cercocarpus <u>montanus</u> , (Native shrub with gray-gree	en leaves. Varial					Zone 2
CMN	#1 #5		OLD OUT			

						Sillubs	
			5 - 24	25 - 49	50+	1 - 4	
Chrysothamnus naused	o <u>sus</u> <u>albicaulis</u> , Ta	II Blue	Rabbitbrush,	aka Ericame	rica 3-6'		Zone 3
Blue leafed version of spe						t.	
CNB	#1						
	#5		SOLD OUT				
Chrysothempus neuros			on Dobbithru	aka Eriaa	mariaa 2 G	• 3	Zone 3
<u>Chrysothamnus</u> <u>naused</u> Green leafed version of th							Zone 3
		Summ	er clusters or y	ellow llowers.	Diougni ic	iciant.	
CNG	#1						
	#5						
<u>Clethra</u> alnifolia 'Humm	ingbird', Humming	gbird S	ummersweet	3-5'			Zone 4
Dark green foliage with at		r spike	s in the summe	er long after m	lost shrubs	have flow	ered.
Tolerates shade and mois	st sites.						
CAA	#2						
<u>Cornus alba</u> 'Argenteo-	marginata' Euron	oan Va	riggated Dogy	10			Zone 3
A plant that truly stands in					a creamy w	vhito marai	
Ninter stem color is a dee							
plant. It is quite dramatic			-	W. 03C III 3III		Ji as an ac	oom
	#2	cu bac	Kulop.				
	#2 #5						
	#5						
<u>Cornus alba</u> 'Bailhalo', I	vorv Halo Dogwo	od 5-6'					Zone 3
Similar to <i>Cornus alba 'A</i> l				t and finer tex	ture. Slow	arowina. U	
an accent plant in a shrub						0 0 -	
СВН	#1			0			
	#2						
	#5						
		·3'					
		40'					7
<u>Cornus</u> <u>baileyi</u> , Red Twi				un la fravita Chan	la talawawi	Niet ee	Zone 3
arge growing, red stemm	•			•			for
toloniferous as <i>Cornus c</i> confined locations.	oloradensis accord	ng to D	n. Din. Ose in s		r ior large a	areas. Not	101
CSB	#1						
	#2						
	#5		SOLD OUT				
	#7 ~	·4'	SOLD OUT				
<u>Cornus sericea</u> 'Allemai	ns Compact', Alle	man's	Compact Dog	vood 5-6'			Zone 3
Similar to the Red Osier e	-				Excellent ir	ו mass pla	nting.
CAC	#2		·				0
	#5						
Aidoummor planting of Q		Dhucco	ornun Dotostill	a and Spires	0 mov roci	ult in wiltin -	duo to
Nidsummer planting of C							
nadequate moisture in th							e aller
lanting. Also, trim the tip	s or the plants remo	Jving 2	-4 incries of the	e newest iusci	ous growth	·	

glaciernursery.com

Shrubs

46	Shrubs		Shrubs
	5 - 24 25 - 49 50+ 1 -	4	5 - 24 25 - 49 50+ 1 - 4
Cornus	s sericea 'Bailadeline', First Edition Firedance Dogwood 3-4'	Zone 3	Cotoneaster lucidus, Hedge (Peking) Cotoneaster 6-10' Zo
More c	ompact selection of Cornus bailey. Similar in size to Cornus s. 'Isanti'. Rounded habit.		A very hardy shrub noted for its excellent maroon fall color and its persistent black fruit. Upright grower,
CFD	#2		small leaves, tolerant of shearing. Use as a hedge or shrub border.
	#5		CLU #1
			#2
Cornus	<u>s sericea</u> var. <u>coloradensis</u> , Colorado Red Osier Dogwood 8-10'	Zone 3	#5
	red stemmed Dogwood noted for its deep red to brownish stems. Very stoloniferous, hence,	tough to	#7 ~3'
	in the landscape. White flowers and bluish-white fruit. Use in shrub borders.	5	
csc	#1		<u>Crataegus douglasii</u> , Black Hawthorn 20-25' Zo
000	#2		Native large shrub or small tree. Susceptible to deer browse. Not thornless.
	#7 ~4'		#5
	#15 ~5' SOLD OUT		Den han an handras a dii (Oena I Merchiel, Oena I Merchie, Den han 0.0)
•		7 0	<u>Daphne</u> x <u>burkwoodii</u> 'Carol Mackie', Carol Mackie Daphne 2-3' Zo
	<u>s sericea</u> 'Flaviramea', Yellow Twigged Dogwood 6-8'	Zone 3	Dense mounded form with distinctive variegated foliage. Fragrant pink flowers in late spring. Prefers a c
	stem color makes this an interesting plant in the winter landscape. Green foliage during the	summer.	dry or well-drained site.
A large	, rapid growing shrub for the border.		DCM #2
CSF	#2 SOLD OUT		
	#5		<u>Diervilla</u> <u>Ionicera</u> , Dwarf Bush Honeysuckle 4' Zo
			Low growing, mounded, spreading shrub with bronze-green foliage and yellow flowers in early summer.
<u>Cornus</u>	<u>s sericea</u> 'Isanti', Isanti Dogwood 5-6'	Zone 3	DVL #1
A very	desirable, dense and compact red Dogwood. Wide spreading, often as wide as tall. White flo	owers	#2
A very and wh	desirable, dense and compact red Dogwood. Wide spreading, often as wide as tall. White flo ite fruit. A nice addition to the landscape that can be used in the shrub border, massed as a	owers	
A very and wh for wint	desirable, dense and compact red Dogwood. Wide spreading, often as wide as tall. White flo ite fruit. A nice addition to the landscape that can be used in the shrub border, massed as a ter effect or in a foundation planting because of its small size.	owers	#2 #5
A very and wh	desirable, dense and compact red Dogwood. Wide spreading, often as wide as tall. White flo ite fruit. A nice addition to the landscape that can be used in the shrub border, massed as a ter effect or in a foundation planting because of its small size. #1	owers	#2 #5 <u>Elaeagnus commutata</u> , American Silverberry 6-8' Zo
A very and wh for wint	desirable, dense and compact red Dogwood. Wide spreading, often as wide as tall. White flo ite fruit. A nice addition to the landscape that can be used in the shrub border, massed as a ter effect or in a foundation planting because of its small size. #1 #2	owers	#2 #5 <u>Elaeagnus commutata</u> , American Silverberry 6-8' Attractive silver-gray foliage that is very unique in the landscape. Hardy. Native species through upper
A very and wh for wint	desirable, dense and compact red Dogwood. Wide spreading, often as wide as tall. White flo ite fruit. A nice addition to the landscape that can be used in the shrub border, massed as a ter effect or in a foundation planting because of its small size. #1	owers	#2 #5 <u>Elaeagnus commutata</u> , American Silverberry 6-8' Attractive silver-gray foliage that is very unique in the landscape. Hardy. Native species through upper Great Plains and Canada.
A very and wh for wint CSI	desirable, dense and compact red Dogwood. Wide spreading, often as wide as tall. White flo ite fruit. A nice addition to the landscape that can be used in the shrub border, massed as a ter effect or in a foundation planting because of its small size. #1 #2 #5	bwers hedge	#2 #5 <u>Elaeagnus commutata</u> , American Silverberry 6-8' Zo Attractive silver-gray foliage that is very unique in the landscape. Hardy. Native species through upper Great Plains and Canada. ECB #1
A very and wh for wint CSI	desirable, dense and compact red Dogwood. Wide spreading, often as wide as tall. White flo hite fruit. A nice addition to the landscape that can be used in the shrub border, massed as a ter effect or in a foundation planting because of its small size. #1 #2 #5 <u>s stolonifera</u> 'Farrow', Arctic Fire Dogwood 3-4'	owers hedge Zone 3	#2 #5 <u>Elaeagnus commutata</u> , American Silverberry 6-8' Attractive silver-gray foliage that is very unique in the landscape. Hardy. Native species through upper Great Plains and Canada.
A very and wh for wint CSI <u>Cornus</u> A comp	desirable, dense and compact red Dogwood. Wide spreading, often as wide as tall. White flo inte fruit. A nice addition to the landscape that can be used in the shrub border, massed as a ter effect or in a foundation planting because of its small size. #1 #2 #5 <u>s stolonifera</u> 'Farrow', Arctic Fire Dogwood 3-4' pact selection of Red Twigged Dogwood. Similar in size to <i>Cornus s. 'Isanti</i> '. Upright habit an	owers hedge Zone 3	#2 #5 <u>Elaeagnus commutata</u> , American Silverberry 6-8' Zo Attractive silver-gray foliage that is very unique in the landscape. Hardy. Native species through upper Great Plains and Canada. ECB #1 #5
A very and wh for wint CSI <u>Cornus</u> A comp	desirable, dense and compact red Dogwood. Wide spreading, often as wide as tall. White flo hite fruit. A nice addition to the landscape that can be used in the shrub border, massed as a ter effect or in a foundation planting because of its small size. #1 #2 #5 <u>s stolonifera</u> 'Farrow', Arctic Fire Dogwood 3-4'	owers hedge Zone 3	#2 #5 Elaeagnus commutata, American Silverberry 6-8' Zo Attractive silver-gray foliage that is very unique in the landscape. Hardy. Native species through upper Great Plains and Canada. Zo ECB #1 #5 Euonymus alatus, Winged Euonymus or Burning Bush 12-15' Zo
A very and wh for wint CSI <u>Cornus</u> A comp	desirable, dense and compact red Dogwood. Wide spreading, often as wide as tall. White flo inte fruit. A nice addition to the landscape that can be used in the shrub border, massed as a ter effect or in a foundation planting because of its small size. #1 #2 #5 <u>s stolonifera</u> 'Farrow', Arctic Fire Dogwood 3-4' pact selection of Red Twigged Dogwood. Similar in size to <i>Cornus s. 'Isanti</i> '. Upright habit an	owers hedge Zone 3	#2 #5 Elaeagnus commutata, American Silverberry 6-8' Zot Attractive silver-gray foliage that is very unique in the landscape. Hardy. Native species through upper Great Plains and Canada. Zot ECB #1 #5 #2 Euonymus alatus, Winged Euonymus or Burning Bush 12-15' Zot Large dense shrub with exceptional red fall color that persists. Rounded habit with corky wings on the
A very and wh for wint CSI A comp prone t	desirable, dense and compact red Dogwood. Wide spreading, often as wide as tall. White flo ite fruit. A nice addition to the landscape that can be used in the shrub border, massed as a ter effect or in a foundation planting because of its small size. #1 #2 #5 <u>s stolonifera</u> 'Farrow', Arctic Fire Dogwood 3-4' pact selection of Red Twigged Dogwood. Similar in size to Cornus s. 'Isanti'. Upright habit an to sucker in the landscape.	owers hedge Zone 3	#2 #5 Elaeagnus commutata, American Silverberry 6-8' Zot Attractive silver-gray foliage that is very unique in the landscape. Hardy. Native species through upper Great Plains and Canada. Zot ECB #1 #5 #2 Euonymus alatus, Winged Euonymus or Burning Bush 12-15' Zot Large dense shrub with exceptional red fall color that persists. Rounded habit with corky wings on the stem adding winter interest. Use in shrub borders, accent planting or hedges.
A very and wh for wint CSI A comp prone t	desirable, dense and compact red Dogwood. Wide spreading, often as wide as tall. White flo ite fruit. A nice addition to the landscape that can be used in the shrub border, massed as a ter effect or in a foundation planting because of its small size. #1 #2 #5 <u>s stolonifera</u> 'Farrow', Arctic Fire Dogwood 3-4' bact selection of Red Twigged Dogwood. Similar in size to Cornus s. 'Isanti'. Upright habit an to sucker in the landscape. #2	owers hedge Zone 3	#2 #5 Elaeagnus commutata, American Silverberry 6-8' Zot Attractive silver-gray foliage that is very unique in the landscape. Hardy. Native species through upper Great Plains and Canada. Zot ECB #1 #5 #2 Euonymus alatus, Winged Euonymus or Burning Bush 12-15' Zot Large dense shrub with exceptional red fall color that persists. Rounded habit with corky wings on the
A very of and wh for wint CSI A comp prone t CFI	desirable, dense and compact red Dogwood. Wide spreading, often as wide as tall. White flo ite fruit. A nice addition to the landscape that can be used in the shrub border, massed as a ter effect or in a foundation planting because of its small size. #1 #2 #5 <u>s stolonifera</u> 'Farrow', Arctic Fire Dogwood 3-4' bact selection of Red Twigged Dogwood. Similar in size to Cornus s. 'Isanti'. Upright habit an to sucker in the landscape. #2	owers hedge Zone 3	#2 #5 Elaeagnus commutata, American Silverberry 6-8' Zot Attractive silver-gray foliage that is very unique in the landscape. Hardy. Native species through upper Great Plains and Canada. Zot ECB #1 #5 #2 Euonymus alatus, Winged Euonymus or Burning Bush 12-15' Zot Large dense shrub with exceptional red fall color that persists. Rounded habit with corky wings on the stem adding winter interest. Use in shrub borders, accent planting or hedges.
A very and what for wint CSI <u>Cornus</u> A comp prone t CFI <u>Cotinu</u>	desirable, dense and compact red Dogwood. Wide spreading, often as wide as tall. White flo ite fruit. A nice addition to the landscape that can be used in the shrub border, massed as a ter effect or in a foundation planting because of its small size. #1 #2 #5 s <u>stolonifera</u> 'Farrow', Arctic Fire Dogwood 3-4' bact selection of Red Twigged Dogwood. Similar in size to <i>Cornus s. 'Isanti'</i> . Upright habit an to sucker in the landscape. #2 #5 s <u>coggygria</u> 'Royal Purple', Royal Purple Smokebush 8-10'	Zone 3 d less	#2 #5 Elaeagnus commutata, American Silverberry 6-8' Zot Attractive silver-gray foliage that is very unique in the landscape. Hardy. Native species through upper Great Plains and Canada. Zot ECB #1 #5 #5 Euonymus alatus, Winged Euonymus or Burning Bush 12-15' Zot Large dense shrub with exceptional red fall color that persists. Rounded habit with corky wings on the stem adding winter interest. Use in shrub borders, accent planting or hedges. Zot EAL #1 SOLD OUT #2 #1 SOLD OUT
A very and white for wint CSI Cornus A compering the CFI Cotinue Margine	desirable, dense and compact red Dogwood. Wide spreading, often as wide as tall. White flo ite fruit. A nice addition to the landscape that can be used in the shrub border, massed as a ter effect or in a foundation planting because of its small size. #1 #2 #5 s <u>stolonifera</u> 'Farrow', Arctic Fire Dogwood 3-4' pact selection of Red Twigged Dogwood. Similar in size to <i>Cornus s. 'Isanti</i> '. Upright habit an to sucker in the landscape. #2 #5 s <u>coggygria</u> 'Royal Purple', Royal Purple Smokebush 8-10' ally hardy <i>Cotinus</i> that may experience winter dieback, but grows back quickly. Beige flower	Zone 3 d less	#2 #5 Elaeagnus commutata, American Silverberry 6-8' Zo Attractive silver-gray foliage that is very unique in the landscape. Hardy. Native species through upper Great Plains and Canada. Zo ECB #1 #5 Euonymus alatus, Winged Euonymus or Burning Bush 12-15' Zo Large dense shrub with exceptional red fall color that persists. Rounded habit with corky wings on the stem adding winter interest. Use in shrub borders, accent planting or hedges. Zo EAL #1 SOLD OUT #2 #5 #5
A very and wh for wint CSI A comp prone t CFI <u>Cotinu</u> Margin midsun	desirable, dense and compact red Dogwood. Wide spreading, often as wide as tall. White flo ite fruit. A nice addition to the landscape that can be used in the shrub border, massed as a ter effect or in a foundation planting because of its small size. #1 #2 #5 <u>s stolonifera</u> 'Farrow', Arctic Fire Dogwood 3-4' bact selection of Red Twigged Dogwood. Similar in size to <i>Cornus s. 'Isanti</i> '. Upright habit an to sucker in the landscape. #2 #5 <u>s coggygria</u> 'Royal Purple', Royal Purple Smokebush 8-10' ally hardy <i>Cotinus</i> that may experience winter dieback, but grows back quickly. Beige flower mmer contrasts with the purple foliage. Upright habit.	Zone 3 d less	#2 #5 Elaeagnus commutata, American Silverberry 6-8' Zot Attractive silver-gray foliage that is very unique in the landscape. Hardy. Native species through upper Great Plains and Canada. Zot ECB #1 #5 #5 Euonymus alatus, Winged Euonymus or Burning Bush 12-15' Zot Large dense shrub with exceptional red fall color that persists. Rounded habit with corky wings on the stem adding winter interest. Use in shrub borders, accent planting or hedges. Zot EAL #1 SOLD OUT #2 #1 SOLD OUT
A very and wh for wint CSI A comp prone t CFI <u>Cotinu</u> Margin	desirable, dense and compact red Dogwood. Wide spreading, often as wide as tall. White flo ite fruit. A nice addition to the landscape that can be used in the shrub border, massed as a ter effect or in a foundation planting because of its small size. #1 #2 #5 <u>s stolonifera</u> 'Farrow', Arctic Fire Dogwood 3-4' bact selection of Red Twigged Dogwood. Similar in size to <i>Cornus s. 'Isanti</i> '. Upright habit an to sucker in the landscape. #2 #5 <u>s coggygria</u> 'Royal Purple', Royal Purple Smokebush 8-10' ally hardy <i>Cotinus</i> that may experience winter dieback, but grows back quickly. Beige flower mmer contrasts with the purple foliage. Upright habit. #2	Zone 3 d less	#2 #5 Elaeagnus commutata, American Silverberry 6-8' Zoc Attractive silver-gray foliage that is very unique in the landscape. Hardy. Native species through upper Great Plains and Canada. Zoc ECB #1 #5 #5 Euonymus alatus, Winged Euonymus or Burning Bush 12-15' Zoc Large dense shrub with exceptional red fall color that persists. Rounded habit with corky wings on the stem adding winter interest. Use in shrub borders, accent planting or hedges. EAL #1 SOLD OUT Zoc #7 ~3'
A very and wh for wint CSI A comp prone t CFI <u>Cotinu</u> Margin midsun	desirable, dense and compact red Dogwood. Wide spreading, often as wide as tall. White flo ite fruit. A nice addition to the landscape that can be used in the shrub border, massed as a ter effect or in a foundation planting because of its small size. #1 #2 #5 <u>s stolonifera</u> 'Farrow', Arctic Fire Dogwood 3-4' bact selection of Red Twigged Dogwood. Similar in size to <i>Cornus s. 'Isanti'</i> . Upright habit an to sucker in the landscape. #2 #5 <u>s coggygria</u> 'Royal Purple', Royal Purple Smokebush 8-10' ally hardy <i>Cotinus</i> that may experience winter dieback, but grows back quickly. Beige flower mmer contrasts with the purple foliage. Upright habit.	Zone 3 d less	#2 #5 Elaeagnus commutata, American Silverberry 6-8' Zoc Attractive silver-gray foliage that is very unique in the landscape. Hardy. Native species through upper Great Plains and Canada. Zoc ECB #1 #5 #5 Euonymus alatus, Winged Euonymus or Burning Bush 12-15' Zoc Large dense shrub with exceptional red fall color that persists. Rounded habit with corky wings on the stem adding winter interest. Use in shrub borders, accent planting or hedges. EAL #1 SOLD OUT Zoc #5 #7 ~3' Zoc Zoc Zoc Euonymus alatus 'Compactus', Dwarf Burning Bush 5-6' Zoc Zoc
A very and wh for wint CSI A comp prone t CFI <u>Cotinu</u> Margin midsun CRP	desirable, dense and compact red Dogwood. Wide spreading, often as wide as tall. White flo hite fruit. A nice addition to the landscape that can be used in the shrub border, massed as a ter effect or in a foundation planting because of its small size. #1 #2 #5 s <u>stolonifera</u> 'Farrow', Arctic Fire Dogwood 3-4' bact selection of Red Twigged Dogwood. Similar in size to <i>Cornus s. 'Isanti</i> '. Upright habit an to sucker in the landscape. #2 #5 s <u>coggygria</u> 'Royal Purple', Royal Purple Smokebush 8-10' ally hardy <i>Cotinus</i> that may experience winter dieback, but grows back quickly. Beige flower nmer contrasts with the purple foliage. Upright habit. #2 #5 SOLD OUT	Zone 3 d less Zone 5 s in	#2 #5 Elaeagnus commutata, American Silverberry 6-8' Zo Attractive silver-gray foliage that is very unique in the landscape. Hardy. Native species through upper Great Plains and Canada. Zo ECB #1 #5 #5 Euonymus alatus, Winged Euonymus or Burning Bush 12-15' Zo Large dense shrub with exceptional red fall color that persists. Rounded habit with corky wings on the stem adding winter interest. Use in shrub borders, accent planting or hedges. EAL #1 SOLD OUT #2 #5 #7 ~3' Zo Euonymus alatus 'Compactus', Dwarf Burning Bush 5-6' Zon Dwarf form of Euonymus alatus. Not as hardy a species. Zon
A very and wh for wint CSI A comp prone t CFI <u>Cotinu</u> Margin midsun CRP	desirable, dense and compact red Dogwood. Wide spreading, often as wide as tall. White flo inte fruit. A nice addition to the landscape that can be used in the shrub border, massed as a ter effect or in a foundation planting because of its small size. #1 #2 #5 s stolonifera 'Farrow', Arctic Fire Dogwood 3-4' bact selection of Red Twigged Dogwood. Similar in size to <i>Cornus s. 'Isanti'</i> . Upright habit an to sucker in the landscape. #2 #5 ts coggygria 'Royal Purple', Royal Purple Smokebush 8-10' ally hardy <i>Cotinus</i> that may experience winter dieback, but grows back quickly. Beige flower nmer contrasts with the purple foliage. Upright habit. #2 #5 SOLD OUT easter apiculatus, Cranberry Cotoneaster 2-3'	Zone 3 d less Zone 5 s in Zone 4	#2 #5 Zot Elaeagnus commutata, American Silverberry 6-8' Zot Attractive silver-gray foliage that is very unique in the landscape. Hardy. Native species through upper Great Plains and Canada. Zot ECB #1 #5 #5 Euonymus alatus, Winged Euorymus or Burning Bush 12-15' Zot Large dense shrub with exceptional red fall color that persists. Rounded habit with corky wings on the stem adding winter interest. Use in shrub borders, accent planting or hedges. EAL #1 SOLD OUT #5 #7 ~3' Zot Zot Euonymus alatus 'Compactus', Dwarf Burning Bush 5-6' Zot Zot Dwarf form of Euonymus alatus. Not as hardy a species. EAC #1 Zot
A very and wh for wint CSI A comp prone t CFI <u>Cotinu</u> Margin: midsun CRP <u>Cotone</u> Dense	desirable, dense and compact red Dogwood. Wide spreading, often as wide as tall. White flo inte fruit. A nice addition to the landscape that can be used in the shrub border, massed as a ter effect or in a foundation planting because of its small size. #1 #2 #5 s stolonifera 'Farrow', Arctic Fire Dogwood 3-4' bact selection of Red Twigged Dogwood. Similar in size to <i>Cornus s. 'Isanti'</i> . Upright habit an to sucker in the landscape. #2 #5 s coggygria 'Royal Purple', Royal Purple Smokebush 8-10' ally hardy <i>Cotinus</i> that may experience winter dieback, but grows back quickly. Beige flower nmer contrasts with the purple foliage. Upright habit. #2 #5 SOLD OUT easter apiculatus, Cranberry Cotoneaster 2-3' mounded, low growing shrub with branches that arch over and touch the ground. Pink flowe	Zone 3 d less Zone 5 s in Zone 4	#2 #5 Zot Eleeagnus commutata, American Silverberry 6-8' Zot Attractive silver-gray foliage that is very unique in the landscape. Hardy. Native species through upper Great Plains and Canada. #1 ECB #1 #5 #5 Euonymus alatus, Winged Euonymus or Burning Bush 12-15' Zot Large dense shrub with exceptional red fall color that persists. Rounded habit with corky wings on the stem adding winter interest. Use in shrub borders, accent planting or hedges. EAL #1 SOLD OUT #2 #5 #7 ~3' Zot Euonymus alatus 'Compactus', Dwarf Burning Bush 5-6' Zot Dwarf form of Euonymus alatus. Not as hardy a species. EAC #1 #2 #2 Zot
A very and wh for wint CSI A comp prone t CFI <u>Cotinu</u> Margin midsun CRP <u>Cotone</u> Dense	desirable, dense and compact red Dogwood. Wide spreading, often as wide as tall. White flo inte fruit. A nice addition to the landscape that can be used in the shrub border, massed as a ter effect or in a foundation planting because of its small size. #1 #2 #5 s stolonifera 'Farrow', Arctic Fire Dogwood 3-4' bact selection of Red Twigged Dogwood. Similar in size to <i>Cornus s. 'Isanti'</i> . Upright habit an to sucker in the landscape. #2 #5 ts coggygria 'Royal Purple', Royal Purple Smokebush 8-10' ally hardy <i>Cotinus</i> that may experience winter dieback, but grows back quickly. Beige flower nmer contrasts with the purple foliage. Upright habit. #2 #5 SOLD OUT easter apiculatus, Cranberry Cotoneaster 2-3'	Zone 3 d less Zone 5 s in Zone 4	#2 #5 Zot Elaeagnus commutata, American Silverberry 6-8' Zot Attractive silver-gray foliage that is very unique in the landscape. Hardy. Native species through upper Great Plains and Canada. Zot ECB #1 #5 #5 Euonymus alatus, Winged Euorymus or Burning Bush 12-15' Zot Large dense shrub with exceptional red fall color that persists. Rounded habit with corky wings on the stem adding winter interest. Use in shrub borders, accent planting or hedges. EAL #1 SOLD OUT #5 #7 ~3' Zot Zot Euonymus alatus 'Compactus', Dwarf Burning Bush 5-6' Zot Zot Dwarf form of Euonymus alatus. Not as hardy a species. EAC #1

48 Shrubs											Shrubs	4
		5	- 24 25 - 49	50+	1 - 4			5 - 24	25 - 49	50+	1 - 4	
	vlark', Meadowlark For				Zone 3		<u>ata</u> 'Renba', Berry WI					Zone
	to -35°F make this one o						<i>drangea</i> that progress	es from a white flowe	r through shad	des of pink	to red.	
-	o flower in spring with ye	ellow flowers app	pearing before the	leaves. Use II	n shrub borders.	HBW	#2					
FMD	#2							TM II I	0.01			-
	#5						<u>ata</u> 'Renhy', Vanilla S					Zone
F = 4h =		43			7		selection, this one note		arge white flo	wer heads	that eventu	lally tu
	ii, Dwarf Fothergilla 3-		opring blue green	foliogo in th	Zone 4	•	or. Tree form in tree se	ection.				
	led habit with showy wh nge and yellow in the fa					HVS	#2					
	rige and yenow in the landscape at		•			Lonicora tatarica (A	Arnold Red', Arnold R	ad Honoveuckie 6-8				Zone
	-	Glacier Nursery,	LLO, and warrants		Montana.		aphid. Blue-green foli			rub border	e	ZUII
FGD	#2					LHA		age and dark red now	CI3. 03C III 3I		5.	
Holodiscus discolu	<u>or</u> , Ocean Spray 4-6'				Zone 4	LNA	#2					
	lar to <i>Physocarpus</i> with	a creamy white	flower ninnacle the	at is initially h			#5					
	ops and remains show					Magnolia kobus va	r. <u>stellata</u> 'Royal Star	' Roval Star Magnol	ia 8-10'			Zone
moisture.	ope and remaine energy	,			iaigei iiiai		lagnolia with a smaller			k buds eme	erge to frag	
HDD	#1	SOLD	ΟΠΤ				spring. Foliage is deep					
100	#5	SOLD				of Montana.	opring. I olicigo lo doop	groon tanning to bron			only in mid	arouo
	110	0020				MGR	#5					
<u>Hydrangea</u> arbores	<u>scens</u> 'Annabelle', An	nabelle Hydran	gea 3-5'		Zone 3	more	110					
	growing, herbaceous s			ummer that st	and out in any	Mahonia aquifolium	<u>n</u> , Oregon Grape Holl	y 3-5'h, 3-6' spread				Zone
landscape when few	v shrubs are flowering a	at the same time	. An added bonus t	o this plant is	that it will flower		een with holly-like leav		rom winter su	in and wind		
in the shade.						MAQ	#5	·				
HAA	#1											
	#2					<u>Mahonia repens.</u> Cr	reeping Mahonia - Se	e Perennials Page 93				
Hydrangea macror	o <i>hylla</i> 'Bailmer', Endle	ss Summer Hv	drancea 3-5'		Zone 4	Dhiladalahua lawia	ii Lowio Mookorongo	6.0'				Zone
	ey Nursery that flowers			na Flowers a			<u>ii</u> , Lewis Mockorange					ZONE
	lowers in neutral or alka						use for naturalization.					
HES	#2					PLW	#1	SOLD OUT				
IIL0	#2						#2	SOLD OUT				
	#0						#5	SOLD OUT				
Hydrangea macrop	<u>ohylla</u> 'Twist-n-Shout',	Twist and Sho	ut Bigleaf Hydran	gea 3-5'	Zone 4	Philadolphus lowisi	<u>ii</u> 'Blizzard', Blizzard	Mockorango 4-5'				Zone
Flowering pink in the	e center of the corymb	with pink or blue	flowers on the edg	e of the cory	nb,		nadian selection of the		massed in a n	aturalized	setting	2010
depending on the so	oil type.					PLB	#2		nassea in a n		botting.	
HTS	#2					FLD	#2 #5					
Hydrangea panicul	<u>lata</u> 'Bobo', Bobo Pan	icle Hydrangea	3'		Zone 3							-
	of <i>Limelight</i> and <i>Berry N</i>				Zone o		<u>ii</u> 'Cheyenne', Cheyei					Zone
HPB	#2	inito Hydrangoa					tive Mockorange with u		s. Shade tolel	rant.		
	#∠					PCY	#1	SOLD OUT				
Hvdrangea panicu	<u>lata</u> 'Limelight', Limel	ight Hydrangea	a 6-8'		Zone 3		#5					
	ge lime-green late sumn			on.		Philadalahua miara	nhullun littlalaaf Ma	okorongo 2 4				Zone
HL3	#2						o <u>phyllus</u> , Littleleaf Mo Mockorange that provid		e landscane	Slow growi	na roundor	
	$\pi \mathbf{z}$					PMC	•		e ianuscape.	Slow growi	ng, rounded	
							#1	SOLD OUT				

50 Shrubs		Shrubs
	<u>5 - 24 25 - 49 50+ 1 - 4</u>	5 - 24 25 - 49 50+ 1 - 4
	ginalis 'Minnesota Snowflake', Minnesota Snowflake Mockorange 6-8' Zone 4 koranges, having large, double white flowers 2" across that are very fragrant. Use in the issed	NEW! <u>Physocarpus</u> <u>opulifolius</u> 'ZLENora', First Editions® Honeycomb Ninebark 4-6' Zone Vibrant yellow foliage all season long, even in full sun. White flowers in the spring. Similar to Dart's Gold Ninebark, but holds color through fall.
2002 2014 2014 2014 2014 2014 2014 2014	#2	PHC #2
	#5 SOLD OUT	
hysocarnus mon	ogynus, Mountain Ninebark 3-4' Zone 3	Midsummer planting of Cornus (Dogwood), Physocarpus, Potentilla and Spiraea may result in wilting due
	for attractive orange to red fall color. Will tolerate partial shade. Use in a naturalized	inadequate moisture in the pot. To avoid this damage, water thoroughly in the pot and in the landscape aft
uation.	5	planting. Also, trim the tips of the plants removing 2-4 inches of the newest luscious growth.
СМ	#1	Potentilla fruticosa, Native Yellow Potentilla 2-3' Zon
	#5	Irregular native Potentilla from which numerous selections have been made.
huaaarnua anul	ifolius 'Dart's Gold', Dart's Gold Ninebark 3-4' Zone 3	PFR #1
	ge and an almost copper fall color makes this a true accent plant for summer and fall.	#5
	n other Ninebarks.	
DG	#2	Potentilla fruticosa 'Abbotswood', Abbotswood Potentilla 2-3' Zon
	#5	White flowering Potentilla with large flowers that are displayed for most of the summer. Bluish-green foliag
		and spreading habit. Use as facer plant or massed for mid season color.
	ifolius var. <u>nanus</u> , Dwarf Ninebark 4-6' Zone 3	PFA #1 #2
	all color saves this plant from total obscurity. Stems exfoliate, making an interesting winter	#2 #5
	rub borders or massed for naturalization. Shade tolerant. Similar to native species.	π
NA	#1	Potentilla fruticosa 'Bailbrule', First Editions® Crème Brûlée™ Potentilla 3-3½' Zon
	#2 #5	Double creamy white flowering Potentilla. Larger than Abbotswood.
	πo	PCB #2
<u>hysocarpos opul</u>	ifolius 'Donna May', First Editions® Little Devil Ninebark 3-4' Zone 4	Potentille frustiance (Cold Dren / Cold Dren Detentille 0)
	gundy foliage and pink-white flowers in the spring contrast against dark foliage make this	<u>Potentilla fruticosa</u> 'Gold Drop', Gold Drop Potentilla 2' Zor One of the shorter growing, smaller leafed Potentilla with intense yellow flowers borne all summer long. I
	ne least hardy of the marroon-red Ninebark.	in mass or as a colorful facer plant.
OL	#2	PGD #2
	#5	#5
hvsocarnus onul	ifolius 'Monlo', Diabolo® Ninebark 8-10' Zone 3	
• • •	Idish-purple leafed form of species. Foliage emerges dark green and then turns reddish-	Potentilla fruticosa 'Goldfinger', Goldfinger Potentilla 3' Zon
	hrub border or as an accent plant.	Rounded compact habit with large 1 ¹ / ₂ " yellow flowers covering the entire plant throughout summer.
OD	#1	Considered one of the best selections because of the long period of flowering. Use as a facer plant or for
	#2	massing of summer color.
	#5	PGF #1 #2
	#7	#2
	#15	
hysocarnus onul	ifolius 'Seward', Summer Wine Ninebark 5-6' Zone 3	Potentilla fruticosa 'Goldstar', Goldstar Potentilla 2' Zon
	ariety with dark crimson-red foliage. Flowers are white with a hint of pink in the summer	Low growing and spreading, wider than tall. Yellow flower similar to Goldfinger Potentilla. Large pubescen
	g against the dark foliage. Ideal for small planter beds or landscapes.	deep green foliage. One of the best of the low growing selections.
OS	#1	PGS #2
	#2	
	#5	Potentillas can be pruned hard while dormant, removing up to half the growth. Most plants that flower on
		new wood perform well when trimmed. Similarly, for example, are Spiraea species.

		5 - 24	25 - 49	50+	1 - 4
<u>Potentilla fruticosa</u> 'Jacl	<i>kmanii',</i> Jackman	Potentilla 3-4'			Zone 2
Large upright growing with	ו deep yellow flow	ers. Largest leaf of the	Potentilla we	offer. Use a	as a facer plant
or grouped in masses.					
PJK	#1				
	#2				
	#5				
<u>Potentilla fruticosa</u> 'Katl	herine Dykes', Ka	therine Dykes Poten	tilla 2-3'		Zone 2
Gray-green foliage, sprea	ding habit and soft	t yellow flowers. Use a	s facer plant o	or massed. S	Similar to native
species.					
PKD	#2				
	#5	SOLD OUT			
<u>Potentilla fruticosa</u> 'Pink	Reauty'. Pink B	eauty Potentilla 2-3'			Zone 3
The best of the pink flowe			olor even in M	ontana's he	
vigorous. Attractive, lustro					
PFP	#1	5		0	
	#2				
	#5				
Flowers are deep yellow in plant or massed for color. PFT	n sun, almost orai #2 #5	nge in light shade. Spr SOLD OUT	eading, spraw	/ling habit. l	Jse as a facer
Potentilla <u>fruticosa</u> 'Man Canadian bred, small grov yellow in intense sun.	-	-		eep yellow p	Zone 2 petals. Fades to
PFU	#2				
Potentilla fruticosa 'Yell					Zone 2
A clow chroading low area	wing (almost creep				
	• •	ping), yellow flowered	variety. Foliag	e gray and l	hairy.
	#2	oing), yellow flowered v	variety. Foliag	e gray and l	hairy.
PYG	#2		variety. Foliag	e gray and l	
PYG <u>Prunus americana</u> , Ame Widespread U.S. native. L	#2 rican Plum 15-20 arge growing shru	, ub excellant for wildflife			Zone 3
PYG <u>Prunus</u> <u>americana</u> , Ame Widespread U.S. native. L shelter. Suitable pollinator	#2 rican Plum 15-20 .arge growing shru for many fruiting p	, ub excellant for wildflife olums.			Zone 3
PYG <u>Prunus americana</u> , Ame Widespread U.S. native. L	#2 rican Plum 15-20 .arge growing shru for many fruiting p #1	, ub excellant for wildflife			Zone 3
PYG <u>Prunus</u> <u>americana</u> , Ame Widespread U.S. native. L shelter. Suitable pollinator	#2 rican Plum 15-20 .arge growing shru for many fruiting p	, ub excellant for wildflife olums.			Zone 3
PYG <u>Prunus</u> <u>americana</u> , Ame Widespread U.S. native. L shelter. Suitable pollinator	#2 rican Plum 15-20 arge growing shru for many fruiting p #1 #5 e Buttes', Pawnee	ub excellant for wildflife plums. SOLD OUT	habitat both d Cherry 1-2	as a food so	Zone 3 purce and as Zone 3

					Shrubs	53
		5 - 24	25 - 49	50+	1 - 4	
<u>Prunus besseyi</u> , Western	Sand Cherry 5-6'					Zone 3
Blue-green foliage. White flo	wers before leaves	. Native shrub tha	t tolerates dry	conditions	s. Orange-re	d fall
color. Use in shrub borders of	or massed.					
PBS	#2					
	#5					
<u>Prunus glandulosa</u> 'Rosea	Plena', Pink Flow	ering Almond 5-6	6			Zone
Abundant 1" double pink flow	vers in the early sp	ring. May suffer fro	om winter injur	у.		
PGR	#2					
<u>Prunus</u> tomentosa, Nankin	a Cherry 8-10'					Zone
Fragrant white flowers. Brigh		nost 1/2" across. `	Yellow fall colo	r. Provide	s wildlife hal	oitat.
PTM	#2	SOLD OUT				
	#5	SOLD OUT				
Blossom Blight is a common flowering and may continue i				-	-	reak
Numerous smaller selections		ections of the		I for the a	mallar landa	0000
Full Size Selection	s of the species are		er Selection			cape.
Amelanchier alnifolia 6-10'			nchier alnifolia	'Regent' /	1-6'	
Aronia melanocarpa 4-8'			melanocarpa (-		
Cercocarpus ledifolius 10-20)'		arpus montani	-	012	
Cornus alba 'Argenteo-marg			alba 'Bailhalo			
Cornus baileyi 8-10'			stolonifera 'Fa		,	
Cornus sericea 'Isanti' 5-6'			sericea 'Baila			
Euonymus alatus 10-15'			nus alatus 'Co			
Hydrangea p. 'Limelight' 6-8'			igea p.'Bobo' 3		0.0	
Philadelphis lewisii 6-8'			elphis lewisii 'B		5'	
Physocarpus opulifolius 'Mo	nlo' 8-10'		arpus opulifoli			
Prunus besseyi 5-6'		•	besseyi 'Pawı			
, , a.i.do Sociologi 0-0		1 10/103	20009110001	.se Ballo		

Sorbaria sorbifolia 6-8'

Spiraea nipponica 'Snowmound' 3-5'

Shrubs

52

Sorbaria sorbifolia 'Sem' 3-4'

Spiraea nipponica 'Halward's Silver' 2-3'

54 Shrubs										Shrubs	5
			5 - 49 50+	1 - 4			5 - 24	25 - 49	50+	1 - 4	
<u>Prunus</u> <u>virginiana</u> , Co	ommon Chokecherr	ry - See Specimen and Cont	ainer Trees, Page	28.	<u>Rhus</u> glabra, Smoo		us stome and brilliant	rad fall calar	A		Zone
Prunus virginiana 'C	anada Red Chokeci	herry' - See Specimen and	Container Trees F	Page 28	shrub borders.	nac with smooth glauce	bus stems and brilliant	red fall color.	A coarse g	rower. Best II	n
<u>runus</u> , o		intry - occ opconnent and		age 20.	RGA	#2	SOLD OUT				
Rhamnus frangula 'R	<i>ton Williams'</i> , Fine L	Line® Buckthorn 4-6'		Zone 3	NGA	π2	30LD 001				
		d selection with the columna	r habit of Tallhedge	Э.	<u>Rhus</u> <u>trilobata</u> , Thre	ee Leafed Sumac 3-6'				Z	Zone
RFL	#2				Native, drought tolera	ant, low growing shrub	that forms a dense thi	cket.			
	#5	SOLD OUT			RTR	#1					
				_ ,		#5					
Rhododendron 'Elect				Zone 4	Dhue tunhing Steel	horn Cumon 10 15'				-	Zone
Fire engine red flower		liness of -30 degrees.			<u>Rhus</u> <u>typhina</u> , Stag Drought tolerant, bai	ry stem and brilliant re	d fall color. Best in shri	ih horders Va	arv coarse (lone
REL	#2				RTY	#2			Siy coalse (grower.	
<u>Rhododendron</u> 'Lilac	: Lights'. Lilac Light	s Azalea 3-4'		Zone 4		#5					
		chid Lights Azalea with slight	ly smaller deep lila								
RLI	#2	0 0				iger', First Editions®					Zone
						of Cutleaf Sumac that p	provides an interesting	accent in the	shrub bord	er. A Bailey	
<u>Rhododendron</u> 'Mano	darin Lights', Mandส	arin Lights Azalea 4-5'		Zone 4	Nursery introduction.						
Brilliant bright mandari	n-orange flowers in e	early spring. Deciduous.			RTE	#2					
RML	#2				Ribes (Gooseberry	and Currant), Rubus	(Raspberry), Vitis (G	rape), Vaccin	ium (Bluel	berry), and a	all or
							ts are listed on Pages			sony, and c	
<u>Rhododendron</u> 'Mille				Zone 4							
Red flowers late in the		ollage.			<u>Ribes</u> <u>alpinum</u> , Alpi	ine Currant 3-5'				Z	Zone
RMI	#2					ge plant. Glossy green	foliage, adaptable to s	shade. Accep	ts shearing	well and is e	easily
Rhododendron 'Norti	hern Lights'. Northe	ern Lights Azalea 4-5'		Zone 4	shaped into formal h	edges.					
Light pink flowering ha	-	-			RAL	#1					
RNL	#2					#2					
						#5					
<u>Rhododendron</u> 'Rosy				Zone 4	Ribes alninum 'Gre	en Mound', Dwarf Alp	ine Currant 3-5'			7	Zone
Dark rosy-pink flowers		/ June. Deciduous.				n of Alpine Currant tha		and is rounde	ed in habit.		
RRL	#2					le and is sterile. A nice					,
Rhododendron 'P.J.N	/ ' D I M Dhadadar	dron 1 5'		Zone 4	RGM	#2	. .				
		es of lavender flowers in spri	ing Needs moist			#5					
soil. Evergreen.			ing. Needs moist,							-	-
RPJ	#2					ow Flowering Currant					Zone
	#5	SOLD OUT			yellow foliage.	vith fragrant yellow flow	ers in spring and black	k berries in su	immer. Ligr	it green to pa	ale
					RAR	#1					
<u>Rhus</u> aromatica 'Gro				Zone 4	KAR	#1					
		Sumac (up to 6' wide) with or	ange to red fall co	lor. Great for slope		#5					
etabilization llea as a	facer plant or massed	d.									
	#2				<u>Ribes cereum,</u> Wax	Currant 2-4'				7	Zone
	#2										
	#2 #5				Dense native rounde	d shrub with waxy gray	/-green leaves. Bright	red marble siz	zed fruit, in		r.
RGO							y-green leaves. Bright	red marble si	zed fruit, in		r.

Shade Tolerant Shrubs & Evergreens

Arctostaphyllos uva-ursi
Clethra alnifolia 'Hummingbird'
Cornus species (light shade)
Fothergilla gardenii
Hydrangea arborescens 'Annabelle'
Hydrandgea macrophylla (selections)
Lonicera involucrata
Mahonia species
Microbiota decussata
Philidelphus lewisii (selections)
Physocarpus opulifolius nanus

Physocarpus monogynus Rhododendron species Ribes alpinum Ribes alpinum 'Green Mound' Rubus deliciosus Spiraea betulifolia Symphoricarpos species Taxus x media 'Densiformis' Taxus cuspidata 'Morden' Viburnum lentago

Rose Flower Color and Cycle

Variety	Flower Color	Height	Zone	Flowering Cycle
Above & Beyond (climber)	Semi-double Apricot	6-8'	3	Ever flowering
Adelaide Hoodless	Semi-double Pink	2-3'	3	Recurrent
All the Rage	Semi-double Apricot-Yellow Blends	2-4'	4	Ever flowering
Bill Reid	Yellow	2-3'	3	Ever flowering
Campfire	Semi-double Yellow-Pink Blends	2-3'	3	Ever flowering
Champlain	Double Dark Red	3'	4	Ever flowering
Emily Carr	Red	3-4'	3	Ever flowering
Foxi Pavement	Deep lavender-pink	2-4'	3	Recurrent
Glauca (Red Leaf)	Pink	6'	3	Non-recurrent
Hansa	Double Red	3-5'	3	Recurrent
High Voltage	Double Yellow	3-5'	4	Recurrent
Hope for Humanity	Double Dark Red	2-4'	3	Ever flowering
Knock Out	Red	3-4'	4/5	Ever flowering
Morden Blush	Ivory-white	2-3'	3	Recurrent
Morden Centennial	Double Pink	3-5'	3	Recurrent
Morden Sunrise	Semi-double Orange-Yellow Blends	2-3'	3	Ever flowering
Nearly Wild	Pink	2-3'	4	Ever flowering
Oscar Peterson	Yellow-White	2-3'	3/4	Ever flowering
Rugosa	Mauve	4-6'	2	Recurrent
Snow Pavement	Semi-double White	2-3'	3	Recurrent
Winnipeg Parks	Double Deep Pink	2-3'	3	Ever flowering
Woodsii	Pink	5-6'	3	Non-recurrent

Ever flowering – Flowers throughout most of the season. **Recurrent** – Flowers at two different times per season. **Non-recurrent** – Flowers once per season.

		5 - 24	25 - 49	50+	1 - 4
Roses					
		odless Shrub Rose 2-3			Zone 3
	-	June until frost. Recurre	nt.		
RHL	#2				
		Rage Shrub Rose 2-4' vith a round form habit. I		g.	Zone 4
RAG	#2				
<u>Rosa</u> 'BAlage', Easy Double yellow fragrant RHV		Itage Rose 3-5' e-shaped habit. Recurre	ent.		Zone 4
	<i></i>				
Rosa 'Bill Reid', Bill					Zone 3
Yellow flowering, hardy	y Canadian rose. Eve	er flowering.			
RBR	#2				
NEW! <u>Rosa</u> 'Campfir	re'. First Editions® (Campfire Rose 2-3'			Zone 3
		g from yellow, pink, and	red. Cold har	dv.	
RCF	#2	,, , , , , , , , , , , , , , , , , ,		- ,	
<u>Rosa</u> 'Champlain', Cl	-				Zone 4
	esembles Floribunda	Rose in habit and flowe	er. Ever flowe	ring.	
RCH	#2				
	#5	SOLD OUT			
<u>Rosa</u> 'Emily Carr', Er Red, hardy Canadian I	-	Artist Shrub Rose 3-4'			Zone 3
REC	#2				
<u>Rosa</u> 'Foxi Pavement					Zone 3
Deep lavender pink fra	agrant repeat flowerin	ng with dense glossy gre	en foliage th	at turns ye	llow in the fall.
RFP	#2				
<u>Rosa glauca</u> , Redleat	f Shrub Rose 6'				Zone 3
Glaucous purple foliag		-recurrent.			
RGC	#1	SOLD OUT			
	#2				
	#2				

Rosa'Hansa', Hansa Shrub Rose3-5'Rugosa type. Large double red flowers. Recurrent.RHA#2

Phone: (406) 755-2248

Zone 3

58 Shrubs

Deee (Hene for Hum	anity Hono for Hum	<u>5 - 24 25 - 49 50 -</u>			week First Falitions &	5 - 24	25 - 49	50+	1 - 4 Zone
-	nanity', Hope for Hum	esistance. Ever flowering.	Zone 3		track', First Editions® A ni-double apricot flower. I	-	se'''' 0-8		Zone
RHU	#2	sistance. Even nowening.		RAB	#2	_veniowening.			
KIU	#2			KAD	#2				
	h, Morden Blush Shru		Zone 3						
-	-	/ green foliage. Recurrent.		Ribes (Gooseberr	y and Currant), Rubus			um (Blueb	erry), and all o
RMB	#2				small fruit	s are listed on Pages	107-109.		
osa 'Morden Cente	e <i>nnial',</i> Morden Cente	ennial Shrub Rose 3-5'	Zone 3	<u>Rubus</u> <u>deliciosus</u> ,	, Thimbleberry 3-5'				Zone
ink flowers on old ar	nd new wood. Very dise	ease resistant. Recurrent.		Hardy native Rasp	berry, bearing a small da	rk purple fruit.			
RMC	#2	SOLD OUT		RDL	#1	SOLD OUT			
			7 0		#5	SOLD OUT			
	ise', Morden Sunrise		Zone 3	Coline of the Wittelling	ol Colden Willow 20.40	2'			7
		ow growing. Ever flowering.			a', Golden Willow 30-40 ned Willow that is extrem		ugh Lleo in r	noist noturo	Zone
RSR	#2				ound in tree section, page		ugn. Ose in i	noist natura	lizing situations.
osa 'Nearly Wild'. N	Nearly Wild Shrub Ro	ise 2-3'	Zone 4	SV3		001.			
	-	flowers. Ever flowering.	20110	373	#1 #5				
RNW	#2	SOLD OUT				~4'			
					110				
		Ince® Oscar Peterson Rose 2-3'	Zone 3/4	<u>Salix</u> <u>bebbiana</u> , Be	ebb's Willow 10-15'				Zone
		turning to bright white with prominent stam	ens.		e Willow. Wider, thicker le	eaf and denser habit tha	an most Willo	ws. Usually	found in
	ight orange hips in the	fall.		wetlands.					
ROP	#2			SBB	#1				
Rosa 'RADrazz', Kno	ook Out Booo 2 4'		Zone 4/5		#5				
		d flowers. Clean, disease resistant foliage. I		<u>Salix</u> <u>boothii</u> , Boo	th's Willow 15 20'				Zone
RKO	#2	SOLD OUT	Ever nowening.	Large growing wet					Zone
	#2	30ED 001		SBO	#1				
<u>Rosa rugosa</u> , Rugos	sa Shrub Rose 4-6'		Zone 2	360	#5				
		ht pink to mauve. Very adaptable Rose. Re	current.		110				
RRG	#2			<u>Salix</u> candida 'Jef	berg', First Editions® le	ceberg Alley® Sagelea	af Willow 3-6	3	Zone
	#5			Silver-blue foliage a	and upright rounded habi	it. A selection that is an	interesting a	ccent plant i	n the landscape
				SCI	#2				
	ent', Snow Pavement		Zone 3						_
		ink to the petals at opening. Recurrent.		<u>Salix</u> <u>discolor</u> , Pus	-				Zone
RSP	#2				w with large catkins befor		border as thi	s plant need	is space to grow
Paga (Winningg Bar	ks', Winnipeg Parks S		Zone 3	SDC	#1	SOLD OUT			
		flowers. Dark green foliage. Low growing.			#2 #5	SOLD OUT SOLD OUT			
	#2	nowers. Dank green foliage. Low growing.	Ever nowening.		#5	30LD 001			
	#2			<u>Salix</u> drummondia	<u>ana</u> , Drummond Willow	6-12'			Zone
<u>Rosa</u> 'Woodsii', Woo	odsii Shrub Rose 5-6'		Zone 3		ight green pubescent une		Use for natur	alizing.	
		range of tough conditions. Fast growing. No	on-recurrent.	SDM	#1			2	
RWD	#1				#5				
	#2								
	#5								
hone: (406) 755-22	4ð							diacie	rnursery.com

Shrubs 59

60 Shrubs									Shrubs 6
		5 - 24 25 - 49	50+ 1-4			5 - 24	25 - 49	50+	1 - 4
<u>Salix</u> <u>exigua</u> , Coyote	Willow 10-12'		Zone 3		<u>a</u> , Silver Buffaloberry				Zone
Silver-gray narrow leav	ves. Hardy, large, fast	t growing native Willow. Native in flood	plains.		age and stems with or				
SEG	#1	SOLD OUT		-	o <i>Elaeagnus</i> as it is ex	tremely hardy, droug	nt and salt tole	erant. Use in	naturalized
	#5			situations.					
				SAR	#2				
Salix 'Flame', Flame V	Willow 15-20'		Zone 3		#5				
		y hardy. Clean green foliage on medium or naturalization in moist locations.	yellow stems. Orange-		#7 ·	~3'			
SFE	#1				Ural Falsespirea 6-8'				Zone
	#5				es that resemble Moun				
		~3'		growth in July are ver	ry showy. Suckers prof	usely. Not for small a	reas. Use in sh	nrub borders	<i>.</i>
		~4'		SSR	#1				
	#15	~4			#2				
Salix purpurea 'Nana		rotio Willow 6 °	Zone 4		#5				
						~4' SOLD OUT			
		n. Very fast growing fibrous root system							
-		le stem color in winter. Use in shrub bo	rders.	<u>Sorbaria sorbifolia</u> '	Sem', Sem Ash Leaf	Spirea 3-4'			Zone 3
SPN	#1				ecies with attractive pir		ng foliage. Der	nse white flo	ower that
	#2			when dried provides f	fall and winter interest.	Suckers profusely.			
	#5			SSA	#1				
	#15	~3'			#2				
					#5				
Sambucus canadens			Zone 3						
Large growing, green le	eafed Elder. White flo	owers in June/July and large blue-black	fruit. Use in shrub border.	<u>Spiraea</u> <u>betulifolia</u> , \	White Spirea 2-4'				Zone 3
SAD	#2			Native low growing de	eciduous shrub with sn	nall white flowers in t	he summer. Sh	nade toleran	t.
				SBT	#1	SOLD OUT			
Sambucus canadens			Zone 3						
Fast growing, yellow le as an accent plant.	eafed plant that tolera	tes wet sites. White flowers and red fru	it. Use in shrub border or		Glow Girl', Glow Girl® on of Tor Spirea below.				Zone 3
SAU	#2			SGG	#2	SOLD OUT			
<u>Sambucus nigra</u> 'Eva	a'. Black I ace Fidert	Derry 8-10'	Zone 4	Spiraea betulifolia "	Tor', Tor Birchleaf Sp	irea 2-3'			Zone 3
		<pre>< fading to white flowers in May/June. Ir</pre>			bit of native species. W		av-areen foliaa	le that has a	
foliage is finely cut.					purple. This selection r				
SBL	#2				pe, whether it be in the				
SDL	#2			"interface".				,	
Sambucus pubens, R	ed Fruited Elderber	rrv 8-10'	Zone 3	STR	#1				
		wed by red fruit. Widespread native.	2010 0	on	#2				
SPB					#5				
360	#1				π5				
	#5	SOLD OUT		<u>Spiraea</u> <u>douglasii</u> , P	Pink Spirea 2-4'				Zone 3
Sambucus racomoco	Sutherland Colder	n', Cutleaf Golden Elder 6-8'	Zone 4		lecidous shrub with pin	nk flowers that fade a	lickly in the su	mmer. Irrea	
	-	lder. Smaller size allows it to fit in the la			ndscape. A very adapt		,	- 3	
plant.	aye ulsunyulsh ulis E		nuscape as an accent	SDG	#1				
•	11.4			020	#5				
SRS	#1	SOLD OUT			#5				
	#5	SOLD OUT							

62 Shrubs		Shrubs 63
	5 - 24 25 - 49 50+ 1 - 4	5 - 24 25 - 49 50+ 1 - 4
	, Fritschiana Spirea 2-3' Zone 3	Spiraea x bumalda 'Anthony Waterer', Anthony Waterer Spirea 3-4' Zone -
	Spirea with rounded habit. White flowers and yellow to orange fall color. Use massed.	Flowers are deep pink to almost red, flowering during July/August. Fall leaf color almost maroon. Use as facer plant, massed or hedge. Not as hardy as <i>Spiraea x bumalda 'Froebelii'</i> .
0	nabit and thus serves as an excellent choice for use in the landscape, whether it be in the	SAW #2
	ative" border, or in academic terms the "interface". Fast to mature and stays at 3' tall.	#5
SFR	#1	
	#2 #5	Spiraea x bumalda 'Froebelii', Froebel Spirea 3-4' Zone 3
	#5	Pink flowering above the foliage during early summer on new wood. Clean summer foliage and deep
Spiraea 'Goldmoun	d', Goldmound Spirea 18-24" Zone 4	maroon fall color create multi-season interest. Use as a facer plant or massed. Hardy.
-	act accent plant. Yellow foliage (best in full sun) and pink flowers in June/July.	SFB #1
	r as a semi ground cover.	#2
SGM	#1	#5
	#2	Spiraea x bumalda 'Goldflame', Goldflame Spirea 2-3' Zone 4
	#5	An attractive accent plant with golden-copper spring foliage. Pink flowering in summer. Fall color a rich
		copper-orange. A useful compact facer or accent plant. Foliage not as bright yellow as Goldmound Spirea.
	<i>ittle Princess'</i> , Little Princess Spirea 24-30" Zone 3	SGF #1
	act shrub with light green foliage that is covered with pink flowers most of June/July.	#2
	d. Use as a facer plant, grouped, or even as a ground cover.	#5
SLP	#1	
	#2	Spiraea x bumalda 'Gumball', Gumball Spirea 2' Zone 3
	#5	Light green foliage and a compact roundish form distinguish this from Spiraea x bumalda 'Froebelii'. The
Spiraga iapopica (M	fagic Carpet', Magic Carpet Spirea 18" Zone 4	Gumball doesn't lay open the way Froebelii does, so it looks neater in the landscape throughout the year.
	e with red tips. The more compact habit and size distinguish this from Goldflame Spirea.	Dense, low maintenance plant. Use in facer planting.
SJC		SGB #2 SOLD OUT
310	#1 #2	#5
	#2 #5	
	#0	Spiraea x cinerea'Grefsheim', Grefsheim Spirea4-6'Zone 4
<u>Spiraea</u> <u>nipponica</u>	'Halward's Silver', Halward's Silver Spirea 2-3' Zone 4	Abundant white flowers borne in early spring on old wood make this an interesting addition to the landscape.
Hardier, denser, slow	ver growing Spirea. Lighter green leaves and smaller size distinguish this from	Light gray-green foliage on cascading branches. Use in massing.
Snowmound Spirea.		SCG #1 SOLD OUT
SHS	#2 SOLD OUT	#2 SOLD OUT
		#5
	'Snowmound', Snowmound Spirea 3-5' Zone 4	Spiraea x vanhouttei, Bridalwreath Spirea 5-7' Zone 3
	/ borne along stems that tend to arch. Dense and compact with blue-green foliage. Use sed, or as a hedge. Flowers on old wood.	Profusion of white flowers in spring borne along arching branches that almost touch the ground. Use in the
		shrub border or massed. Tough plant. Use in large areas.
SSM	#2 #5	SVH #2
	#5	#5
Spiraea thunbergii	<i>'Ogon',</i> Mellow Yellow Spirea 3-5' Zone 4	
	bs to flower. It is covered in white flowers in the spring with soft yellow leaves throughout	Symphoricarpos albus, White Snowberry 4-6' Zone 3
	hade may prevent leaf scorching from intense summer sun.	Native plant throughout North America with bluish-green foliage. Has large interesting white berries in fall.
STO	#2	Good for soil retention on steep banks. Very durable plant. Will tolerate partial shade. Use in naturalized
The Christer hum-1-1	le and Chrisse innerice analise are lant next, compart, and tidy in the landacers by	settings.
	a and Spriaea japonica species are kept neat, compact, and tidy in the landscape by	SWS #1
-	the way to the ground each spring. Most plants that flower on new wood perform well	#2
when unnined simila	rly. Potentillas can be pruned hard while dormant, removing up to half the growth.	#5

	5 - 24	25 - 49	50+	1 - 4
				Zone 3
	a slightly slower gro	owing. A nativ	e to the We	st that will
#5				
oorenbosii 'Kolmcan'. Ca	andv Coralberrv 2	2-3'		Zone 4
#2	,			
	0.42			7
		1.4		Zone 4
	ous or as hardy as	Syringa patul	a iviiss kim	in Montana.
#5				
Kim' Mino Kim Lilac 4.6	47			Zana 2
		alant Fragram	t nalo Lilco	Zone 3
		T Its close cot	isin synnga	nineyen Fallbill,
#7 ~3'				
ulti-stem - See Specimen a	and Container Tree	e Page 32.		
mmon Purple Lilac 12-15	5'			Zone 2
		d for decades	in America	
#7 ~3 #15 ~4'				
#15 ~4'	l ac 12-15'			Zone 2
	lac 12-15'			Zone 2
#15 ~4' <u>alba</u> , Common White Li	lac 12-15'			Zone 2
#15 ~4' <u>alba</u> , Common White Lil n of Syringa vulgaris.	lac 12-15'			Zone 2
#15 ~4' alba, Common White Lil n of Syringa vulgaris. #2 #5				
#15 ~4' <u>alba</u> , Common White Lil n of Syringa vulgaris. #2 #5 arles Joly', Charles Joly	Lilac 6-12'	doro		Zone 2 Zone 3
#15 ~4' <u>alba</u> , Common White Lil n of Syringa vulgaris. #2 #5 arles Joly', Charles Joly ers. Large growing. Best su	Lilac 6-12'	ders.		
#15 ~4' <u>alba</u> , Common White Lil n of Syringa vulgaris. #2 #5 arles Joly', Charles Joly	Lilac 6-12'	ders.		
	rpos albus but smaller and #1 #5 <u>coorenbosii</u> 'Kolmcan', Ca d small size distinguish thi #2 bin', Dwarf Korean Lilac s very floriferous at an earl sing or facer. Not as vigord s Kim Lilac instead. #2 #5 <i>Kim', Miss Kim Lilac</i> 4-6 of the dwarf Lilacs and a g mer foliage, burgundy fall Arre vigorous and adaptac and frost tolerance. #1 #2 #5 #7 ~3' ulti-stem - See Specimen a mmon Purple Lilac 12-15 prubs for Montana's climat growing, suckers profusely #1 #2 #5	#1 #5 porenbosii 'Kolmcan', Candy Coralberry 2 d small size distinguish this Coralberry. #2 bin', Dwarf Korean Lilac 3-4' s very floriferous at an early age. Fragrant vice sing or facer. Not as vigorous or as hardy as s Kim Lilac instead. #2 #5 Kim', Miss Kim Lilac 4-6' of the dwarf Lilacs and a good four season p mer foliage, burgundy fall color and an attra fore vigorous and adaptable in Montana that and frost tolerance. #1 #2 #5 #7 ~3' ulti-stem - See Specimen and Container Tree mmon Purple Lilac 12-15' nrubs for Montana's climate, it has been used growing, suckers profusely. Use in shrub bord #1 #2 #5	<i>identalis,</i> Western Snowberry 2-4' <i>irpos albus</i> but smaller and slightly slower growing. A nativ #1 #5 <i>oorenbosii</i> 'Kolmcan', Candy Coralberry 2-3' d small size distinguish this Coralberry. #2 <i>bin',</i> Dwarf Korean Lilac 3-4' s very floriferous at an early age. Fragrant violet-purple flow sing or facer. Not as vigorous or as hardy as Syringa patule s Kim Lilac instead. #2 #5 <i>Kim',</i> Miss Kim Lilac 4-6' of the dwarf Lilacs and a good four season plant. Fragran nomer foliage, burgundy fall color and an attractive winter h. Arore vigorous and adaptable in Montana than its close coult and frost tolerance. #1 #2 #5 <i>u</i> Iti-stem - See Specimen and Container Tree Page 32. mmon Purple Lilac 12-15' nrubs for Montana's climate, it has been used for decades growing, suckers profusely. Use in shrub borders. #1 #2 #5	<i>sidentalis</i> , Western Snowberry 2-4' <i>rpos albus</i> but smaller and slightly slower growing. A native to the We #1 #5 oorenbosii 'Kolmcan', Candy Coralberry 2-3' d small size distinguish this Coralberry. #2 bin', Dwarf Korean Lilac 3-4' s very floriferous at an early age. Fragrant violet-purple flowers and sm sing or facer. Not as vigorous or as hardy as Syringa patula 'Miss Kim s Kim Lilac instead. #2 #5 <i>Kim'</i> , Miss Kim Lilac 4-6' of the dwarf Lilacs and a good four season plant. Fragrant pale Lilac mer foliage, burgundy fall color and an attractive winter habit. Hardy. <i>Nore</i> vigorous and adaptable in Montana than its close cousin <i>Syringa</i> I and frost tolerance. #1 #2 #5 #7 ~3' ulti-stem - See Specimen and Container Tree Page 32. mmon Purple Lilac 12-15' nrubs for Montana's climate, it has been used for decades in American growing, suckers profusely. Use in shrub borders. #1 #2

						Shrubs	65
		5 -	- 24	25 - 49	50+	1 - 4	
NEW! <u>Syringa vulgaris</u> 'Eller A classic, fragrant lilac variety Hardy and reliable. Very simila SEW	with double, pure	e-white flowe			l for scree	ening.	Zone 3
<u>Syringa vulgaris</u> 'Ludwig Sp Single reddish-purple flowers. SLS			6-12'				Zone 3
<u>Syringa vulgaris</u> 'Mme. Leme One of the best double white fi SML			. Large g	rowing. Bes	t suited fo	or shrub bor	Zone 3 ders.
<u>Syringa vulgaris</u> 'President (Double blue flowers. Large gro SPG		-					Zone 3
<u>Syringa</u> <u>vulgaris</u> 'Sensation' Purple florets with a white mar SSS			border.				Zone 3
Syringa x hyacinthiflora 'Poo A vigorous upright growing Lila selections. Use in shrub borde SHP	ic developed in C			flowers in M	lay, before	e Syringa vi	Zone 2 ulgaris
Syringa x 'Penda', Bloomera Hybrid Lilac with recurrent sing 'Palabin' occasionally flower in dry summer climate. Less hard SBA	le lavender flowe late summer the	en this is wha	it you car	n expect from	m the Bloo	y <i>ringa mey</i> e omerang in	a hot,
<u>Syringa</u> x <u>prestoniae</u> 'Donald Coarse, upright growing late L The Preston Lilacs are later flo establish than all other types o SDW	lac. Purplish-lave wering than the l	ender flowers French hybrid	s appear d types, l	later than w out are more	e adaptab	le and quic	

Shrubs

			5 - 24	25 - 49	50+	1 - 4
Syringa x prestor	<u>niae</u> 'James Macfarl	ane', James	Macfarlane L	ilac 8-10'		Zone 2
One of the Prestor	n Lilacs resulting from	crosses of S	Syringa reflexa	and Syringa	villosa. Ext	remely hardy.
Single pink fragrar	nt flowers make this a	useful additi	on to the Lilac	s suited for N	lontana. Up	right growing.
SJM	#2					
	#5					
	#7	~3'				
	#15	~4'				
Surringe (Miss Co	nada' Miao Canada					Zana (
Syringa Wiss Ca	nada', Miss Canada	LIIAC 0-9				Zone 2

Syringa wiss canada, wiss canada Lilac 6-9 Zone 2 Bright pink flowers mid-June. Large leaves with a more open habit than other late Lilacs. Use in large areas. SMC #2

#5

Lilac Flower and Season							
Variety	Color	Туре	Season	Height			
Bloomerang	Lavender	Single	Mid Spring	3-5'			
Charles Joly	Magenta	Double	Mid Spring	6-12'			
Common Purple (vulgaris)	Purple	Single	Mid Spring	12-15'			
Common White (vul. alba)	White	Single	Mid Spring	12-15'			
Donald Wyman	Purple-Lavender	Single	Late Spring	8-10'			
Dwarf Korean - Palibin	Violet-Purple	Single	Mid Spring	3-4'			
Ellen Willmott	White	Double	Mid Spring	6-10'			
James Macfarlane	Pink	Single	Late Spring	8-10'			
Ludwig Spaeth	Red-Purple	Single	Mid spring	6-12'			
Miss Canada	Bright Pink	Single	Late Spring	6-9'			
Miss Kim	Purple	Single	Mid Spring	4-6'			
Mme. Lemoine	White	Double	Mid Spring	6-12'			
Pocahontas	Deep Purple	Single	Early Spring	10-12'			
President Grevy	Blue	Double	Mid Spring	6-12'			
Sensation	Purple	Single	Mid Spring	8-10'			

Viburnum dentatum 'Christom', Blue Muffin Arrowwood Viburnum 6-8'

Shorter growing than species and more floriferous and fruitful. Somewhat glossy foliage and very uniform habit make this superior to the species. Use in shrub border.

VBM		

Viburnum lantana 'Mohican', Mohican Wayfaring Tree 6-8'

#2 #5

Zone 3

Zone 3

Thick dark green leaves and a dense rounded compact habit make this a unique plant for the landscape. Creamy white flowers in May and orange-red fruit that later turns black. Use massed or as a screen. Improvement over species due to resistance to bacterial leaf spot.

#5 <u>Viburnum opulus</u> 'Roseum', Common Snowball V Well known for its impressive white flowers 2½-3" in o noteworthy when used in the shrub border or when m VOR #2 S #5 <u>Viburnum trilobum</u> 'Bailey Compact', Bailey Comp Very slow growing, stiffly upright and compact shrub. clean foliage, fantastic reddish fall color and neat win and in youth a good facer plant because it is so slow	ake this a m an Cranber rs and red fr berrybush 2 ng or small h cOLD OUT iburnum 10 diameter in N iassed. Susc cOLD OUT bact Americ Another goot ter habit. Su	ulti-season pla rybush 5-6' uit. Use masse -3' hedge. Very litt -12' May. Somewhat ceptible to aph can Cranberry d four season itable in the sh	ant. Use in s ed in the lar tle trimming at coarse in id infestatio /bush 5-6' plant. Som nrub border,	Shrub border and Zone ndscape. Zone required. Zone the landscape buons. Zone the flowers, good massed, hedged
Viburnum opulus 'Compactum', Compact Europe A compact and rounded form of species. White flower VOC #2 #5 Viburnum opulus 'Nanum', Dwarf European Crant Very dense rounded form. Good for foundation plantin VON #2 #5 Viburnum opulus 'Roseum', Common Snowball V Vell known for its impressive white flowers 2½-3" in conteworthy when used in the shrub border or when m VOR #2 #5 Viburnum trilobum 'Bailey Compact', Bailey Comp Very slow growing, stiffly upright and compact shrub. clean foliage, fantastic reddish fall color and neat win and in youth a good facer plant because it is so slow VBC #1 S #2 #5 Viburnum trilobum 'Wentworth', Wentworth Amer	rs and red fr berrybush 2 ng or small h COLD OUT iburnum 10 diameter in M hassed. Susc COLD OUT bact Americ Another good ter habit. Su growing. Ne	-3' edge. Very litt -12' May. Somewha ceptible to aph an Cranberry d four season itable in the sh	tle trimming at coarse in id infestatio /bush 5-6' plant. Som nrub border,	Zone required. Zone the landscape bu ons. Zone te flowers, good massed, hedged
A compact and rounded form of species. White flower VOC #2 #5 <u>Viburnum opulus</u> 'Nanum', Dwarf European Crant Very dense rounded form. Good for foundation plantii VON #2 S #5 <u>Viburnum opulus</u> 'Roseum', Common Snowball V Well known for its impressive white flowers 2½-3" in of noteworthy when used in the shrub border or when m VOR #2 S #5 <u>Viburnum trilobum</u> 'Bailey Compact', Bailey Comp Very slow growing, stiffly upright and compact shrub. clean foliage, fantastic reddish fall color and neat win and in youth a good facer plant because it is so slow VBC #1 S #2 #5 <u>Viburnum trilobum</u> 'Wentworth', Wentworth Amer	rs and red fr berrybush 2 ng or small h COLD OUT iburnum 10 diameter in M hassed. Susc COLD OUT bact Americ Another good ter habit. Su growing. Ne	-3' edge. Very litt -12' May. Somewha ceptible to aph an Cranberry d four season itable in the sh	tle trimming at coarse in id infestatio /bush 5-6' plant. Som nrub border,	Zone required. Zone the landscape b ons. Zone te flowers, good , massed, hedge
Very dense rounded form. Good for foundation plantin VON #2 S #5 #5 Viburnum opulus 'Roseum', Common Snowball V Well known for its impressive white flowers 2½-3" in or noteworthy when used in the shrub border or when m VOR #2 #5 Viburnum trilobum 'Bailey Compact', Bailey Comp Very slow growing, stiffly upright and compact shrub. clean foliage, fantastic reddish fall color and neat win and in youth a good facer plant because it is so slow VBC #1 #2 #5 Viburnum trilobum 'Wentworth', Wentworth Amer	ng or small h OLD OUT iburnum 10 diameter in M assed. Suso OLD OUT bact Americ Another goo ter habit. Su growing. Ne	-12' Aay. Somewha ceptible to aph an Cranberry d four season itable in the sh	at coarse in iid infestatio /bush 5-6' plant. Som nrub border,	required. Zone the landscape bons. Zone le flowers, good , massed, hedge
Well known for its impressive white flowers 2½-3" in of noteworthy when used in the shrub border or when m VOR #2 S #5 <u>Viburnum trilobum</u> 'Bailey Compact', Bailey Comp Very slow growing, stiffly upright and compact shrub. clean foliage, fantastic reddish fall color and neat win and in youth a good facer plant because it is so slow VBC #1 S #2 #5 <u>Viburnum trilobum</u> 'Wentworth', Wentworth Amer	diameter in M bassed. Susc COLD OUT bact Americ Another goo ter habit. Su growing. Ne	May. Somewha ceptible to aph an Cranberry d four season itable in the sh	id infestatio / bush 5-6' plant. Som nrub border,	the landscape bons. Zone le flowers, good , massed, hedge
#5 <u>Viburnum trilobum</u> 'Bailey Compact', Bailey Comp Very slow growing, stiffly upright and compact shrub. clean foliage, fantastic reddish fall color and neat win and in youth a good facer plant because it is so slow VBC #1 S #2 #5 <u>Viburnum trilobum</u> 'Wentworth', Wentworth Amer	bact Americ Another goo ter habit. Su growing. Ne	d four season itable in the sh	plant. Som hrub border,	e flowers, good , massed, hedge
Very slow growing, stiffly upright and compact shrub. clean foliage, fantastic reddish fall color and neat win and in youth a good facer plant because it is so slow VBC #1 S #2 #5 <u>Viburnum trilobum</u> 'Wentworth', Wentworth Amer	Another goc ter habit. Su growing. Ne	d four season itable in the sh	plant. Som hrub border,	e flowers, good , massed, hedge
			rges with re	
VTW #2	je white flow			Zone se in shrub borde
#5 S <u>Weigela florida</u> 'Red Prince', Red Prince Weigela S Excellent red flower midsummer. Use in shrub border after severe winters. WRP #2		in masses. Fro	equently su	Zone ffers tip dieback
#2 #5				

To provide a quality and properly established plant for customers, container Lilacs and specific Viburnums are grown for a second spring. These species are immature with only one year of growth in a container and a second year makes for a more robust plant.

EVERGREENS

Container evergreens are available throughout the season. The Evergreens are purchased from nurseries in the Northwest region. Most of April and May shipped evergreens are overwintered at Glacier Nursery, LLC. If you have any questions regarding the source of plants purchased from Glacier Nursery, LLC, feel free to ask, as we are more than willing to share that information with you.

The invoiced price per plant depends upon the number of plants delivered of a species and size on an **individual** order and delivered in **one shipment** to the same location. Orders are invoiced **individually** as they were placed and **are not combined** for volume pricing at shipping and delivery. Quantity column headings at the top of each page will help you price the quantity of plants you are looking for. Price breaks are offered at quantities of 5, 25, and 50+ for plants of the same species and container size. Only select items receive 25 or 50+ pricing. **Container size is trade designation only.**

Please refer to Page 78 for recommendation on planting balled and burlap Evergreens.

Abies balsamea 'N	ana', Dwarf Balsam	Fir 2'h, 2-3	' spread				Zone
	ed fir with green nee			oft and flat. F	Prefers to be	e out of	
the hot sun and requ	uires atmospheric mo	isture. Inter	esting small c	onifer for a pa	artial shade	location.	
ABN	#2						
<u>Abies concolor</u> , Co	oncolor Fir 25-40'h, 2	20-25' sprea	ıd				Zone
Soft bluish needles a environment.	and pyramidal habit r	nake this a	standout in the	e landscape.	Plant in a pi	rotected	
ACC	B&B	4'					
	B&B	6'					
Soft green needles a	Alpine Fir 30-50'h, 1 and upright habit mak	5-20' spread te this an att	ractive conifer				Zone
Soft green needles a	Alpine Fir 30-50'h, 1 and upright habit mak lant in a protected en	5-20' spread te this an att	ractive conifer				Zone
Soft green needles a native landscape. P	Alpine Fir 30-50'h, 15 and upright habit mak lant in a protected en ronment. B&B	5-20' spread e this an att vironment a 4'	ractive conifer				Zone
Soft green needles a native landscape. P a high humidity envi	Alpine Fir 30-50'h, 15 and upright habit mak lant in a protected en ronment. B&B B&B	5-20' spread e this an att vironment a 4' 5'	ractive conifer				Zone
Soft green needles a native landscape. P a high humidity envi	Alpine Fir 30-50'h, 15 and upright habit mak lant in a protected en ronment. B&B B&B B&B B&B	5-20' spread e this an att vironment a 4' 5' 6'	ractive conifer				Zone
Soft green needles a native landscape. P a high humidity envi	Alpine Fir 30-50'h, 15 and upright habit mak lant in a protected en ronment. B&B B&B	5-20' spread e this an att vironment a 4' 5'	ractive conifer				Zone
Soft green needles a native landscape. P a high humidity envir ALS	Alpine Fir 30-50'h, 15 and upright habit mak lant in a protected en ronment. B&B B&B B&B B&B B&B	5-20' spread e this an att vironment a 4' 5' 6' 7'	ractive conifer s like other Ab	ies because			
Soft green needles a native landscape. P a high humidity envir ALS Juniperus commun	Alpine Fir 30-50'h, 15 and upright habit mak lant in a protected en ronment. B&B B&B B&B B&B	5-20' spread e this an att vironment a 4' 5' 6' 7' e Carpet Ju	ractive conifer s like other Ab niper 8"h 3-4'	ies because spread	it is accusto	med to	Zone
Soft green needles a native landscape. P a high humidity envir ALS <u>Juniperus commun</u> Dark green foliage.	Alpine Fir 30-50'h, 15 and upright habit mak lant in a protected en ronment. B&B B&B B&B B&B B&B B&B	5-20' spread e this an att vironment a 4' 5' 6' 7' e Carpet Ju	ractive conifer s like other Ab niper 8"h 3-4'	ies because spread	it is accusto	med to	

Most Junipers and Arborvitae for April shipments are overwintered in unheated hoop houses covered with white plastic. Containerized Spruce and Pine are overwintered beneath plastic like our deciduous shrubbery. This allows customers to plant acclimated (dormant) container Junipers, Spruce, Pine, and Arborvitae.

Dwarf Selections less than 3'

Aronia mel. 'Low Scape' 1-2'	Potentilla 'Gold Drop' 2'	Rosa 'Morden Sunrise' 2-3'
Aronia mel. 'Morton' 2-3'	Potentilla 'Goldfinger' 3'	Rosa 'Nearly Wild' 2-3'
Berberis thun. 'Concorde' 2'	Potentilla 'Goldstar' 2'	Rosa 'Oscar Peterson' 2-3'
Berberis thun. 'Crimson Pygmy' 2'	Potentilla 'Katherine Dykes' 2-3'	Rosa 'Snow Pavement' 2-3'
Berberis thun. 'Golden Nugget' 12"	' Potentilla 'Mandarin Tango' 2'	Rosa 'Winnipeg Parks' 2-3'
Berberis thun. 'Goruzam' 2'	Potentilla 'Pink Beauty' 2-3'	Spiraea betulifolia 'Tor' 2-3'
Berberis thun. 'Pyruzam' 18"	Potentilla 'Tangerine' 2-3'	Spiraea fritschiana 2-3'
Berberis thun. 'Rose Glow' 3'	Potentilla 'Yellow Gem' 1-2'	Spiraea 'Goldmound' 18-24"
Buxus micro. 'Wintergreen' 2-3'	Prunus besseyi 'Pawnee Buttes' 1-2	' Spiraea j. 'Little Princess' 24-30"
Buxus x 'Green Velvet' 2-3'	Rhus aromatica 'Gro Low' 2-3'	Spiraea j. 'Magic Carpet' 18"
Caragana frutex 'Globosa' 2-3'	Rosa 'Adelaide Hoodless' 2-3'	Spiraea nipp. 'Halward's Silver' 2-3'
Cotoneaster apiculatus 2-3'	Rosa 'Bill Reid' 2-3'	Spiraea x bum. 'Goldflame' 2-3'
Daphne x b. 'Carol Mackie' 2-3'	Rosa 'Campfire' 2-3'	Spiraea x bum. 'Gumball' 2'
Hydrangea p. 'Bobo' 3'	Rosa 'Champlain' 3'	Symphoricarpos 'Kolmcan' 2-3'
Potentilla 'Abbotswood' 2-3'	Rosa 'Morden Blush' 2-3'	Viburnum op. 'Nanum' 2-3'

Native Shrubs List

Acer glabrum	Mahonia aquifolium	Rubus deliciosus
Alnus tenuifolia	Philadelphus lewisii	Salix bebbiana
Amelanchier alnifolia	Physocarpus monogynus	Salix boothii
Aronia melanocarpa (Eastern U.S.)	Potentilla fruticosa	Salix discolor
Artemisia tridentata	Prunus americana	Salix drummondiana
Cercocarpus ledifolius	Prunus besseyi	Salix exigua
Cercocarpus montanus	Prunus virginiana	Shepherdia argentea
Chrysothamnus selections	Rhus glabra	Spiraea douglasii
Cornus sericea coloradensis	Rhus trilobata	Symphoricarpos albus
Elaeagnus commutata	Rhus typhina (Eastern U.S.)	Symphoricarpos occidentalis
Diervilla lonicera (Eastern U.S.)	Ribes aureum	Viburnum lentago
Fothergilla gardenii (Eastern U.S.)	Rosa woodsii	

		5 - 24	25 - 49	50+	1 - 4
<i>Juniperus chinensis</i> 'I Mint-green foliage on fo JSG	untain-like arching b #2			iper. Use a	Zone 3 s a low shrub.
	#5				
<i>Juniperus chinensis</i> 'I Pompon selection is pru	ined to have 3-5 pon	n-pom shaped balls of			Zone 3
JMP	#5	SOLD OUT			
<i>Juniperus <u>communis</u> Deeper green color thar</i>		-		pread	Zone 3
JCM	#5				
<i>Juniperus <u>horizontalis</u> Low growing, wide sprea</i> Remains dense in the c	ading ground cover t			blue unifori	Zone 3 m ground cover.
JBC	#1				
	#2				
	#5				
	#5				
Silver-blue summer folia	<u>s</u> 'Hughes', Hughes			Jse as a gr	Zone 3 ound cover or for
Silver-blue summer folia facer planting.	: 'Hughes', Hughes age and blue-green in			Jse as a gr	
<i>Juniperus <u>horizontalis</u> Silver-blue summer folia</i> facer planting. JHH	<u>s</u> 'Hughes', Hughes			Jse as a gr	
Silver-blue summer folia facer planting. JHH <u>Juniperus</u> <u>horizontalis</u>	g 'Hughes', Hughes age and blue-green in #2 #5 g 'Monber', Icee Blu	n winter. Uniform and I n e® Juniper 8"h, 6-8' s	ow growing. L pread		ound cover or for Zone 3
Silver-blue summer folia facer planting. JHH <u>Juniperus</u> <u>horizontalis</u> Low spreading Juniper t	g 'Hughes', Hughes age and blue-green in #2 #5 g 'Monber', Icee Blu	n winter. Uniform and I n e® Juniper 8"h, 6-8' s	ow growing. L pread		ound cover or for Zone 3
Silver-blue summer folia facer planting.	2 'Hughes', Hughes age and blue-green in #2 #5 2 'Monber', Icee Blu that has brilliant silve	n winter. Uniform and I n e® Juniper 8"h, 6-8' s	ow growing. L pread		ound cover or for Zone 3
Silver-blue summer folia facer planting. JHH Juniperus horizontalis Low spreading Juniper t JHM Juniperus horizontalis Very low growing. Brigh From Morden Experime	<i>Hughes'</i>, Hughes age and blue-green in #2 #5 <i>Monber'</i>, Icee Blu that has brilliant silve #1 #2 <i>Prince of Wales'</i> , t green summer folia	n winter. Uniform and I e® Juniper 8"h, 6-8' s er-blue foliage. An impr Prince of Wales Juni ige with bluish tinge an	ow growing. L pread oved Wilton E per 8"h, 6-10' id purplish-bro	Blue Rug Ju spread	Zone 3 Zone 3 Iniper selection. Zone 3 er. Very hardy.
Silver-blue summer folia facer planting. JHH <u>Juniperus horizontalis</u> Low spreading Juniper t JHM <u>Juniperus horizontalis</u> Very low growing. Brigh From Morden Experime plant.	<i>Hughes'</i>, Hughes age and blue-green in #2 #5 <i>Monber'</i>, Icee Blu that has brilliant silve #1 #2 <i>Prince of Wales'</i> , t green summer folia	n winter. Uniform and I e® Juniper 8"h, 6-8' s er-blue foliage. An impr Prince of Wales Juni ige with bluish tinge an	ow growing. L pread oved Wilton E per 8"h, 6-10' id purplish-bro	Blue Rug Ju spread	Zone 3 Zone 3 Iniper selection. Zone 3 er. Very hardy.
Silver-blue summer folia facer planting. JHH <u>Juniperus horizontalis</u> Low spreading Juniper t JHM <u>Juniperus horizontalis</u> Very low growing. Brigh From Morden Experime plant.	a 'Hughes', Hughes age and blue-green in #2 #5 b 'Monber', Icee Blu that has brilliant silve #1 #2 b 'Prince of Wales', t green summer folia nt Station in Canada	n winter. Uniform and I e® Juniper 8"h, 6-8' s er-blue foliage. An impr Prince of Wales Juni ige with bluish tinge an	ow growing. L pread oved Wilton E per 8"h, 6-10' id purplish-bro	Blue Rug Ju spread	Zone 3 Zone 3 Iniper selection. Zone 3 er. Very hardy.
Silver-blue summer folia facer planting. JHH Juniperus horizontalis Low spreading Juniper t JHM Juniperus horizontalis Very low growing. Bright From Morden Experime plant. JPW Juniperus horizontalis	<i>Hughes'</i>, Hughes age and blue-green in #2 #5 <i>Monber'</i>, Icee Blue that has brilliant silve #1 #2 <i>Prince of Wales'</i> , t green summer folia nt Station in Canada #2 #5 <i>Youngstown'</i> , You	n winter. Uniform and I ne® Juniper 8"h, 6-8' s pr-blue foliage. An impr Prince of Wales Juni nge with bluish tinge an u. Use as a ground cov	ow growing. L pread oved Wilton E per 8"h, 6-10' Id purplish-bro er. Maintains	Slue Rug Ju spread own in winte good densi 'h, 6-8' spre	Zone 3 Zone 3 Iniper selection. Zone 3 Zone 3 er. Very hardy. ty in center of ead Zone 4
Silver-blue summer folia facer planting. JHH Juniperus <u>horizontalis</u> Low spreading Juniper t JHM Juniperus <u>horizontalis</u> Very low growing. Bright	<i>Hughes'</i>, Hughes age and blue-green in #2 #5 <i>Monber'</i>, Icee Blu that has brilliant silve #1 #2 <i>Prince of Wales'</i> , t green summer folia nt Station in Canada #2 #5 <i>Youngstown'</i> , You	n winter. Uniform and I ne® Juniper 8"h, 6-8' s pr-blue foliage. An impr Prince of Wales Juni nge with bluish tinge an u. Use as a ground cov	ow growing. L pread oved Wilton E per 8"h, 6-10' Id purplish-bro er. Maintains	Slue Rug Ju spread own in winte good densi 'h, 6-8' spre	Zone 3 Zone 3 Iniper selection. Zone 3 Zone 3 er. Very hardy. ty in center of ead Zone 4

Most Junipers and Arborvitae for April shipments are overwintered in unheated hoop houses covered with white plastic. Containerized Spruce and Pine are overwintered beneath plastic like our deciduous shrubbery. This allows customers to plant acclimated (dormant) container Junipers, Spruce, Pine, and Arborvitae.

				LVEI	greens	11
		5 - 24	25 - 49	50+	1 - 4	
<u>Juniperus sabina</u> 'B	<i>roadmoor'</i> , Broadmo	or Juniper 2-3'h, 4-6'	spread		Z	Zone 4
Mounded center, rich	green color, and a ver	y prostrate grower. Use	e as a ground	cover. Hardy	. Use in fu	ull sun
with good drainage.						
JBM	#2					
	#5					
<u>Juniperus</u> <u>sabina</u> 'B						Zone 3
	-	hery appearance. Use	as a ground o	over. Widely	used Juni	iper
suitable throughout M	ontana.					
JSB	#1					
	#2					
	#5					
<u>Juniperus</u> sabina 'M	onard', Moor-Dense	Juniper 8-12"h, 4-6' sp	oread		Z	Zone 4
-		ight green foliage and		ced mounding	y in the ce	enter
of the plant than the a	fore mentioned.					
JMD	#5	SOLD OUT				
1					-	7 4
		et Juniper 6-12"h, 6-8'			2	Zone 4
		ading habit and soft gr	een iollage.			
JCC	#2					
	#5					
<u>Juniperus</u> <u>sabina</u> , Sa	avin Juniper 4-6'h, 5-	10' spread			Z	Zone 3
Blue-green foliage. Up	oright, somewhat vase	e-shaped habit. Really t	akes up spac	e in the lands	scape.	
JSV	#2					
	#5					
Juniperus sabina 'Se	<i>candia'</i> , Scandia Jun	i per 12-18"h, 6-10' spr	ead		Z	Zone 3
Low growing. Spreadi						
JSS	#2	SOLD OUT				
	#5					
luninerus sconulori	um 'Cologreen' Colo	green Juniper 15-20'h	5-7' spread		7	Zone 3
Upright juniper used for	-		i, o r oproud		-	_0110 0
JSC	#5	inago.				
	#3 #7					
luminomo		luminer 40, 40% - 0, 41			-	7
		Juniper 10-12'h, 2-4's		do voru litti-		Zone 3
-		green foliage and slow	growing. Nee	eus very little	umming.	
JSM	#5					
	#7					
	#10 #15					
	#15					

Evergreens

72 Evergreens

		5 - 24 25 - 49	50+ 1-4	5 - 24 25 - 49 50+ 1 - 4	1
	-	iglow Juniper 15-18'h, 6-8' spread	Zone 3	Microbiota decussata, Russian Arborvitae 12-18"h, 4-6' spread	Zone
Silver-blue foliage on this	large growing uprig	ght Juniper that is used in the landscap	be as a screen.	Shade tolerant, densely branched dwarf evergreen with foliage that resembles Arborvitae. Winter co	olor is
JMG	#5			bronze and is slow to green up in the spring.	
	#7			MRC #2	
	#10				
	#15			<u>Picea abies</u> , Norway Spruce 60-80', 25-30' spread	Zone
····	(Aliahita Dissa) Mis		7	Tough and adaptable with green needles and a fast rate of growth.	
		chita Blue Juniper 10-15'h, 4-8' sprea		PAS B&B 6'	
	-	ge. A very reliable performer in Montan	la.	B&B 7'	
JWB	#5			B&B 8'	
	#10 #15			Picea abies 'Little Gem', Little Gem Norway Spruce 18"h, 18" spread	Zone
	#15			Flat topped globe shape of dense branches. Minimal maintenance required, as it stays small and tig	
Juniperus virginiana 'B	lue Arrow'. Blue A	rrow Juniper 12-15'h, 3-4' spread	Zone 4	PLG #2	jiit.
Bluer and tighter than Sky				π2 π2	
JBA	#5			Picea abies 'Nidiformis', Bird's Nest Spruce 3-5'h, 4-6' spread	Zone
	#10			Distinctive, slow growing dwarf plant. Use in rock garden settings or specimen use.	
	#15			PAN #2	
				#5	
<u>Juniperus</u> squamata 'B	lue Star', Blue Sta	r Juniper 2-3'h, 3-4' spread	Zone 4		
Unique looking, slow grov	wing, dense rounde	d plant with rich blue foliage.		Picea abies 'Pendula', Weeping Norway Spruce 6-10'h, 5-10' spread	Zone
JBS	#2			Unique specimen having a weeping habit. Excellent accent plant. Deep dark green foliage.	
	#5			PAP #5	
				#10 ~ 5'	
		ket Juniper 15-20'h, 3' spread	Zone 4	Picea engelmannii, Engelmann Spruce 60-100'h, 20-25' spread	Zone
Narrow, upright Juniper w		-		Native, narrow, densely pyramidal tree. Use these instead of Colorado Blue Spruce where a more r	
JVS	#5	SOLD OUT		look is desired.	aavo
	#7			PEG #1	
	#10	SOLD OUT		B&B 5'	
	#15			B&B 6'	
luniperus virginiana 'Ta	avlor' Tavlor Fast	ern Redcedar 20-25'h, 3' spread	Zone 3/4	B&B 7'	
· · · · · · · · · · · · · · · · · · ·		becies. Foliage is green-gray and will to			
sites.				Picea glauca 'Conica', Dwarf Alberta Spruce 4-6'h, 3-4' spread	Zone
JVT	#5			Slow growing, compact miniature Spruce. Bright green foliage. Use as an accent plant.	
	110			PGC #5	
Juniperus x pfitzeriana	' <i>Monsan',</i> Sea Of C	Gold® Juniper 3-4'h, 4' spread	Zone 3	#10	
Selection of Gold Coast J	luniper noted for im	proved "eye popping" golden foliage c	olor throughout the year.		
Use as an accent plant th	at draws (blinds) ye	our eyes wherever used in the landsca	pe.	Picea glauca densata, Black Hills Spruce 35-45'h, 15-20' spread	Zone
JOG	#2			Slow growing with a dense habit. Short, gray-green needles. Can be sheared.	
	#5	SOLD OUT		PBH #5	
				#10	
				#15	
		ents are overwintered in unheated hoop		B&B 4' SOLD OUT	
•		are overwintered beneath plastic like of		B&B 5'	
This allows customers to	plant acclimated (do	ormant) container Junipers, Spruce, Pin	e, and Arborvitae.	B&B 6'	
Dhamay (406) 755 2249				B&B 7'	

		5 - 24	25 - 49	50+	1 - 4	5 - 24 25 - 49 50+ 1 - 4
<u>Picea glauca</u> 'Penc	dula', Weeping White Spruce	e 15-30'h, 5-10'	spread		Zone 3	Picea pungens 'Fat Albert', Fat Albert Colorado Blue Spruce 15-20'h, 10-15' spread Zone 3
	w conical shape. Unlike other					Slow growing with blue coloring. Dense small growing selection of species. Spruce Bud Worm susceptible.
branches and light g	gray-green needles. Use as ar	n interesting gra	y-green pillar i	in the landso	cape.	PAB #7
PWS	#5					#10
	#7					#15
	#10					#20
	#20 ~4'					#25
						B&B 4'
	<u>uca</u> , Colorado Blue Spruce				Zone 3	B&B 5'
	g Spruce. Blue-green in color,					B&B 6'
	r soils and moist soils. Won't t	olerate wet soils	s. Spruce Bud	Worm susce	eptible.	B&B 7'
PPG	#1					B&B 8'
	#2					
	#5					<u>Picea pungens</u> 'Iseli Fastigiate', Iseli Fastigiate Blue Spruce 15-25'h, 4-10' spread Zone 3
	#7					Dense, narrow, stiffly upright Colorado Blue Spruce. Useful for use as a screen, where space is limited.
	#15					PPI #7
	B&B 4'					#20
	B&B 5'					B&B 3'
	B&B 6'					B&B 4'
	B&B 7'					B&B 5'
	B&B 8'					B&B 6'
	B&B 9'					B&B 7'
	B&B 10'					Diese nungene (Lundebuie Duerfi Lundebuie Duerf Dius Spruse 2.2'h 2.4' enroed
Diago nuncono (Au	votori Avetor Colorado Plus	Converse 15 20'h	- 10 15' oprog	d	Zone 3	Picea pungens 'Lundeby's Dwarf', Lundeby's Dwarf Blue Spruce 2-3'h, 3-4' spread Zone 4
	vatar', Avatar Colorado Blue ense habit and a smaller mature					Less than half the size of <i>P. pungens 'Globosa</i> ' which is popular as a small accent landscape plant. (Iseli Nursery #3 sold as a #2, #6 sold as a #5).
			is a suitable s	election whe	ere a full size	
	acceptable. (Iseli Nursery #6	solu as a #3).				PLD #2
PPA	#5					#5
	#10					Picea pungens 'Montgomery', Montgomery Spruce 6-8'h, 6' spread Zone 3
	mmu Bluck Berny Blue Cale		0.05% 40.45	o un uno e el	7	A dwarf Spruce with silver-blue needles grafted on 30" standard. Single-stem, looks like a lollipop.
	onny Blue', Bonny Blue Colo				Zone 3	PMD #5
	and dense blue foliage provid	e a consistent p	lant in the land	uscape.		FMD #5
Spruce Bud Worm s						NEW! <u>Picea pungens</u> 'Monty', Monty Spruce 8-10'h, 6-8' spread Zone 2
PBN	#10					Iseli selection with very dense frost blue foliage. Useful in small landscapes. Shorter growing.
	#15					(Iseli Nursery #6 sold as a #5).
	#20					PPM #5
	B&B 5'					TTW TTO
		0.4011 0	101		0.401 / 7 0	Picea pungens 'Pendula', Weeping Colorado Blue Spruce 4-20'h, 5-15' spread Zone 3
	obosa', Dwarf Globe Blue S					Blue needles and weeping contorted habit distinguish this selection from <i>Picea abies 'Pendula'</i> . More of an
	f evergreen with a flat top, der	ise pranching a	na blue follage	e color. Grea	il small accent	accent plant than Weeping Norway or White Spruce because of its blue color.
plant.						PPP #5 SOLD OUT
PGB	#2					#10 ~4'
	#5					
	#10					Picea pungens 'Procumbens', Procumbens Spreading Spruce 1-2'h, 8-12' spread Zone 3
						A low growing, spreading Spruce that creeps and crawls through the landscape. Interesting blue creeping
						accent plant. (Iseli Nursery #6 sold as a #5).
						PPC #5
Dhamas (400) 755 0	040					

Evergreens 75 1 - 4

glaciernursery.com

76 Evergreens						E	vergreens	77
			5 - 24 25 - 49	50+	1 - 4	5 - 24 25 - 49 50+	1 - 4	
Very compact slow growing	g, more green	than blu	lorado Spruce 2-3'h, 8-12" e needles. This is a smaller, compact than Nest Spruce.	greener sele		<i>Pinus mugo 'Big Tuna'</i> , Big Tuna Mugo Pine 8-12'h, 5-8' spread A slow growing, upright broad species that will be taller than wide. The large size and der a focal interest in the garden. A grafted selection with predictable size. (Iseli Nursery #6 s PBT #5	nse habit crea	
<u>Picea pungens</u> 'Sester D	warf' Soctor	Dwarf S	pruce 4 6'h 2 4' spread		Zone 3	#10 SOLD OUT		
A dwarf blue needled Spru landscape.	ce with a very		onical form, makes this a pe	erfect specime		<i>Pinus mugo 'Jakobsen', Jakobsen Mugo Pine</i> 3-5'h, 3-5' spread Globe shaped Pine that naturally has the look of a manicured bonsai. (Iseli Nursery #6 se		Zone 3
PPS	#5 #10					PMJ #5		
	's Broom', St pruce. Spread		Broom Blue Spruce 1-3'h, nd or globosa habit that doe		Zone 3 entral leader of	<i>Pinus mugo 'La Cabana',</i> La Cabana Mugo Pine 12-15'h, 10-12' spread Similar in size, habit and hardiness to Tannenbaum Mugo Pine. PML #15 #20		Zone 3
PBR	#2		SOLD OUT			B&B 4' B&B 5'		
<u>Pinus</u> <u>aristata</u> , Bristlecor	ne Pine 10-20	'n, 10-20	' spread		Zone 4			
			tractive addition to a rock ga Native to Southern Rockies		n used as an	<i>Pinus mugo 'Mops'</i> , Mops Mugo Pine 3-5'h, 3-5' spread To eliminate the variability of seedling grown Mugo Pines, a grafted selection is grown to		Zone 3
ΡΑΤ	B&B B&B B&B B&B	4' 5' 6' 7'	SOLD OUT SOLD OUT SOLD OUT SOLD OUT			predictable size and habit. (Iseli Nursery #3 sold as a #2, #6 sold as a #5). PMS #2 #5 #10		
<u>Pinus</u> <u>contorta</u> var. <u>latifo</u> Native Pine growing tall ar		l e Pine 6	0-80'h, 15-20' spread		Zone 4	<i>Pinus mugo pumilio</i> , Shrubby Swiss Mountain Pine 3-6'h, but as large as 8-10'h Wide spreading and variable in height, usually 3' to 6', but could get as tall as 8' to 10'. S		Zone 3
PCL	#1 #5					pruned to make them dense and full in appearance. Unsheared are grown more natural a dense as the sheared plants.		
	B&B	5'				PMP #1		
	B&B	6'				#2		
	B&B	7'				#5 PMM unsheared #5		
NEW! <u>Picea</u> <u>flexilis</u> , Bord Native, five needled Pine v					Zone 4	unsheared #10 unsheared #15		
PFL	B&B	6'						
			volf Pine 20-30'h, 10-12' sp eight make this a good choic		Zone 3 where space is	Pinus mugo rostrata,Mugo Pine Rostrata10-25'h, 5-20' spreadSimilar to Pinus mugo mughus except it has a more upright, tree-like shape.PROB&B5'B&B6'		Zone 3
PFV	B&B	7'						
	B&B	8'				Pinus mugo'Slowmound', Slowmound Mugo Pine 3-4'h, 4-6' spreadDense, dark green mound shape with reliable color and growth rate. Works well in confin(Iseli Nursery #3 sold as a #2, #6 sold as a #5).PSL#2#5		Zone 2

78 Evergreens					Evergreens
	5 - 24	25 - 49 50+	1 - 4	5 - 24 25 - 49 50+	- 1 - 4
<u>Pinus mugo</u> 'Tannenbaum', Tannenba Pine that is known for its winter hardine: upright and pyramidal form. A nice back	ss and color. Useful in the la drop that stays smaller than	andscape because of c Austrian Pine. A grafte		Pinus sylvestris , Scotch Pine 25-50'h, 20-30' spread Medium sized Pine tree with irregular, spreading habit. Evergreen needles that are varia 1" to 3" long and blue-green in color. Rapid grower when young.	Zo iable in length,
with predictable size. May have branche PTB #15 #20 B&B	5'	snow.		PSV B&B 5' B&B 6' B&B 7' B&B 8'	
<u>Pinus mugo</u> 'Valley Cushion', Valley (Very compact, low growing, wider than t Smallest of the Mugo Pine we offer (Ise PVC #2	tall, which requires no pruni	ng as it is extremely slo	Zone 3 w growing.	<u>Pinus sylvestris</u> 'Hillside Creeper', Hillside Creeper Scotch Pine 2-3'h, 5-10' spread Very low growing, spreading selection of species that turns a light shade of green throug This is a unique selection that could be used in place of a spreading Juniper in the land (Iseli Nursery #6 sold as a #5).	igh the winter.
#5				PSH #5	
Pinus mugo 'White Bud', White Bud I A dwarf globe shaped selection of the s in a "white bud" appearance in the winte as a #2, #6 sold as a #5).	pecies known for its resinou			<u>Pseudotsuga</u> <u>menziesii</u> , Douglas Fir 50-100'h, 20-30' spread Native to the Rocky Mountains. Bluish-green needles. Does best where there is an abu atmospheric moisture. Does not tolerate dry windy conditions.	Zo undance of
PMW #2 #5				PDF #1 B&B 5' B&B 6' D&D 7'	
<i>Pinus nigra</i> , Austrian Pine 40-50'h, 20 Long needled Pine with dark green colo		dverse conditions.	Zone 4	B&B 7' B&B 8' SOLD OUT	
PNG B&B B&B B&B	4' 5' 6'			<u>Taxus</u> <u>cuspidata</u> 'Morden', Morden Upright Yew 3-4'h, 4-6' spread Hardy, Smaller growing Yew that does not retain a green color in the winter. Tolerates sl TCM #2	Zo shade.
B&B B&B	7' 8'			<u>Taxus</u> <u>x</u> <u>media</u> 'Densiformis', Dense Spreading Yew 4-6'h, 4-6' spread Hardy, Dense with dark green foliage and generally retains full color overwinter. Shade	Zo tolerant.
<i>Pinus ponderosa</i> , Ponderosa Pine 60 Long needled Pine that is useful for national open habit. Can be difficult to transplant	uralizing native landscapes.	Tolerant of dry sites. L	Zone 3 arge growing	TMD #2 #5	
PPD #1 #5				Yew is highly toxic to all animals, though some are less susceptible to the poison such a eating birds and white-tail deer. It is most toxic later in the season because of toxin build	
#10 B&B B&B B&B B&B B&B	SOLD OUT 5' 6' 7' 8'			Thuja occidentalis'Emerald', Emerald Arborvitae10-15'h, 3-5' spreadCompact, dense, pyramidal habit. Holds color throughout the winter. Very susceptible toTOE#5#10	Zo o deer browse.
B&B	9'			Thuja occidentalis 'Hetz Midget', Hetz Midget Arborvitae 2'h, 2-3' spread	Zc

white plastic. Containerized Spruce and Pine are overwintered beneath plastic like our deciduous shrubbery. This allows customers to plant acclimated (dormant) container Junipers, Spruce, Pine, and Arborvitae.

glaciernursery.com

Thuja occidentalis 'Little Giant', Little Giant Arborvitae 4-6'h, 4-6' spread

Dwarf and globe shaped Arborvitae with deep green foliage.

#5

TLG

Evergreens 79

Zone 3

Zone 3

Zone 4

Zone 3

Zone 4

Zone 4

Zone 3

Zone 3

78 Evergreens

B&B BALL SPECIFICATIONS						
<u>Height</u>	Ball Diameter	Approximate Wt Lbs				
4'	24"	250				
5'	28"	425				
6'	28"	475				
7'	28"	550				
8'	32"	550				
9'	32-36"	680				
10'	32-36"	680				
12'	36-44"	950				

The above is only a **guide**. Plant species, root mass, soil type, and especially soil moisture are contributing factors to ball size and weight in addition to tree caliper. Height of evergreen trees is determined from the ball up to one half the length of the terminal growth, or pulling up the first full whorl beneath the leader and measuring to that height. Ball depth is approximately 70 percent of the diameter.

There are many different guidelines for planting balled and burlap trees and what follows is a procedure which accommodates those requirements: Handle the plant by the root ball not the top, being careful to avoid tearing the burlap or distorting the shape of the root ball. Avoid handling if the root ball is waterlogged. Dig the hole twice as wide as the root ball **but** only as deep as the root ball. Preferably hand dig the last 3-6" so the root ball sits on compacted or undisturbed soil and will not settle deeper than originally planted. Measure the depth of the root ball from the bottom of the ball to the point where the burlap begins angling or flaring away from the tree trunk. Verify the top of the root ball (as measured above) will be level, or slightly higher (3") than the existing grade once placed in the hole. **Trees are often killed or have reduced vigor when planted too deep.**

Place the tree in the hole with the twine, the burlap on the top of the root ball, and basket attached to verify the correct depth and alignment, this makes it easier to make adjustments if needed. Then remove the twine, burlap, and the top two horizontal rings of the wire basket using wire cutters. Backfill with the native soil or a mix of one quarter to one half soil amendments and native soil. Settle the soil with abundant water, mulch if desired, and stake the tree to avoid wind damage, placing the stakes outside the planting hole.

EVERGREEN PLANTING INSTRUCTIONS

Disturbing the container root plug at planting will improve the vigor and longevity of the plant in the landscape. This can be accomplished by using a reciprocating saw with a wood pruning blade as we have described with tree planting. Alternative methods may include slicing the container plug across the plug and butterflying, opening the plant plug in the hole. Another method if the roots of the plug are not tightly circling is to shave down the sides of the plant plug loosening the soil and roots from the plug. These methods assist the plant in establishing into the native soil as well as avoiding circling roots that might constrict plant growth and cause a plant to fall over. Further tips for planting are covered on our website, within the Resources Tab.

Glacier Nursery, LLC offers a wide variety of perennials and ground covers that are suited to the Northern climate. All plants are fully established and rooted into the media, with roots to the edge of the plastic container. Potting media contains compost that retains moisture and nutrients that produce a plant ready for immediate resale or planting into the landscape. The majority of varieties come standard in #1 containers, but some ground covers are also available in 3½" cells (18 per tray), #2, or #5 containers. **Container size is trade designation only**. Perennials in the larger containers are full, mature plants, which are great for planting into landscapes where large sized, immediate impact plants are desired. In preparation for shipping, perennials that are in flower are inserted individually into a paper sleeve for protection.

The invoiced price per plant depends upon the number of plants delivered of a species and size on an **individual** order and delivered in **one shipment** to the same location. Orders are invoiced **individually** as they were placed and **are not combined** for volume pricing at shipping and delivery. Quantity column headings at the top of each page will help you price the quantity of plants you are looking for. Price breaks are offered at quantities of 5, 25, and 50+ for plants of the same species and container size. Only select items receive 25 or 50+ pricing.

See page 105 for perennial planting instructions.

On pages 111-114 is a chart listing flowering months, sun, and soil tolerances of the perennials Glacier Nursery, LLC offers. This will help to plan a perennial garden with full season appeal.

Most of the perennials are overwintered or have grown at Glacier Nursery, LLC for two months or more, though occasionally perennials are purchased for resale to supplement plant availability. If you have any questions regarding the source of plants purchased from Glacier Nursery, LLC, feel free to ask as we are more than willing to share that information with you.

		5 - 24	25 - 49	50+	1 - 4
<u>Achillea</u> millefolium	<u>ı</u> , Common White Ya	rrow 12-24"h x 18-24"w,	full sun		Zone
Native Yarrow with w	hite to yellow-white fle	owers. Reportedly deer re	esistant. Flow	ers June to	September.
ACW	#1				
Achillea millefolium	<u>ı</u> 'Summer Pastel', S	ummer Pastels Yarrow	18-24"h x 18-	24"w, full si	un Zone
		ers with a mixture of white			
•	•	a. Excellent plant for mass		•	
June to September.		·	0		
ASY	#1	SOLD OUT			
Achillea x 'Moonsh	ine', Moonshine Yar	row 18-24"h x 18-24"w, fi	ull sun		Zone
Bright yellow flowers	with silvery foliage. L	ong lasting flowers with v	igorous grow	th. Flowers	June to
September. Reported	dly deer resistant.				
AMY	#1				
Achillea x 'Paprika'	, Paprika Yarrow 18-	24"h x 18-24"w, full sun			Zone
Intense red flower clu	usters with small yello	w centers and green folia	age. Long last	ing flowers.	Very dramatic
when massed. Flowe	ers June to Septembe	r Reportedly deer resista	int	-	-
		1. Reportedly deer resista			

82 Perennials				Perennia	ls 8
		5 - 24 25 - 49 50	+ 1-4	5 - 24 25 - 49 50+ 1 -	4
		v 18-24"h x 18-24"w, full sun	Zone 4	Anemone sylvestris, Snowdrop Anemone 12-15"h x 12-15"w, partial to full shade	Zone 4
-	wers. Late July/Augu	ust flower. Reportedly deer resistant.		Large 2" fragrant white flowers from May to June.	
ATY	#1			ASD #1	
<u>Aegopodium p</u> . 'Varieg	<i>gatum',</i> Snow on th	e Mountain 10-15"h x 12-24"w, partial sha	ide Zone 3	Antennaria carpatica, Carpathian Pussytoes 10-12"h x 4-6"w, full sun	Zone 4
Low, dense mass of wh	ite edged foliage. Sp	preads by underground stolons. An indestr	uctible ground cover.	Similar to Western Native Antennaria but native to Europe.	
Flowers in June.				ACT #1	
APV	#1			Antonnovia diaioa (Rubva) Rink Russutasa (C"h.v. 10. 10"hv. full our	7
Airro vantana (Dvanza	- Desutui Dremes D	ante Aires C. O"h v 40.45" v norticl to fu	llabada Zana 2	Antennaria dioica 'Rubra', Pink Pussytoes 4-6"h x 10-12"w, full sun	Zone 4
		Beauty Ajuga 6-8"h x 12-15"w, partial to fu mat in spreading habit. Bronze foliage and		A furry, pink flower sits on top of a short stalk. Great for rock walls and gardens. Flowers in May/Ju Adapted.	ne.
		tive flower in June and July.	blue llower spikes.	ADR #1	
ABB	#1	sive nower in sure and sury.			
	<i>π</i> 1			Antennaria plantaginifolia, White Flowering Pussytoes 8-12"h x 10-12"w, full sun	Zone 4
Ajuga reptans 'Catlin'	's <i>Giant'</i> , Catlin's G	iant Ajuga 6-10"h x 12-15"w, partial to full	shade Zone 3	A.K.A: Women's Tobacco. Native to the eastern US and similar to it's Western cousin, Antennaria	
A larger leaf form of Aju	<i>iga</i> with 6" purple an	d green foliage. Creates a dense ground o	over with purple flower	anaphaloides, commonly known as Pearly Pussytoes.	
spikes in June and July.				AWF #1	
ACG	#1	SOLD OUT			
	B			Aquilegia caerulea, Colorado Blue Columbine 12-36"h x 12-18"w, full to partial sun	Zone 3
		x', Double Mix Hollyhock 5-6'h x 24-36"v		Large blue flowers with white centers. Colorado state flower. Reportedly deer resistant. Flowers Ma	ay/June.
ADH	#1	oon flowers. Flowers June through August.		ACB #1	
ADH	#1			Aquilegia caerulea, Blue and White Columbine 18-24"h x 12-18"w, full to partial shade	Zone 3
Alchemilla mollis 'Thr	<i>iller'</i> , Thriller Lady'	s Mantle 18-24"h x 18-24"w, full to partial	sun Zone 4	Large outer blue flowers with white centers. Attractive foliage that is good for massing. Reportedly	
		round cover. Small yellow flowers atop gro		resistant. Flowers May/June.	door
leaves. Flowers June to	o July.			ABW #1	
ALM	#1				
				Aquilegia caerulea, Red and White Columbine 18-24"h x 12-18"w, full to partial shade	Zone 3
<u>Allium</u> <u>cernuum</u> , Nodo			Zone 3	Attractive foliage that is good for massing. Reportedly deer resistant. Flowers May/June.	
-	Inited States with wh	ite to pink flowers and glaucous, lightly wa	ax coated leaves.	ARW #1	
Flowers May to June.					
ANO	#1			<u>Aquilegia canadensis</u> , Red Columbine 18-30"h x 18-24"w, full to partial shade	Zone 3
Allium lusitanicum 'Sı	ummer Reauty' Sur	nmer Beauty Ornamental Onion 18-24"h	x 15"w full sun Zone 4	Large red outer flowers and yellow center flowers. Reportedly deer resistant. Flowers May/June.	
		green stems. Flowers May to June.		ARC #1	
• • •	#1	g		Aquilegia chrysantha, Yellow Columbine 24-36"h x 18-24"w, full to partial sun	Zone 3
				Yellow flowering, adapted from a Southwest native. Reportedly deer resistant. Flowers in May/June	
		olian Gem', Pink Ornamental Onion 15-18	" x 18"w, full sun Zone 3	ACY #1	
Large 2" flower balls ato	op 18" stems with blu	ue-green foliage. Flowers May to June.			
AMO	#1			Aquilegia 'McKana's Giant', McKana's Giant Columbine 24-36"h x 18"w, full to partial sun	Zone 3
				A variety of pastel spurred flowers in early summer. Self-sows easily and not always true to parent	color.
		ng 12-36"h x 12-18"w, full to partial sun	Zone 2	Reportedly deer resistant. Flowers May/June.	
		f North America. Flowers have white persis		AMG #1	
a yellow center. Great to through September.	or uneu nowers. Nar	row gray-green, almost woolly, narrow lea	ves. Flowers July		
APE	#1	SOLD OUT			
AFE	#1	30LD 001			

Phone: (406) 755-2248

84 Perennials

<u>Arabis</u> <u>alpina</u> 'Compinkie', C Short, spreading habit. Numer		5 - 24	25 - 49	50+	1 - 4
for rock gardens. Flowers in A	ous small pink flowe	rs above delicate			Zone 3 ng plant suitable
ACP	#1				
<u>Arabis</u> alpina 'Snow Cap', S Short, spreading habit. Profus plant suitable for rock gardens ASC	ion of small white flo	wers above delic	ate foliage. C		Zone 3 owing
Arctostaphylos <u>uva-ursi</u> 'Ma Full to partial shade. This type is slightly taller. Flowers pink in Reportedly deer resistant. AUM	of Kinnikinick looks	similar to the na	tive type, alth	ough this se	election
<u>Armeria maritima</u> 'Splenden Grassy tufts of foliage. Small p APT	s', Splendens Sea I			n May to Ju	Zone 3 ne.
<u>Artemisia</u> <u>schmidtiana</u> , Silve Silvery foliage. Use as a contr summer. Reportedly deer resis ASM	ast to other plants. E	enefits from beir			
<u>Aruncus</u> <u>dioicus</u> , Goatsbear Large growing perennial. Shac AGB				₋ooks like a	Zone 3 Iarge <i>Astilbe</i> .
NEW! <u>Asclepias</u> <u>speciosa.</u> S	rs that attract butter	flies. Strking cut		wers summ	Zone 3 ner to frost.
Dark pink, globe shaped flowe	#1	SOLD OUT			
	y Weed 12-30" h x s an attractant of ma	12-18"w, full sun any Butterflies ind		onarch. Flo	Zone 3 owers 3-6"
ASP <u>Asclepias</u> <u>tuberosa</u> , Butterfl Native plant highly regarded a yellow orange in July-August.	y Weed 12-30" h x s an attractant of ma Drought and poor so #1 3-12"h x 12"w, full su	12-18"w, full sun iny Butterflies ind il tolerant. <i>SOLD OUT</i> n	cluding the M		owers 3-6" Zone 3

	E 24	25 - 49	50+	1 - 4
Actory dumocus (Macdo Dink' Woodo Dink Actor	5 - 24		50+	
<u>Aster x dumosus</u> 'Woods Pink', Woods Pink Aster Pink flowers sit atop dark mounds of foliage during la AWP #1			ates frost.	Zone 4
Astilbe Feathery spiked flowers, prefer moist conditions, esp Fern-like foliage. Reportedly deer resistant. Flowers ABV 'Bridal Veil' 12-24"h x 24"w. Cream to wh AFR 'Fanal' 12-24"h x 24"w. Bright red flowers ARP 'Rheinland' 12-24"h x 24"w. Pink flower s * 25+ pricing does not apply to ARP. * 50+ pricing only applies to AFR. #1	June through ite color flower with dark folia	August. s.	st in partial	Zone 3/4 shade.
Aurinia saxatilis, Basket of Gold 12"h x 12"w, full s Dainty yellow flowers borne above vigorous foliage. deadheaded and trimmed back slightly. Previously li AGD #1	Flowers April t	•		Zone 4 nd time if
Baptisia australis , False Indigo 36-48"h x 24-36"w, An Eastern native from the Legume family. Blue-pur BFI #1			June.	Zone 3
Bergenia cordifolia, Heartleaf Bergenia 12-15"h x Heart shaped, glossy leaf with stalks of pink flowers i moisture. Flowers July/August. BNH #1			r plant and	Zone 3 tolerates
Brunnera macrophylla, False Forget-Me-Not 12-1 _ong stalked, hear shaped leaves that have a rough BFF #1				Zone 3
Brunnera m.'Jack Frost', Jack Frost Siberian Bug Silver with green veined foliage make for a striking co priced perennial we grow as large royalties are paid BJF #1	ontrast. Light b	ue flowers in	May to June	
Campanula carpatica, Bellflower 6-12"h x 12"w, fu One inch bell shaped flowers cover the low mound c edging. Available in Blue ('Blue Clips') CBC and W May through July. #1	, of foliage in mic	lsummer. Goo	-	

In preparation for shipping, perennials in flower are inserted individually into a paper sleeve for protection.

Phone: (406) 755-2248

85

Perennials

86 Perennials

oo rerenniais	5 - 24 25 - 49 50+ 1 - 4		5 - 24 25 - 49 50+ 1 - 4
		Zone 3 ne to	Coreopsis verticillata 'Moonbeam', Moonbeam Coreopsis 12-24"h x 18-24"w, full sun Delicate fern-like foliage with long lasting, pale yellow daisy-like flowers with vivid color July through September. Drought tolerant.
CTB	#1		CMB #1
	i <u>a</u> , Peach-Leaved Bellflower 24-36"h x 12-18"w, full sun stalks in summer. Flowers June through August. #1	Zone 3	Coreopsis verticillata'Zagreb', Threadleaf Coreopsis12-15"h x 15-18"w, full sunZone 3Bright, golden flowers on a small rounded plant. Drought tolerant. Flowers May to June.#1
Full to partial sun. Low	kyana 'Blue Waterfall', Blue Waterfall Blue Bells 9-12"h x 18-24"w growing ground cover that can cascade over rocks and down a wall. Covered v a light blue center. Flowers July/August. #1	Zone 4 vith	Dianthus barbatus'Indian Carpet', Indian Carpet Dianthus 8-12"h x 8-12"w, full to partial sunZone 4Mixed shades of red and pink. Rich green foliage. Flowers May through August.DIC#1
	ia 'Olympica', Blue Harebell 6-12"h x 12-18"w, full to partial sun ative species. Blue flowers. #1 SOLD OUT	Zone 3	Dianthus deltoides'Brilliant', Maiden Pink 6-8"h x 9-15"w, full sunZone 3Spreading mats of narrow leafed foliage, producing hundreds of vivid red to fuchsia flowers in early summer.DMP#1
	<u>nensis</u>, Blue Mist Caryopteris 24"h x 24"w, full sun y until frost. Treat as a herbaceous perennial, as it will dieback to the ground ea	Zone 5 Ich	Dianthus gratianopolitanus,Bath's Pink 3-6"h x 12-18"w, full sunZone 4Pink double flowers spring through frost. Mounded gray-green foliage remains evergreen. Good for rock gardens. Flowers in June.DCP#1
CCL	#2		
Vivid indigo-blue feathe	Jountain Bluet 24"h x 24"w, full sun ry flowers standing out against silky leaves. Good for cut flowers. Has a tende n. Flowers April through June. #1	Zone 3 ency to	Dianthus gratianopolitanus'Feuerhexe', Firewitch Dianthus 6-8"h x 9-12"w, full sunZone 4Deep raspberry-red flowers on a tight blue mound of grass-like foliage make this German cultivar a winner.Flowers May through August.DFW#1
Hardy, creeping perenni	<u>m</u> , Snow in Summer 3-6"h, spreading habit, full sun ial with silver/grayish, downy foliage and abundant white flowers in May/June. they give the appearance of a snowdrift when in full flower. Good ground cover #1	Zone 3	Dicentra spectabilis, Pink Bleeding Heart 24-36"h x 24-36"w, partial sun to shadeZone 3An old fashioned favorite with the unusual pink flower shape dripping off graceful stems in the spring.Reportedly deer resistant. Flowers May/June.DPB#1
<u>Clematis</u> See Vines Pa	age 100.		<i>Dicentra spectabilis</i> ' <i>Alba',</i> White Bleeding Heart 24-36"h x 24-36"w, partial sun to shade Zone 3 Similar to Pink Bleeding Heart, except that flowers are white. Reportedly deer resistant. Flowers May/June.
		one 4/5	DWB #1
CBS	th red centers above leafy foliage. Abundant flowers June through September. #1		Digitalis purpurea 'Foxy', Foxglove 24-36"h x 18"w, full to partial sun Zone 4 A biennial that often reseeds itself. Tall flower covered spikes appear in May through July. Mixed colors include white, lavender and purple. Reportedly deer resistant.
	den Globe', Golden Globe Coreopsis 8-10"h x 12"w, full sun for its long flowering, golden-yellow, globe shaped blooms. Deer resistant.	Zone 5	DFP #1 SOLD OUT
CGC	#1		<i>Echinops ritro,</i> Globe Thistle 24-36"h x 15"w, full sun Zone 4 An ornamental thistle. Round metallic-blue flower heads sitting atop rich green toothed leaves. Flowers July
		Zone 4	through September.
A distinctive golden-yell mound of foliage June t CJT	low, fluted flower, sets this one apart from the others. Flowers crest the compac through September. #1	t	ERT #1
Dhamai (406) 755 224			

Phone: (406) 755-2248

Perennials

Perennials 88

	5 - 24	25 - 49	50+	1 - 4
Echinacea pallida, Pale Purple Coneflowe Thin flower petals and narrower foliage distin nidwest. Can grow tall and does best in drie	nguish this from the cu	Itivated Purpl		Zone 4 ver. Native to the
E PP #1				
Echinacea purpurea 'Magnus', Purple CoA well behaved perennial with showy purpleweed heads also provide winter interest. FlowEPM#1	, daisy-like flowers in l	ate summer a		
Echinacea <u>p</u> . 'Prairie Splendor', Prairie S Shorter growing rose-pink flowers that last lo EPS #1	-			
Echinacea purpurea 'White Swan', White White petals surround a greenish central dis EWS #1				
Erigeron speciosus 'Azure Fairy', Azure I Aster-like flower but flowers earlier in the su EAF #1				Zone 2
Eriogonum umbellatum 'Kannah Creek', l ow growing, green foliage, with a white und n May/June that age to orange in color. EKC #1				
Eupatorium dubium'Little Joe', Little JoeSlightly more compact selection, which hasImost anything else in the perennial garderELG#1	sturdy four foot stems	that hoist pink		Zone 3 wers above
Eupatorium maculatum 'Gateway', Joe Py Excellent plant for the back of borders due to Foliage is green with red stems. EMG #1				Zone 3 ugh September.
Euphorbia polychroma, Cushion Euphorl Soft green leaves turn brilliant red in the fall. ECE #1				Zone 5
Euphorbia polychroma'Bonfire', CushionYellow bracts bloom in the spring atop an attThe soft leaves deepen to burgundy red as aExcellent spreading mound in the garden.EPB#1	tractive mound of deep	o purple, red,	orange and	

		•
Ferns		
-	Common Lady Fern 24-36"h x 24"w, partial to full shade fern with lacy cut leaves. Native throughout the U.S. #1	Zone 3
-	<i>Lady in Red'</i> , Lady in Red Fern 18-30"h x 18-24"w, partial to full shade with light green foliage on this large growing fern. #1	Zone 3
	e <u>rris</u> , Ostrich Fern 36-48"h x 18-24"w, partial to full shade rgest and best known garden fern. Reportedly deer resistant. Native throug rn Central U.S. #1	Zone 3 ghout
	irginia Wild Strawberry 3-6"h x 12-15"w, full to partial sun in green ground cover. Native throughout the U.S. and Canada. Flowers #1	Zone 3 May/June.
F ragaria - Eating Variet	ies, See Page 107.	
	pricot', Arizona Apricot Blanket Flower 8-12"h x 8-12"w, full sun distinguishing attribute of this selection of the <i>Gaillardia artistata</i> species. g. #1	Zone 3 June
	c un', Arizona Sun Dwarf Blanket Flower 18-24"h x 8-10"w, full sun tion of Goblin. Reportedly deer resistant. Flowers June through August. #1	Zone 3
	Ides', Arizona Red Shades Blanket Flower 8-12"h x 8-12"w, full sun <i>Gaillardia aristata</i> selection stand out in the landscape. June through Aug #1	Zone 3 ust
	a ' Goblin', Goblin Blanket Flower 12-18"h x 12"w, full sun Blanket Flower except with red flowers with yellow edges. Deer resistant. ntil frost). #1	Zone 4 Flowers
With its spreading habit	eet Woodruff 6-12"h x 9-12"w, shade to part shade Sweet Woodruff is commonly used as a ground cover. Vigorous grower w ing. Slightly scented foliage. Flowers May to June. #1	Zone 4 ith delicate

5 - 24

25 - 49

50+

90 Perennials	Perennials 91
5 - 24 25 - 49 50+ 1 - 4	5 - 24 25 - 49 50+ 1 - 4
<u>Geranium</u> mac. 'Bevan's Variety', Bevans Variety Geranium 9-12"h x 9-12"w, full to partial sun Zone 4 Florescent pink flowers that have an added bonus of red sepals. Flowers in June through August. Reportedly deer resistant because of the fragrant scented foliage.	Gypsophila paniculata ' Bristol Fairy', Double White Baby's Breath 24-36"h x 36-48"w, full sun Zone 3 Double white flower that makes a great cut flower. Slender gray-green leaves and stems form a bushy clump. Flowers July/August.
GBV #1 SOLD OUT	GBB #1
<i>Geranium mac. 'Spessart'</i> , Spessart Groundcover Cranesbill 9-12"h x 12-18"w, full to part sun Zone 4 Pale pink flowering ground cover. Flowers early summer to late summer. Apple scented leaves turn bronze to scarlet in the fall. Reportedly deer resistant. GMS #1	Helenium autumnale'Bandera', Bandera Helenium 12-15"h, full sunZone 3Moisture tolerant, full sun, late summer flowering perennial. An abundance of red flowers with yellow tips sit above green foliage. May replace Gaillardia 'Arizona Sun' which has more yellow on the tips of the flower.HMB#1
Geranium sanguineum, Bloody Cranesbill 9-12"h x 12-18"w, full to partial sunZone 3A showy display of large purple-pink flowers. Dark green leaves turn crimson red in the fall. Flowers in June through August and intermittently thereafter. Reportedly deer resistant.BC#1	Helianthus maximiliana, Maximilian Sunflower 5-7'h, full sunZone 4Native throughout much of the U.S. Bright yellow flowers atop tall, large, stout branched stems. FlowersJuly/August.HMM#1
Geranium sanguineum'Max Frei', Max Frei Geranium8-12"h x 9-12"w, full to partial sunZone 3Flowers June through August with deep magenta-pink saucer shaped flowers. Reportedly deer resistant.GSM#1	Heliopsis helianthoides'Summer Sun', False Sunflower 36-48"h x 18-24"w, full to partial sunZone 3Flowers from July to September. Flowers are yellow, resembling small sunflowers.#1
Geranium sanguineumvar. striatum, Bloody Cranesbill Pink 8"h x 9-12"w, full to partial sunZone 3A light pink flower with crimson veins. Reportedly deer resistant. Flowers June though August.#1	We do not force our perennials into flower in the greenhouse. This is best for most landscapers and some retail customers because our plants are synchronized with Montana's weather and therefore are not as vulnerable to early season frost as forced perennials or plants brought in from warmer climates.
<i>Geranium viscosissimum,</i> Sticky Geranium 12-36"h, full to partial sun Zone 4 Native plant with rose-purple flowers in open clusters on long stalks. Reportedly deer resistant.	<i>Hemerocallis,</i> Daylily various heights, spreading habit, full sun Zone 3 Flowers in July through August. A highly adaptable species. Grass-like foliage provides interest
GSG#1SOLD OUTGeranium x 'Johnson's Blue', Johnson's Blue Cranesbill 15-21"h x 18-24"w, full to partial sunZone 4Large, bright blue flowers. Flowers in May/June and intermittently thereafter. Reportedly deer resistant.Zone 4GCJ#1	when not in flower.HHR'Happy Returns' 18"h. Canary-yellow flowers. Recurrent.HHN'Hyperion' 36-42"h. Fragrant lemon-yellow flowers. Recurrent.HOROrange (Chicago Sunrise) 36"h. Bright orange flowers. Recurrent.HPKPink (Strawberry Candy) 24-36"h. Melon-pink to pink flowers. Recurrent.HRDRed (Baja) 24-36"h. Red with yellow throats. Recurrent.
Geranium x 'Rozanne', Rozanne Cranesbill 18-20"h x 24-36"w, full to partial sunZone 4Large violet-blue flowers with light centers. Deep green foliage that has red-brown color in the fall. May/Juneflowers. Reportedly deer resistant.GRZ#1	HKD Ked (Baja) 24-30 H. Red with yellow throats. Recurrent. HSO 'Stella de Oro' 15-18"h. Golden miniature. Recurrent. HWT White (Joan Senior) 18-24"h. White flowering. Recurrent. * 25+ pricing does not apply to HHN, HOR, HPK, or HWT. * 50+ pricing only applies to HRD and HSO.
<u>Geum chiloense</u> 'Mrs. Bradshaw', Mrs. Bradshaw Geum 18-24"h x 12-18"w, full to partial sun Zone 4 An often overlooked selection. Bright red flowers punctuate the early summer garden, rising above leaf rosettes. Flowers June through September	#1 Specialty Daylilies: HAS 'Apricot Sparkles' 12-15"h. Apricot flowers with ruffled petal edges. Recurrent. (Grape Magic' 24-30"h. Grape colored 4" flowers. Recurrent.
GMB #1 Geum triflorum, Prairie Smoke Avens 6-18"h x 6-18"w, full to partial sun Zone 3 Cold hardy native. Pale pink flowers that mature to rose-pink in June/July. Feathery seed plumes. Reportedly deer resistant.	HMP'Mini Pearl' 12-15"h. Blush pink blossoms with yellow-green throats. Recurrent.HMS'Mini Stella' 12-15"h. Abundant small yellow flowers. Recurrent.HPM'Pardon Me' 18-26"h. Deep red flowers with yellow throats. Recurrent.* 25+ pricing does not apply to HAS, HGM, or HMP.

92 Perennials							Р	erennials	93
	5 - 24 25 - 49 50+ 1 - 4	•			5 - 24	25 - 49	50+	1 - 4	
	Purple', Palace Purple Coralbells 18"h x 12"w, full to partial sun . The flowers are not significant, but are tiny and white, borne on	Zone 4		s Brother', Caesar's Brotl June/July. Graceful grass- tant.				un	Zone
HPP	#1		ICB	#1					
The green foliage is slightly varie Flowers in June/July.	ens', Splendens Coralbells 12-24"h x 24"w, full to partial sun egated while the flowers are a vivid red and very striking for Coralbe	Zone 4 Ils.		White Siberian Iris 24-36"I ng Siberian Iris. Reportedly #1			July.		Zone
НСВ	#1		1		40"	f			7
	ow Angel Coralbells 10-12"h x 10-15"w, full to partial sun ite and green. The cream color is dominant in the appearance from	Zone 3 a	More florescent silver	'Ghost', Ghost Lamium 6 foliage and intense lavend August flowering. Reporte #1	er flower make th	is more dram			Zone : on
	#1		LOL	#1					
<u>Hosta fortunei</u> 'Aureomarginata Dark green leaves with creamy y	″, Aureomarginata Plantain Lily 18-24"h x 24-36"w, partial to full shad yellow edging. Lavender flowers bloom in July/August.	e Zone 3		' <i>Purple Dragon',</i> Purple D green edge and numerous tant.					Zone 4
Purported to tolerate some sun.			LPN	#1					
HAR	#1		l athyrus latifolius. P	Perennial Sweet Pea - See	Vines Page 101				
Hosta 'Guacamole'. Guacamo	le Lily 18-24"h x 30-36"w, full to partial sun	Zone 3	<u>Latityrus</u> <u>latitolius</u> , F	elelillal Sweet Fea - See	villes Fage 101	•			
	der flowers and a variegated, dark green margin with a medium gree	en	Deep blue flowers dis	<i>lia</i> 'Hidcote', Deep Blue L tinguish Hidcote from Muns					one 4/
HGC	#1		Flowers June through	-					
Hosta (Powal Standard' Powal	Standard Plantain Lily 12-24"h x 24-48"w, partial to full shade	Zone 3	LAH	#1					
	wers. Will also tolerate some sun if moist. White flowers that bloom		Attractive, fragrant gra	<u>lia</u> ' <i>Munstead',</i> Munstead ay-green foliage. Abundant	blue to lilac color				Zone
HRS	#1			tant. Flowers June through	August.				
Hosta sieboldiana 'Elecans' F	Elegans Plantain Lily 24-30"h x 36-48"w, partial to full shade	Zone 3	LML	#1					
Short stemmed white flowers. Ve	ery large blue-gray leaves. Flowers July/August. #1		Vigorous white daisy.	<u>erbum</u> 'Alaska', Shasta Da Flowers May through July a					Zone 4
	a', Variegated Plantain Lily 12-18"h x 24-36"w, partial to full shade variegated leaf with lavender flower. Flowers July/August.	Zone 3	garden or as a cut flov LSD	wer. #1					
	#1			erbum 'Becky', Becky Sha a 3" diameter white flower				al sun	Zone
	antain Lily 12-18"h x 24-36"w, partial to full shade en leaves with pale lavender flowers. Flowers July/August.	Zone 3	LBS	#1	·	-			
	#1		A compact cultivar of	p erbum ' Snowcap', Snow Shasta Daisy with single wi	hite flowers in the	June through		ll sun	Zone
	ft 6-12"h x 18"w, full to partial sun	Zone 4	•	borders or en masse for ea	arly season flowe	er.			
	white flowers in May/June. Reportedly deer resistant.		LSS	#1					
ISM	#1								

94 Perennials					Perennials 95
		5 - 24 25 - 49 50+	1 - 4	5 - 24	25 - 49 50+ 1 - 4
	with white flowers from	• 24-36"h x 18-24"w, full sun top to bottom above grassy foliage. Flowers in J	Zone 3 uly through	Lupinus 'Gallery Yellow', Gallery Yellow Lupine 12-24"h x 12-13 Yellow outers with white centers, flowers in early spring. Short live LGY #1 SOLD OUT	
LFW	#1			LGY #1 SOLD OUT	
				Lychnis chalcedonica, Maltese Cross 24-36"h x 12-18"w, full to	
	· ·	r 18-24"h x 12-18"w, full sun	Zone 3	Old time perennial with pubescent green leaves topped by clusters	of scarlet flowers in June/July.
		oliage. Unique foliage and flower for the perenn otember. Reportedly deer resistant.	lai garden.	LMT #1	
LSG	#1			Lysimachia nummularia 'Aurea', Golden Moneywort 1-4"h x 12	
				Same as Moneywort, but yellow leaves instead of green. Will sprea	d aggressively. Yellow flowers in June/July.
		Ligularia 18-36"h x 24-30"w, full to partial shac k stems. June/July flowering.	le Zone 3	LGM #1	
LLR	#1			Lysimachia nummularia, Moneywort 1-4"h x 12-18"w, full to part	
				Round bright green leaves creep on the ground creating a solid ca	rpet with yellow flowers in June/July.
		ocket Ligularia 24-48"h x 24-36"w, full sun to par ourplish-black stems above large heart shaped (Will spread aggressively.	
	. June/July flowering.	Sulplish-black stellis above large heart shaped (green leaves.	LMW #1	
LTR	#1	SOLD OUT		Mahonia repens, Creeping Mahonia 12"h, spreading habit, full to	partial sun Zone 4
				Native evergreen ground cover. Yellow flowers in May/June and at	
	dy Pink Lily 18-24"h x 1		Zone 4	MRP #1	
	lowers held above stout	stalks in June/July.		Mananda diskuna (AOkus dal Ousud Davada Das Dalus 40.40%)	
LPL	#1			Monarda didyma 'AChrade', Grand Parade Bee Balm 12-18"h : Flowers in June through August. A lavender-purple flower. More co	
Lilium x 'Yellow'. Ha	ardy Yellow Lily 18-24"	h x 12-18"w. full sun	Zone 4	deer resistant.	inpact nabit than species. Reportedly
	s held above stout stalk			MGP #1	
LYL	#1				
				Monarda didyma 'Coral Reef', Coral Reef Bee Balm 24-36"h x 18	
	Cardinal Flower 36-48"		Zone 3	Hot pink flowers with mildew resistant foliage. Flowers July/August	Reportedly deer resistant.
-	es adorn this upright pe te some shade. Native.	rennial in July through September. An excellent	plant for moist	MDC #1	
LCD	#1	SOLD OUT		Monarda didyma 'Jacob Cline', Jacob Cline Bee Balm 24-36"h x Large growing and red flowered, along with good mildew resistanc	
Lupinus 'Gallery Bl	ue', Dwarf Blue Lupine	• 12-24"h x 12-18"w, full to partial sun	Zone 4	MJC #1	
Blue outers with white	e centers, flowers in ear	ly spring. Short lived in the landscape.			
LBL	#1			<u>Monarda</u> <u>didyma</u> 'Marshall's Delight', Bee Balm 24-36"h x 18-2 The pink to purple flower attracts hummingbirds and bees. Vigorou	us habit, plant in an area that needs
		12-24"h x 12"w, full to partial sun	Zone 4	to be filled in a short time. Plant parts are mint scented. Flowers in	July/August. Reportedly deer resistant.
	orful flower spikes in a r rt lived in the landscape	nix of blue, red, pink, yellow, and white. Flowers e.	in June/July.	MBB #1	
LMM	#1			<u>Nepeta</u> 'Junior Walker', Junior Walker Catmint 12-15"h x 24-36 Compact form of the popular Walker's Low selection of Catmint. Fl	
		9 12-24"h x 12-18"w, full to partial sun ly spring. Short lived in the landscape.	Zone 4	NJW #1	J. J
LGR	#1			To maintain attractive plants throughout the selling season, the per	rennial program requires numerous
				plantings to stage the crops. Most crops have two planting dates o	or more. This ensures customers receive
				plants that are not overgrown, but rather appropriately sized throug	phout the entire selling season.

96 Perennials	Perennials 9
5 - 24 25 - 49 50+ 1 - 4	5 - 24 25 - 49 50+ 1 - 4
Nepeta racemosa'Walker's Low', Walker's Low Catmint 18-24"h x 24-36"w, full to partial sunZone 3/4A drought tolerant perennial. Gray-green foliage with purple flowers June through August. Deer resistant.NWL#1	Penstemon digitalis'Husker Red', Penstemon Husker Red Strain 24-30"h x 12-18"wZoneFull to partial sun. Bronzy-red foliage and white flowers during July/August. Needs well drained soils.PHR#1
Nepeta x 'Little Trudy', Little Trudy Catmint 8-12"h x 12-16"w, full sunZone 4Smaller version of Walker's Low. Flowers June through August. Deer resistant.NLT#1	<i>Penstemon eatonii,</i> Firecracker Penstemon 12-24"h x 12-15"w, full sun Zone 4/ Western native with scarlet red flowers in early summer. Attracts hummingbirds and is deer resistant. Very adaptable to difficult sites.
Denothera macrocarpa, Evening Primrose 6-12"h x 12-18"w. full to partial sun Zone 4	PFC #1
Denothera macrocarpa, Evening Primrose 6-12"h x 12-18"w, full to partial sun Zone 4 Sprawling habit topped by large lemon-yellow flowers that open in afternoon and close the next morning. Flowers May through August. Native. DEP #1	<u>Penstemon pinifolius</u> , Pineneedle Penstemon 6-18"h x 12-18"w, full sun Zone 4/ Native to the Four Corners area of the Southwest. Scarlet flowers, needle like foliage and very drought tolerant. Flowers July/August.
	PPF #1 SOLD OUT
Osteospermum'Avalanche', Avalanche White Sun Daisy8-14"h x 18-24"w, full to partial sunZone 4Large white daisy flowering from April to later summer. Full sun to partial shade with thick green foliage that nas good disease resistance. Tolerant of dry conditions.OAD#1	Penstemon rostriflorus, Bridges' Penstemon 18-24"h x 24-30"w, full sunZone 4/2Mid-summer red flowering, large growing perennial that tolerates moderate to dry moisture sites.PRP#1
Paeonia, Peony 24-36"h x 24-36"w, full sun Zone 3 Classics from Grandmother's garden, the flowers are large and showy. Well established plants that out Deerform newly planted bulbs. Provides abundant flower color in June. Available in a Pink (PXP), Red (PXR), and White (PXW) flowering selections. Deerform.	Penstemon strictus, Rocky Mountain Penstemon 12-30"h x 12-24"w, full to partial sunZone 3/Southern Rocky Mountain native. Violet flowers on thin leafed stalks. Flowers July/August.PRY#1
#2	<u>Penstemon</u> x <u>mexicali</u> 'Pikes Peak Purple', Pikes Peak Purple Penstemon 12-15"h x 12"w Zone Full to partial sun. Purple colored flowers with a white throat. July/August flowering. Needs well drained soils
Papaver orientale, Oriental Poppy 24"h x 24-36"w, full sun, will tolerate some shade Zone 3	PMK #1
Large crepe paper-like flowers in vivid deep orange to red. The foliage disappears after flowering and reappears in fall. May require staking of flower stalks. May/June flower. Reportedly deer resistant. POP #1	Penstemon x mexicali 'Red Rocks', Penstemon Red Rocks 12-15"h x 12"w, full to partial sun Zone 4 Bright rose colored flowers with a white throat. July/August flowering. Needs well drained soils.
Papaver orientale 'Allegro', Red Dwarf Oriental Poppy 12-18"h x 12-15"w, full sun Zone 3	PRR #1
Orange-red flowers on a smaller selection of Poppy. Flowers May/June. Reportedly deer resistant. PDO #1	Perovskia <u>atriplicifolia</u> , Russian Sage 36-48"h x 36-48"w, full sun Zone Aromatic sage with up to 4' spikes of lavender-blue flowers in July through September. Gray-green foliage that has an almost cutleaf appearance. Deer resistant.
Papaver orientale'Brilliant', Brilliant Oriental Poppy 24-36"h x 18-24"w, full sunZone 3Red flowered version of Oriental Poppy. Flowers May/June. Reportedly deer resistant.	PRS #1
POR #1 SOLD OUT	#2
Penstemon barbatus'Coral Baby', Coral Baby Penstemon 16-20"h x 12-15"w, full sunZone 3Florescent coral pink flowers May-July in full sun with moderate to dry moisture requirements. Introduced byPBC#1\$SOLD OUT	Perovskia'Little Spire', Little Spire Sage 24-30"h x 18-24"w, full sunZoneA compact, shorter sage with gray-green foliage and lavender-blue flowers in July through September.Deer resistant.PLS#1
Penstemon barbatus 'Scarlet Bugler', Scarlet Bugler Penstemon 30-36"h x 12-18"w, full sun Zone 4	
Persterior barbatus Scarlet Bugier, Scarlet Bugier Pensterior 30-36 ft x 12-16 w, full suff 2016 4 Large growing. Red-scarlet flowering in late July/August. Native to the Four Corners area of the Southwest. Drought resistant. PBB #1 SOLD OUT	We do not force our perennials into flower in the greenhouse. This is best for most landscapers and some retail customers because our plants are synchronized with Montana's weather and therefore are not as vulnerable to early season frost as forced perennials or plants brought in from warmer climates.

98 Perennials		Pe	erennials 99
5 - 24 25 - 49 50+	1 - 4	5 - 24 25 - 49 50+	1 - 4
<i>Phlox paniculata</i> , Tall Garden Phlox 24-36"h x 24"w, full sun to partial shade A well loved perennial flowering July/August. Available in Blue-Purple (PGU), Pink (PGP), and Red (PGE) flowering selections. White (PGW) is SOLD OUT. #1	Zone 4	Rudbeckia fulgida var. sullivantii'Goldsturm', Orange Coneflower24-36"h x 24"w, fullAn easy to grow plant with a showy daisy type flower. Yellow to orange petals surroundingFlowers August to September. Spent flowers provide ornamental characteristic with snow orReportedly deer resistant.ROC#1	a dark center.
Phlox subulata, Creeping Phlox 6-8"h, spreading habit, full sun to partial shade	Zone 3	Sagina subulata, Irish Moss 3"h x 18"w ground cover, partial to full shade	Zone 4
Excellent ground cover. Attractive and full foliage after flowering. Will cascade over stone wal		Dense mat of dark green with small white flowers in May/June.	2010 4
be used to create a carpet effect in a bed. Somewhat evergreen in that it will hold its green fo protected by snow cover. May/June flowers.		SIM 3½"	
PPW 'Candystripe' - Pink and white striped flowers.		<u>Salvia nemorosa</u> 'Caradonna', Caradonna Meadow Sage 18-24"h x 15-18"w, full sun	Zone 4
PBL Blue - Lavender flowers. PIK Pink - Pink flowers.		Large growing Salvia with very deep, dark purple flowers. Flowers June through August. Re resistant.	
PRD Red - Red flowers. PWT White - White flowers.		SCS #1	
#1		<u>Salvia nemorosa</u> 'Marcus', Marcus Dwarf Blue Sage 8-12"h x 9-18"w, full sun A compact form with violet-purple flowers. Flowers June through August. Reportedly deer r	Zone 4 esistant.
<u><i>Platycodon grandiflorus, Balloon Flower 12-24</i>"h x 12-15"w, partial sun Clump forming perennial that may require staking to maintain and upright habit. July to Augus</u>	Zone 3/4	SMA #1	
PMI #1		<u>Salvia nemorosa</u> 'May Night', May Night Meadow Sage 18-24", full sun	Zone 4
	7	Deep indigo spike flowers throughout the summer. Flowers June through August. Drought	olerant.
<u>Polemonium</u> caeruleum, Jacob's Ladder 18-24"h x 12-18"w, partial to full shade Fern-like foliage with clusters of blue bell shaped flowers in May through July. Reportedly dee	Zone 3	Reportedly deer resistant.	
PJL #1		SMY #1	
Potentilla neumanniana, Creeping Cinquefoil (Potentilla) 1-3"h, spreading habit	Zone 4	<u>Salvia nemorosa</u> 'Pink', Pink Selections Salvia 12"h x 10-15"w, full sun	Zone 3
Full sun to partial shade.		Sensation Rose (Pink) is a sport of Marcus and as such, stays small and has a pink flower. June through August. Reportedly deer resistant.	Flowers
Dainty, green leaves with butter-yellow flowers June through August. Great ground cover for areas. Reportedly deer resistant.	full sun	SNP #1	
PVR #1		<u>Salvia nemorosa</u> 'Snow Hill', Snow Hill White Sage 15-18"h x 12-15"w, full sun	Zone 4
<i>Pulsatilla vulgaris,</i> European Pasqueflower 6-8"h x 15"w, full sun	Zone 4	White flowers distinguish this selction from the other Salvia. Flowers June through August. resistant.	Reportedly deer
Violet to purple flowers in spring with the same attractive pubescence as <i>Pulsatilla patens</i> . Flowers May/June. European introduction.		SSH #1	
PPE #1 SOLD OUT		Saponaria ocymoides, Soapwort 6"h x 24"w, spreading habit, full sun Pink flowers in May/June.	Zone 3
<i>Ratibida columnifera pulcherrima</i> , Prairie Red Coneflower 18-24"h x 12-24"w, full sun Selection of above with red petals and a raised dark center. Flowers June through August.	Zone 4	SOS #1	
RRC #1		<u>Sedum</u> acre, Golden Carpet Sedum 2-4"h, spreading mounds, full sun Also referred to as Goldmoss. This variety sends up tiny yellow flowers in May/June that gi	Zone 4 ve the
Ratibida columnifera, Prairie Coneflower 12-24"h, 18"w, full sun	Zone 4/5	appearance of carpeting.	
Wonderful native plant that is wide spread in the United States. Thin green leaves with stalks support yellow daisy-like petals with a raised dark center. Flowers June through August. Drou		SGD #1	
tolerant to the point that it is easily overwatered. RPC #1		<u>Sedum</u> album 'Coral Carpet', Coral Carpet Stonecrop 1-4"h x 6-12"w, full sun Good rock garden plant. Changes from green to reddish in late fall/winter. Flowers June/Ju	Zone 4 Iv.
			· j ·

100 Pere	nnials
----------	--------

100 Perennials	Perennials 101
5 - 24 25 - 49 50+ 1 - 4	5 - 24 25 - 49 50+ 1 - 4
Sedum kamtschaticum, Yellow Stonecrop 6-9"h, spreading mounds, full sunZone 3An evergreen with dark, glossy green foliage on prostrate stems, bearing orange to yellow showy flowers in July/August.XSVC#1	Thymus praecox'Pseudolanuginosus', Woolly Thyme 1-3"h x 18-24"w, full to partial sunZone 4Low growing, dense mat of woolly gray little leaves. Has tiny pink flowers in the spring. A good ground cover for rock pathways. Reportedly deer resistant. Flowers June through August.TWT3½"
Sedum rupestre'Blue Spruce', Blue Creeping Stonecrop 4-6"h x 12"w, full sunZone 4Blue succulent leaves look like fat spruce needles. Yellow flowers in July/August quite showy in summer.SBC#1	Thymus serpyllum, Mother of Thyme 3-6"h x 18-24"w, full to partial sunZone 4Dark green foliage and pale lavender flowers. Flowers June through August. Reportedly deer resistant.TMO3½"
Sedum spurium'Dragon's Blood', Dragon's Blood Sedum 2-6"h, spreading mounds, full sunZone 3Evergreen. Cold weather turns the foliage red. Stems are red year round. Pink flowers June through August.SDB#1	Tradescantia'Concord Grape', Spiderwort Concord Grape 18"h x 15"w, full to partial shadeZone 3Purple flowers June through August. Trim foliage back after flowering to promote more reflowering into August.Zone 3TCG#1
Sedum x 'Autumn Joy', Autumn Joy Sedum 12-18"h x 18-24"w, full sun Zone 3 Foliage is light green and flowers are small and pink, creating a dome effect over the plant. Upright, spreading habit. Flowers in July through September. SAJ #1	Trollius ledebourii'Golden Queen', Orange Globe Flower 24-36"h x 24"w, full sun to partial shadeZone 3Partial to moist locations. This plant's exotic flowers have an unusual shape and a brilliant orange or yellow color. Flowers in May/June. Attractive foliage after flowering. A good plant to mass along the water's edge.TLB#1
Sedumx 'Vera Jameson', Vera Jameson Sedum 6-9"h x 9-12"w, full sunZone 3Deep pink flowers August through September and blue-green foliage that turns maroon in the fall.XVJ\$VJ#1	Veronica liwanensis, Turkish Speedwell 1-3"h x 12-18"w, full to partial sunZone 3/4Small, oval, glossy leaves that tolerate light foot traffic. Blue flowers in June/July.VTS#1
Sempervivum tectorum, Hen & Chicks 3-6"h x 9"w, full sun to partial shadeZone 3Indestructible rosettes of fleshy leaves with a cactus-like appearance. Commonly used as 'tuck-in's' on rockwalls. The flowers are pink to red, about 1" across, appearing in July/August.SHC#1	Veronica spicata'Icicle', Icicle Speedwell18-24"h x 18-30"w, full sun to partial shadeZone 3White flowering in June through September. Hardy.VIW#1
Solidago'Little Lemon', Goldenrod12-18"h x 12-18"w, full sunZone 5Shorter growing Goldenrod with lighter yellow flowers.#1	Veronica spicata'Rotfuchs', Red Fox Speedwell 12-18"h x 12"w, full sun to partial shadeZone 3Deep pink flower spikes in June through September. Does best in well drained soils, as do all Speedwells.VRF#1
Stachys lanata, Lamb's Ears18-24"h, spreading habit, full sun to partial shadeZone 4Also known as Stachys byzantina or Stachys olympica, these fuzzy silver leafed specimens add visualinterest to any garden border. Tiny purple flowers appear on the stalks in June/July. Reportedly deer resistant.SLE#1	Veronica spicata 'Royal Candles', Royal Candles Speedwell 12-15"h x 12"w, full sun to partial shadeZone 4Compact selection with dark blue flower spikes in June through August.VRC#1Veronica 'Sunny Border Blue', Sunny Border Blue Speedwell 15-24"h x 12"wZone 4/5
<u>Tanacetum coccineum</u> 'Robinson's Hybrids', Painted Daisy 24"h x 24"w, full sun to light shade Zone 4/5 Colors range from vivid purple to some interesting variations on red, all with a yellow center. Finely cut foliage with flowers rising out of it on sturdy stems. A good cut flower. Long lasting. May/June flowering.	Full sun to partial shade. Adaptable to many situations. Dark blue flower spikes in June through September. VSB #1
TPD #1 <u>Thymus praecox</u> 'Coccineus Major', Red Creeping Thyme 1-3"h x 12-18"w, full to partial sun Zone 4 Deep pink to rose-red flowers. Evergreen foliage that turns bronzy in the fall. June through August flowering. Reportedly deer resistant. TRC 3½"	Veronica x 'Tidal Pool', Creeping Speedwell 2-3"h x 18-30"w, full to partial sun Zone 4 Silvery blue-green leaves make this dense, fast spreading speedwell an attractive ground cover, perfect along pathways and in rock gardens. Masses of white-eyed violet flowers cover the plant from late April to mid-May. Adaptable to many situations. VTP #1
	In preparation for shipping, perennials in flower are inserted individually into a paper sleeve for protection.

102	Vines
-----	-------

	5 - 24 25 - 49 50+ 1	- 4		5 - 24	25 - 49	50+	1 - 4
<u>Yucca glauca</u> , Soapweed		Zone 4	<u>Lathyrus</u> <u>latifolius</u> , Pere				Zon
	in the rock garden or foundation planting. Blue-green leaves lend a spi			e spring through summer. Mixed colors	of white red :	and nurple	2011
	te flowers on a tall spike in July/August. Reportedly deer resistant.		Will climb or just form a v		or write, rou c	and pulpio.	
YGA	#1		LSP	#1			
Zauschnoria garrottii (Or	ange Carpet', California Fuchsia 4-6"h, 12-18"w, full sun to partial sh	ado Zono 4	<u>Lonicera</u> 'Mandarin', Ma	andarin Honoveueklo			Zon
	ange carpet, canonia rucisia 4-0 n, 12-10 w, full suff to partial sin			Scarlet in hardiness and its vigorous gro	wth habit Thi [,]	s Honevsuck	
July/August.				ver and darker green leaves. Flowers in			
ZOC	#1			#1	carry carrier		
200	π ι			π.			
	ts throughout the selling season, the perennial program requires nume		<u>Lonicera</u> x <u>brownii</u> 'Dro	pmore Scarlet', Dropmore Scarlet Ho	neysuckle		Zon
	s. Most crops have two planting dates or more. This ensures custome		Hardy tall climbing Honey	suckle with bright orange-scarlet tubula	r flowers in ea	arly summer.	
plants that are not overgro	wn, but rather appropriately sized throughout the entire selling season		LXD	#1			
Vines			Parthenocissus guingu	<u>efolia</u> 'Engelmanni', Engelman Ivy			Zon
VIII00				ving Ivy with similar clinging features as	above and als	o posesses	a red fall color
Clematis, Clematis full to	nartial sun	Zone 2/3	PQE	#1			
	wn if their roots are in the shade and their tops are in the sun. Beautifu						
	ck walls and trellises. Flowers throughout the summer.			<u>efolia</u> (inserta), Virginia Creeper (Woo			Zon
	ink (CXP), Red (CXR) and White (CXW) flowering selections.			ng vine clinging to fences and masonry.	Excellent dee	p red-maroo	n fall color
	#1			e thoughout Eastern U.S.			
			PQN	#1			
	pratus', Purple Wintercreeper 12-18"h x 24-48"w, full to partial sun	Zone 4/5	Vince minor Common F	Periwinkle 4-6"h x 12-15"w			Zon
-	nounds and will climb if given support.			has small dark green leaves and flower	s in April/May	with large blu	
EPW	#1		VCP	#1	, in , ip in , ivia y	mariargo ba	
Humulus Junulus (Casca	de', Cascade Ornamental Hops	Zone 4	Vol	π.			
	ght yellow cone. Can be used for brewing beer.	20110 4	<u>Wisteria</u> <u>macrostachya</u>	<i>'Blue Moon'</i> , Blue Moon Wisteria			Zon
HCA	#1		Hardiest selection of Wist	eria. Lavender-blue flowers.			
IICA	#1		WBM	#1			
<u>Humulus lupulus</u> 'Come	″, Comet Ornamental Hops	Zone 4					
	pring, turning darker throughout the summer.						
НСМ	#1						
	t', Nugget Ornamental Hops	Zone 3					
	reen maple type leaf. Produces yellow-green flowers in the spring and						
a papery cone-like fruit in e	-						
HHP	#1						
<u>Humulus</u> <u>Iupulus</u> 'Willam	ette', Willamette Ornamental Hops	Zone 4					
	olden cone. Can be used for brewing beer.						
HLW	#1						
Hvdrangea anomala peti	olaris, Climbing Hydrangea sun or shade	Zone 4/5					
	is vine has large, fragrant, white flowers in early July.						
HAP	#1						
	<i></i>						
Phone: (406) 755-2248							ciernursery.co

	5 - 24 25 - 49 50+	1 - 4		5 -
Grassos			Carex utriculata, Beaked	Sedge 36-48"h x 24-36", full sun
Grasses				erritory Sedge. Native to the toug
		7 4	saturation. Cool season.	
	l <u>ii</u> , Big Bluestem 5-8'h x 18-30"w	Zone 4	СВК	#1
	grass that forms large clumps. Yellow to purple seed heads in the la	e summer/fall.		
ABL	#1			, Northern Sea Oats 24-48"h x 18
		7 0		g. Full sun to part shade grass th
	Blue Grama Grass 18-24"h x 12-24"w	Zone 3	in dried arrangements. Leat	f blades are bamboo-like. Native
	grass throughout the Great Plains. Forms dense tufts, and the seed	neads are	CNO	#1
unique and one sideo	-			
BGB	#1			Tufted Hair Grass 24-36"h x 18-2
D	Right days fifting 1 Diagonale Architeling Diverse An 2000 w 0.4 2000	7		s in dense tufts. Wide spread nati
	Blonde Ambition', Blonde Ambition Blue Grama 12-30"h x 24-36"w		and clump forming. Can be	used for a living roof cover. Re-se
	of the native Blue Grama Grass, noted for the showy flower display	late in summer	DTH	#1
-	Narm season grass growing in dense tufts.			
BAB	#1			Goldtau', Gold Dew Tufted Hair C
Colomograatic broo	hutricha Karoon Foother Bood Croop 26 49"h x 24 26"hu	Zone 4	Shorter growing selection o	f species. Cool season. Clump fo
	<u>hytricha</u> , Korean Feather Reed Grass 36-48"h x 24-36"w forming grass. Green leaves. Open flower and seed head unlike othe		DGT	#1
	Calamagrostis x acutiflora.	Calamagiostis.		
•	-			Blue', Boulder Blue Fescue 6-12
СКО	#1		Deep blue metalic color all	summer. Slightly more compact th
Salamagrastic v aci	utiflora 'Karl Foerster', Feather Reed Grass 36-48"h x 18-24"w	Zone 4	FBB	#1
	owering Calamagrostis. This selection has showy seed heads in the			
Tremendously popula		all.		ue', Blue Fescue 6-10"h x 6-10"
			Maintains blue color all sum	nmer. Nice tidy habit. Cool seasor
CKF	#1		FBF	#1
	#2			
	#5		<u>Festuca</u> <u>idahoensis</u> , Idaho	
Calamagrastic y acu	utiflora 'Overdam', Overdam Feather Reed Grass 36-48"h x 18-24"	w Zone 4		green leaves. Drought tolerant, w
	Reed Grass with subtle white margins and green center of leaf. See		Clump forming.	
-	ttractive grass to enhance your garden. Cool season.	a neads have	FIF	#1
COD	#1			iyou Blue', Idaho Blue Fescue 1
Caray nahragaanaia	, Nebraska Sedge 24-36"h x 24-36"w	Zone 3	-	shorter in height than the species
	that will tolerate saturation. Green to green-blue foliage. Cool seaso		FSB	#1
rhizomes.	that will tolerate saturation. Green to green-blue tollage. Cool season	i. Spreading		
	#4			ens, Blue Oat Grass 24-40"h x 1
CNS	#1		0	n blue to a straw color. Cool seas
Caroy nonsylvanica	, Pennsylvania Sedge 6-12"h x 12-24", full sun to full shade	Zone 3	НВО	#1
	rth America. Cool season. Can be used as a turf grass, tolerating oc			
Spreading by stolons		asional mowilly.	<u>Hierochloe</u> <u>odorata</u> , Swee	
				North America and prized for the a
CPS	#1		moist prairies. Runners.	
			HSG	#1 SOLD O

Carex utriculata, Deakeu S	-		Zone z
Also known as Northwest Te	rritory Sedge. Native t	o the toughest climates of North America. Tolerate	s
saturation. Cool season.			
СВК	#1		
<u>Chasmanthium</u> latifolium,	Northern Sea Oats 24	4-48"h x 18-24"w	Zone 4
Cool season. Clump forming	. Full sun to part shad	e grass that has a really unique flat seed head. Us	seful
in dried arrangements. Leaf	blades are bamboo-lik	e. Native to the Midwest and the South Eastern U	.S.
CNO	#1		
<u>Deschampsia</u> <u>cespitosa</u> , Tu	ufted Hair Grass 24-3	36"h x 18-24"w	Zone 3
Showy, glossy green blades	in dense tufts. Wide s	pread native. Good for naturalizing. Cool season	
and clump forming. Can be u		-	
DTH	#1	,	
<u>Deschampsia cespitosa</u> 'G	o <i>ldtau',</i> Gold Dew Tu	fted Hair Grass 12-24"h x 12-24"w	Zone 3
Shorter growing selection of			
DGT	#1		
<u>Festuca glauca</u> 'Boulder B	lue' Boulder Blue F	ascue 6-12"h y 6-12"w	Zone 3
		compact than Elijah Blue Fescue.	Zone o
		compact than Elijan Dide i escue.	
FBB	#1		
Festuca glauca 'Elijah Blu	e', Blue Fescue 6-10	"h x 6-10"w	Zone 4
Maintains blue color all sumr			
FBF	#1		
			7 0
<u>Festuca</u> idahoensis, Idaho			Zone 3
-	reen leaves. Drought	tolerant, wide spread prairie native. Cool season.	
Clump forming.			
FIF	#1		
<u>Festuca idahoensis</u> 'Siskiy	ou Blue', Idaho Blue	Fescue 12-15"h x 12-15"w	Zone 4
Attractive blue foliage and sh	orter in height than th	e species. Cool season. Clump forming.	
FSB	#1		
Helictotrichon sempervire	<u>ıs</u> , Blue Oat Grass 2	4-40"h x 18-24"w	Zone 4
		Cool season. Clump forming. Use on well drained	sites.
НВО	#1		
<u>Hierochloe</u> odorata, Sweet	grass 24-30"h x 18-2	4"w	Zone 3
		ed for the aromatic leaves. Survives in wetlands an	
moist prairies. Runners.	1		
HSG	#1	SOLD OUT	

5 - 24

25 - 49

50+

Zone 2

1 - 4

106	Grasses
-----	---------

		5 - 24	25 - 49	50+	1 - 4
<u>Koeleria</u> glauca, Blue Hair G					Zone 4
Cool season, clump forming gra	-	ull sun. Blue-gray foli	age distinguis	hes this plar	ıt.
КВН	#1				
<u>Koeleria macrantha</u> , Prairie J Cool season, widespread, native KPJ	-		ts with dense s	pikes arising	Zone 3 g from the center.
	πı	0010 007			
<u>Leymus cinereus</u> , Basin Wild Native to the Great Plains and Cool season bunch grass. LGB	•		obust grower	under ideal	Zone 3 conditions.
<u>Miscanthus sinensis</u> 'Gracilli Fine arching foliage with silvery Reportedly deer resistant.	/-white seed hea		narrow, stiff a	nd twist slig	Zone 4 htly.
MSM	#1				
<u>Miscanthus sinensis purpura</u> Hardy grass with wide leaves. clump forming. Reportedly dee MSF	Very shiny seed			<i>us</i> are warm	Zone 4 season,
<u>Molina caerulea</u> 'Skyracer', S Fine seed heads in August on MMG	-			SS.	Zone 4
Panicum virgatum 'Heavy Me Upright metallic-blue leaves the PHM	-				Zone4
<u>Panicum virgatum</u> 'Shenand ' Green blades in the spring, cha forming. Runners.	anging to burgun		nto the fall. Wa	arm season	Zone 4 and sod
PSD	#1				
Pennisetum alopecuroides 'H Dwarf selection with attractive ' PHD					Zone 5
<u>Pseudoroegneria</u> <u>spicata</u> , Bla Also known as <i>Agropyrum spic</i> Establishes quickly. Not toleran PBW	<i>atum</i> . Native and	d common in the Nor		lains. Cool s	Zone 3 season.

					Grasses	107
		5 - 24	25 - 49	50+	1 - 4	
Saccharum <u>ravennae</u> ,					_	one 4/5
		limate, but only during le				
•		4" wide leaf blade. Warr	n season. Clu	mp forming	g.	
SPS	#1	SOLD OUT				
<u>Schizachyrium scopar</u>	<u>ium</u> , Little Blueste	em Grass 36-48"h x 18-	24"w			Zone 4
his native grass has bl	ue-gray foliage tha	t turns red in autumn an	d golden in th	ne winter.	A clump gra	SS,
vhich will tolerate poor i	nfertile soil. Warm	season, clump forming,	and drought	tolerant.		
SLB	#1					
		- 0 40" 40 40"				7 4
<u>Sesleria</u> <u>autumnalis,</u> A					-	Zone 4
		. Cool season, clump fo	rming grass p	relers fulls	sun put acco	epis
ight shade. Drought tole		neu.				
SAG	#1					
<u>Sesleria caerulea,</u> Blue	Moor Grass 12-1	8"h x 12"w				Zone 4
		beneath. Cool season, o	lump forming	, tolerating	some light	shade.
SBM	#1				0	
-		an Steel Indian Grass				Zone 3
		that turn yellow in the fa	all. Reddish-b	rown flowe	rs are a stri	king
contrast to the blue stem						
SIN	#1	SOLD OUT				
<u>Spartina pectinata,</u> Pra	irie Cordgrass 4-	6'h x 2-3'w			-	Zone 3
		d clump by rhizomes. Pr	efers moist si	tes, but wil	l tolerate se	asonal
Iryness.						
SPR	#1					
<u>Sporobolus heterolepi</u>						Zone 3
		e bunchgrass. Low mai		•	ant and long	lived.
-	-	stinct aroma. Yellow to o	range fall colo	or.		
SPD	#1					
		AL PLANTING INSTR				
Disturbing the container	root plug at plantir	ng will improve the vigor	and longevity	/ of the pla	nt in the	

Disturbing the container root plug at planting will improve the vigor and longevity of the plant in the landscape. This can be accomplished by using a reciprocating saw with a wood pruning blade as we have described with tree planting. Alternative methods may include slicing the container plug across the plug and butterflying, opening the plant plug in the hole. Another method if the roots of the plug are not tightly circling is to shave down the sides of the plant plug loosening the soil and roots from the plug. These methods assist the plant in establishing into the native soil as well as avoiding circling roots that might constrict plant growth and cause a plant to fall over. Further tips for planting are covered on our website, within the Resources Tab.

Grass Chart

				Moisture	н	Its	
Variety	Native	Forms	Season	Tolerance	s	Μ	т
Andropogon, Big Bluestem Grass	Native	Upright Clump	Warm				X
<i>Bouteloua</i> , Grama Grass	Native	Clump	Warm				X
Bouteloua, Blonde Ambition	Adapted	Clump	Warm			Х	
Calamagrostis, Feather Reed Grass		Upright Clump	Cool				Х
Carex, Nebraska Sedge, Beaked Sedge	Native	Runners	Cool	Wet			X
Carex, Pennsylvania	Native	Runners	Cool		Х		
Chasmanthium, Northern Sea Oats	Native	Clump	Cool				X
Deschampsia, Tufted Hair Grass	Native	Clump	Cool				Х
Deschampsia, Gold Dew	Adapted	Clump	Cool			Х	
Festuca, Blue Fescue, Boulder Blue		Clump	Cool		Х		
Festuca, Idaho Fescue, Siskiyou Blue	Native	Clump	Cool	Dry		Х	
Helictotrichon, Blue Oat Grass		Clump	Cool	Dry			X
Hierochloe, Sweetgrass	Native	Runners	Cool	Wet			X
<i>Koeleria</i> , Blue Hair Grass		Clump	Cool		X		
<i>Koeleria</i> , Prairie Junegrass	Native	Small Clump	Cool			Х	
Leymus, Basin Wildrye	Native	Clump	Cool	Wet			Х
Miscanthus, species		Clump	Warm				Х
Molina, Skyracer Moor Grass		Clump	Cool				X
Panicum, Switch Grass	Adapted	Clump/Runners	Warm				Х
Pennisetum, Dwarf Fountain Grass		Clump	Warm				Х
Pseudoroegneria, Bluebunch Wheatgrass	Native	Runners	Cool				Х
Saccharum, Plume Grass		Clump	Warm				X
Schizachyrium, Little Bluestem Grass	Native	Clump	Warm	Dry			X
Seslaria, Autumn Moor Grass		Clump	Warm				X
Seslaria, Blue Moor Grass		Clump	Cool			Х	
Sorghastrum, Indian Steel Indian Grass	Native	Clump	Warm				X
Spartina, Prairie Cordgrass	Native	Clump/Runners	Warm	Wet			Х
Sporobolus, Prairie Dropseed	Native	Small Clump	Warm	Dry			X

n flower) S=Short (<12")

M=Me

M=Medium (12-24")

Form:

Clump - Forms a single clump that thickens with time. Small clump - Small clump that stays small over time. Upright clump - Taller than wide clump that thickens with time.

Runners - Spread by rhizomes or stolons, sod forming and spreading.

Season:

Cool season grasses - Starts growing early in spring and performs better when temperatures are cool and has sufficient water during warm season.

T=Tall (>24")

Warm season grasses - Slow to start growing, especially in our climate and perform better during drought. Cut plants back to 4-6" in the spring.

5 - 24 25 - 49 50+ 1 - 4

Fruits, Herbs & Vegetables

<u>Asparagus officinalis</u> , Jersey Perennial. Available as an esta AJK		s 3-4'h ose who don't want to wait a couple of years for ha	Zone 3 irvest.
<i>Fragaria,</i> All Star Junebearir Resistant to verticillium wilt an FSA			Zone 4
<i>Fragaria,</i> Fort Laramie Everk White spring flowers, long runn FSF		, fruit throughout the growing season. SOLD OUT	Zone 3
<u>Lonicera</u> <u>caerulea</u> 'Aurora', J Sweet fruit similar to blueberrid Pollinate with Borealis or Tund LCA	es ripens in late Jun	e to early August. Pale yellow blooms in early spri	Zone 3 ng.
<i>Lonicera caerulea</i> 'Boreal Bo Late maturing Honeyberry rem LBT		uty Honeyberry 3-4'h a month later than other selections.	Zone 3
<u>Lonicera</u> <u>caerulea</u> 'Borealis' Sweet tasting blue fruit. Pollina LCB	•	erry 4'h . University of Saskatchewan bred.	Zone 3
and Tundra.	eties. Blends in the	landscape with other shrub selections. Pollinates E	Zone 3 3orealis
LCH <u>Lonicera caerulea</u> 'Tundra', Produces a high yeild of sweet LCT		SOLD OUT y 4-5'h ollinate with Polar Jewel. University of Saskatchew SOLD OUT	Zone 3 /an bred.
<u>Lonicera</u> <u>edulis</u> <u>kamtschatic</u> Sweet and similar in flavor to b second selection of Honeybern LPJ	olueberries. Exceller	nt choice for pollinating other Honeyberry varieties.	Zone 2 . Use a
	ablished plant for the	ose who don't want to wait a couple of years to har parbs. Great for pies and sauces.	Zone 3 vest.

Phone: (406) 755-2248

110 Fruits, Herbs & Vegetables

	<u>5 - 24 25 - 49 50+ 1 -</u>			1-4
	Hinnomaki Red Gooseberry 3-5'h arge red berries. Purported to have exceptional flavor.	Zone 4	<u>Vaccinium</u> 'Chippewa', Chippewa Blueberry 30-40"h Upright growth habit, large dark blue fruit. Bright red fall foliage.	Zone
RHN	#2		VCB #1	
	sort', Consort Black Currant 3-6'h Ing flavor that ripens late in the season, as with many of the tart small fruits.	Zone 3	<u>Vaccinium</u> 'Northblue', Northblue Blueberry 36-48"h One of the hardiest selections. See cultural notes above.	Zone
RBC	#2		VNB #1	
<u>Ribes</u> 'Pixwell', Pixv	well Gooseberry 3-6'h	Zone 4	Vaccinium 'Northcountry', Northcountry Blueberry 18-24"h x 24-30"w	Zone
Very productive. Frui	t turns from pale green to pink when ripe.		Partially self-fruitful. Shorter growing blueberry. See cultural notes below.	
RPG	#2		VNC #1	
<u>Ribes</u> 'Red Lake', R	ted Lake Currant 3-6'h	Zone 4	Blueberries require a more acidic soil. This can be accomplished by altering the acidity of the	
Large red berries bor	rne in clusters on 2-3 year old wood. As with many of the tart small fruits,		water to the plant, adding sulfur to the planting mix, or top dressing with granulated sulfur.	
	nake great jams and jellies.		A moist, well drained soil is desired.	
RRK	#2			_
<u>Ribes</u> x <u>culverwelii</u> ,	lostaborry / 6'b	Zone 3	<u>Vitis</u> 'Beta', Beta Grape	Zone
	vor between a gooseberry and a black currant.	ZUNE 3	Vigorous growing, blue-black excellent fruit for juice or jelly. Noted for its cold hardiness.	
RJB			VBT #2	
КJВ	#2		Vitis 'Bluebell', Bluebell Grape	Zone 4
<u>Rubus</u> 'Boyne', Rec	1 Raspherry 6'h	Zone 3	More hardy than Concord but similar purple fruit color suitable for eating.	2010 -
	, freezing and dessert. Red fruit.	Lono o	VBB #2	
RRR	#2			
			<u>Vitis</u> 'Edelweiss', Edelweiss Grape	Zone 4
	caroline Raspberry 4'h	Zone 4	Vigorous growing, disease resistant green-white grape. Dessert and wine grape.	
-	version of Heritage Raspberry. Red fruit.		VED #2	
RCL	#2		Vitia (Frantanaa Cria) Frantanaa Cria M Crana	7
Rubus 'Eallaold' Ea	allgold Raspberry 3-4'h	Zone 3	<u>Vitis</u> 'Frontenac Gris', Frontenac Gris™ Grape Copper-peach colored grape used for fresh eating, desserts and white wine making.	Zone 4
	Produces two crops a season.	Zone o		
RFG	#2		VFG #2 SOLD OUT	
	πL		<u>Vitis</u> 'Kay Gray', Kay Gray Grape	Zone 4
<u>Rubus</u> 'Heritage', H	l eritage Rasberry 5-6'h	Zone 4	Hardy white wine grape.	
Red medium sized fr	uit. Everbearing, excellent flavor fruit. Robust growing.		VKG #2 SOLD OUT	
RHT	#2			
		7 0	<u>Vitis</u> 'Valiant', Valiant Grape	Zone
	Killarney Raspberry 3-4'h	Zone 3	An attractive blue grape that is good for juice or jelly.	
Summer bearing from	n Manitoba. Red fruit.		VVG #2	
	#2			
<u>Rubus</u> 'Royalty', Ro	byalty Raspberry 4'h	Zone 4		
Cross between purpl	e and red Raspberry. Produces a large fruit.			
RRY	#2			
Rubus 'Souris'. Sou	u ris Raspberry 3-4'h	Zone 3		
	nada that is an improved red, summer bearing Raspberry. Sweeter than Boyne			
RSU	#2			

Phone: (406) 755-2248

Ground Covers (12" or less in height)

Aegopodium p. 'Variegatum', Snow on the Mountain	Lysimachia species
<i>Ajuga</i> species	Mahonia repens, C
Antennaria selections	Nepata 'Junior Wal
Arabis alpina selections, Rockcress	Nepata x 'Little True
Arctostaphylos uva-ursi, Massachusetts Kinnikinick	Oenothera macroca
Armeria maritima 'Splendens', Splendens Sea Pink	Phlox subulata, Cre
Artemisia schmidtiana, Silver Mound Wormwood	Pulsatilla species
Aster alpinus, Alpine Aster	Potentilla neumanni
Aurinia saxatilis, Basket of Gold	Sagina subulata, Iri
Campanula carpatica, Blue & White Bellflower	Saponaria ocymoid
Campanula p. 'Blue Waterfall', Blue Waterfall Blue Bells	Sedum acre, Golde
Cerastium tomentosum, Snow in Summer	Sedum album, 'Con
Dianthus species	Sedum kamtschatie
Erigonum umbellatum, <i>'Kannah Creek'</i> , Buckwheat	Sedum v. 'Blue Spr
Fragaria species, Strawberry	Sedum spurium 'Di
Galium odoratum, Sweet Woodruff	Sempervivum tecto
Geranium mac. and selections, Geranium	Thymus praecox an
Geranium san. and selections, Bloody Cranesbill	Veronica liwanensi
Lamium species	Veronica x 'Tidal P

Lysimachia species, Moneywort
Mahonia repens, Creeping Mahonia
Nepata 'Junior Walker', Junior Walker Catmint
Nepata x 'Little Trudy', Little Trudy Catmint
Oenothera macrocarpa, Evening Primrose
Phlox subulata, Creeping Phlox
Pulsatilla species
Potentilla neumanniana, Creeping Cinquefoil
Sagina subulata, Irish Moss
Saponaria ocymoides, Soapwort
Sedum acre, Golden Carpet Sedum
Sedum album, 'Coral Carpet'
Sedum kamtschaticum, Yellow Stonecrop
Sedum v. 'Blue Spruce', Blue Creeping Stonecrop
Sedum spurium 'Dragon's Blood'
Sempervivum tectorum, Hen & Chicks
Thymus praecox and serphyllum
Veronica liwanensis, Turkish Speedwell
Veronica x 'Tidal Pool', Creeping Speedwell
Vinca minor, Common Periwinkle

Native Perennials List

Achillea millefolium
Allium cernum
Anaphalis margaritacea
Aquilegia caerulea
Aquilegia chrysantha
Artemisia frigida
Baptisia australis

Campanula r. 'Olympica' Echinacea pallida (Eastern U.S.) Fragaria americana Geum triflorum Helianthus maximiliana Lobelia cardinalis Mahonia repens Matteuccia struthiopteris Oenothera macrocarpa Penstemon eatonii Penstemon pinifolius Penstemon strictus Ratibida columnifera Yucca glauca

Adapted Perennials List

Antennaria selections Arctostaphylos 'Massachussets' Centaurea montana Echinacea selections Eriogonum u. 'Kannah Creek' Eupatorium selections

Heliopsis h. 'Summer Sun' Liatris spicata 'Kobold' Lupinus selections

		Flow	erin	g Se	aso	n						
Variety	April	May	June	July	August	Sept	Flower Color	Light	Moisture Tolerance	He S	eigh M	nts T
Achillea, White Yarrow (Native)	A	М	J	J	A	S	White	FS			X	
Achillea, Yarrow selections	A	М	J	J	A	S	Ylw, Red, Org	FS			Х	
Aegopodium, Snow on the Mountain	A	М	J	J	A	s	White	PS	W	X		
<i>Ajuga,</i> Bronze Beauty	A	М	J	J	A	s	Blue	PS/SH	W	X		
<i>Ajuga,</i> Catlin's Giant	A	м	J	J	A	s	Purple	PS/SH	W	X		
Alcea, Hollyhock	A	м	J	J	A	s	Ylw/Pink/Red	FS	D			Х
Alchemilla, Thriller	A	м	J	J	A	s	Yellow	FS/PS			Х	
Allium cernuum (Native)	Α	М	J	J	Α	s	White to Pink	FS			Х	
Allium, Summer Beauty, Mongolian Gem	Α	М	J	J	Α	s	Pink	FS			Х	
Anaphalis, Pearly Everlasting (Native)	Α	м	J	J	A	S	White	FS/PS				Х
Anemone, Snowdrop	A	Μ	J	J	A	S	White	FS/PS			Х	
Antennaria, Pussytoes (Adapted)	Α	Μ	J	J	A	S	Pink	FS	D	X		
Aquilegia chrysantha (Native)	Α	Μ	J	J	A	S	Yellow	FS/PS				Х
Aquilegia, Colorado, McKana's Giant	Α	М	J	J	A	s	Blue, Mixed	FS/PS				X
Aquilegia caerulea, Columbine (Native)	Α	М	J	J	A	s	Red & White	PS/SH				X
Aquilegia, Blue & White, Red & White	Α	М	J	J	A	s	Red, Blue	FS/PS			X	
Arabis, Rockcress selections	Α	М	J	J	A	s	Pink, White	FS/PS		X		
Arctostaphylos Massachusetts (Adapted)	Α	м	J	J	Α	s	Pink	PS/SH		X		
Armeria, Splendens Sea Pink	Α	Μ	J	J	A	s	Pink	FS		X		
Artemisia, Fringed Sage (Native)	Α	М	J	J	A	s	Pale Yellow	FS				Х
Artemisia, Silver Mound Wormwood	Α	М	J	J	A	s	Pale Yellow	FS	D	X		
Aruncus, Goatsbeard	Α	М	J	J	A	s	White	PS/SH				Х
Asclepias, Butterfly Weed	A	М	J	J	A	s	Yellow/Orange	FS			Х	
Asclepias, Showy Milkweed	A	М	J	J	A	S	Pink	FS				Х
Aster, Alpine Aster	Α	М	J	J	Α	s	Mixed	FS		X		
Aster, Purple Dome	Α	М	J	J	А	S	Lavendar purple	FS			X	
Aster, Wood's Pink	Α	М	J	J	А	S	Pink	FS			X	
Astilbe selections	A	М	J	J	A	s	Wht, Red, Pink	PS/SH	W		X	
Aurinia, Basket of Gold	Α	М	J	J	A	s	Yellow	FS		X		
Baptisia, False Indigo (Native)	A	М	J	J	A	s	Blue-purple	FS/PS	D			Х
Bergenia, Heartleaf Bergenia	A	М	J	J	A	s	Pink	PS	W		X	
Brunnera, False Forget-Me-Not	A	Μ	J	J	A	S	Light Blue	PS			Х	

Light Requirements: FS=Full Sun PS=Partial Shade SH=Shade

Moisture Tolerance: D=Dry, the perennial can withstand drier conditions than others.

W=Wet, the perennial can tolerate wet conditions. Heights: (In flower) S=Short (<12") M=Medium (12-24") T=Tall (>24") Flowering Season: Depends on the climate you are in, therefore use it only as a guide. Plant size, flower description and color can be found in the Perennial Section of our catalog.

Flowering Season												
Variety	April	May	June	July	August	Sept	Flower Color	Light	Moisture Tolerance	He S	eigh M	nts T
<i>Brunnera</i> , Jack Frost	A	Μ	J	J	A	S	Blue	FS/PS			х	
Campanula, Bellflower	Α	М	J	J	A	s	Blue, White	FS/PS		Х		
Campanula, Olympica	Α	М	J	J	Α	S	Blue	FS/PS		Х		
Campanula, Tall Bellflower	Α	М	J	J	A	s	Purple	FS/PS			х	
Campanula, Peach-Leaved	Α	м	J	J	Α	s	Blue	FS				Х
Campanula, Blue Waterfall	Α	М	J	J	A	s	Blue	FS/PS		Х		
Caryopteris, Blue Mist	Α	м	J	J	Α	S	Blue	FS			Х	
Centaurea, Mountain Bluet (Adapted)	Α	М	J	J	A	s	Blue	FS	D		Х	\Box
Cerastium, Snow in Summer	Α	М	J	J	Α	s	White	FS	D	Х		\square
Coreopsis, Baby Sun, Jethro Tull	Α	М	J	J	Α	S	Yellow	FS			Х	\square
Coreopsis, Moonbeam	A	М	J	J	Α	S	Yellow	FS	D		Х	\square
Coreopsis, Threadleaf	A	М	J	J	A	s	Golden	FS	D		Х	\square
<i>Dianthus,</i> Indian Carpet	A	М	J	J	A	s	Mixed	FS/PS		Х		\square
Dianthus, Maiden Pink, Firewitch	A	М	J	J	A	s	Red, Pink	FS		Х		\square
<i>Dianthus,</i> Bath's Pink	A	м	J	J	A	s	Pink	FS		Х		\square
Dicentra, Bleeding Heart	A	М	J	J	A	s	Pink, White	PS/SH				X
Digitalis, Foxy	A	М	J	J	A	s	Mixed	FS/PS	W			X
Echinacea, Coneflower selections (Adapted)	A	М	J	J	Α	S	Purple, White	FS/PS	D			X
Echinops, Globe Thistle	A	М	J	J	A	S	Blue	FS	D			X
Erigeron, Fleabane	A	М	J	J	A	s	Blue	FS	D		Х	
Eriogonum, Kannah Creek Buckwheat (Adapted)	A	М	J	J	A	s	Yellow	FS/PS	D	Х		
Eupatorium, Pye Weed (Adapted)	A	М	J	J	A	S	Purple	FS/PS				Х
Euphorbia, Cushion, Bonfire	A	М	J	J	A	s	Yellow	FS/PS			Х	\square
<u>Ferns</u>												\square
Athyrium, Lady in Red & Common Red Fern	A	м	J	J	A	s		PS/SH				Х
Matteuccia, Ostrich Fern (Native)	A	м	J	J	A	s		PS/SH				Х
<i>Dryopteris</i> , Male Fern	A	м	J	J	A	s		FS/PS				X
<i>Fragaria</i> , Wild (Native)	A	М	J	J	A	s		FS/PS		Х		\square
Gaillardia, Apricot, Red Shades	A	М	J	J	A	s	Yellow, Red	FS	D	Х		\square
Gaillardia, Arizona Sun, Goblin	A	М	J	J	A	s	Yellow, Red	FS	D		Х	\square
Galium, Sweet Woodruff	A	М	J	J	A	s	White	PS/SH	w	Х		\square
Geranium selections	A	М	J	J	A	s	Pink, Blue, Red	FS/PS		Х		\square
Geranium, Bigroot, Johnson's Blue, Rozanne	A	М	J	J	A	s	Pink, Blue, Purp	FS/PS			х	
Geum, Mrs. Bradshaw	A	М	J	J	A	S	Red	FS/PS			х	\square
Geum, Prairie Smoke Avens (Native)	A	м	J	J	A	s	Pink	FS/PS			Х	\square
<i>Gypsophila</i> , Bristol Fairy	A	м	J	J	A	s	White	FS				X
Helenium, Bandera	A	м	J	J	A	S	Red, Yellow	FS	w		х	\square
Helianthus, Sunflower (Native)	A	м	J	J	A	s	Yellow	FS	D			X

	Flowering Season					ı			a 9			
Variety	April May June July August Sept		Flower Color	Light	Moisture Tolerance	He S	Heights S M T					
Heliopsis, False Sunflower (Adapted)	A	М	J	J	Α	S	Yellow	FS/PS	W			Х
Hemerocallis, Daylily selections	A	м	J	J	Α	s	Various	FS			Х	Х
Heuchera, Splendens, Snow Angel, Palace Purple	A	м	J	J	A	s	White, Red, Pink	FS/PS			Х	
Hosta, Plantain Lily selections	Α	М	J	J	Α	s	White, Purple	PS/SH			х	
<i>Iberis</i> , Candytuft	Α	М	J	J	Α	s	White	FS			х	
Iris, White Iris, Variegated, Caesar's Brother	Α	М	J	J	A	s	Blue, White	FS	W			Х
Lamium selections	A	М	J	J	Α	s	Pink, Purp, Wht	PS/SH		X		
Lavendula, Lavender selections	A	М	J	J	A	s	Purple/Blue	FS			Х	
Leucanthemum, Alaska & Becky	A	М	J	J	A	s	White	FS			Х	
Leucanthemum, Snowcap Daisy	A	М	J	J	A	s	White	FS		X		
Liatris, Kobold (Adapted)	A	м	J	J	A	S	Purple	FS	D			Х
Liatris, White Gayfeather (Adapted)	A	м	J	J	A	S	White	FS	D			Х
Ligularia,The Rocket, Little Rocket	A	М	J	J	A	s	Yellow	FS/PS				Х
Lilium, Yellow & Pink	A	М	J	J	A	s	Pink, Yellow	FS			Х	
Lobelia, Cardinal Flower (Native)	A	м	J	J	Α	S	Red	FS/PS	w			Х
Lupinus	A	м	J	J	A	s	Red, Blue, Ylw.	FS/PS	i		Х	
Lychnis, Maltese Cross	A	м	J	J	A	s	Red	FS/PS	i			Х
Lysimachia, Moneywort, Golden Moneywort	A	м	J	J	A	s	Yellow	FS/PS	İ	Х		
Mahonia repens (Native)	A	М	J	J	A	s	Yellow	FS/PS	İ	Х		
<i>Monarda</i> , Grand Parade	A	м	J	J	A	s	Purple	FS/PS			Х	
Monarda, Bee Balm selections (Adapted)	A	М	J	J	A	s	Pink, Red, Purp	FS/PS				Х
Nepeta, Walker's Low Catmint	A	м	J	J	A	s	Purple	FS/PS	D	Ì	Х	
Nepeta, Junior Walker, Little Trudy	A	м	J	J	A	s	Purple	FS/PS	D	Х		
Oenothera, Evening Primrose (Native)	A	М	J	J	A	s	Yellow	FS/PS		X		
<i>Osteosperumum,</i> Avalanche	A	М	J	J	A	s	White	FS/PS	İ	X		
Paeonia, Peony selections	A	м	J	J	A	s	Red, Pink, Wht	FS	İ			Х
Papaver, Poppy selections	A	М	J	J	A	s	Red	FS			Х	
Penstemon, Bridges'	A	м	J	J	Α	s	Red	FS				Х
Penstemon, Bugler, Husker, Rocky Mtn (Native)	A	м	J	J	Α	s	Red, Purp, Wht	FS/PS				Х
Penstemon, Coral Baby	A	М	J	J	A	s	Pink	FS			Х	
Penstemon, Firecracker	A	М	J	J	Α	s	Red	FS	D		Х	
Penstemon, Pike's Peak	A	м	J	J	A	s	Purple	FS/PS			х	
Penstemon, Pineneedle (Native)	A	м	J	J	A	s	Scarlet	FS			Х	
Penstemon, Red Rocks	A	м	J	J	A	s	Rose	FS/PS			Х	\square
Perovskia, Russian Sage, Little Spire Sage	A	м	J	J	A	S	Purple	FS	Ì			Х
Phlox, Tall Garden Phlox selections	A	м	J	J	A	s	Various	FS/PS	w			Х
Phlox, Creeping Phlox selections	A	М	J	J	A	s	Various	FS/PS		X		
Platycodon, Balloon Flower	A	М	J	J	A	s	Purple	PS	İ		Х	

	Flowering Season				า			a e				
Variety	April May June July August Sept		Flower Color	Light	Moisture Tolerance	Heights S M T						
Polemonium, Jacob's Ladder	Α	М	J	J	A	s	Blue	PS/SH			X	
Potentilla, Cinquefoil Potentilla	Α	М	J	J	A	s	Yellow	FS/PS	D	X	\square	
Pulsatilla, European Pasqueflower	Α	М	J	J	A	s	Purple	FS	D	X	\square	
Ratibida, Prairie Coneflower (Native)	Α	М	J	J	A	s	Yellow, Red	FS	D	ĺ	Х	
Rudbeckia, Orange Coneflower	Α	М	J	J	A	S	Yellow/Orange	FS			\square	Х
Sagina, Irish Moss	Α	М	J	J	A	s	White	PS/SH		X	\square	
Salvia, Cardonna, May Night	Α	М	J	J	A	s	Purple	FS			\square	Х
Salvia, Marcus Dwarf, Pink	А	М	J	J	A	s	Purple, Pink	FS		X	\square	
Salvia, Snow Hill	Α	М	J	J	A	s	Pink, White	FS			Х	
Saponaria, Soapwort	Α	М	J	J	A	s	Pink	FS		X	\square	
Sedum, Golden Carpet Sedum	Α	М	J	J	A	s	Yellow	FS	D	X	\square	
Sedum, Coral Carpet	Α	М	J	J	A	s	Pink	FS		X		
Sedum, Yellow Stonecrop, Blue Spruce	Α	М	J	J	A	s	Yellow	FS		X		
Sedum, Autumn Joy	Α	м	J	J	A	S	Pink	FS			X	
Sedum, Dragon's Blood	Α	М	J	J	A	s	Pink	FS		X	\square	
Sedum, Vera Jameson	Α	М	J	J	A	S	Pink	FS		X	\square	
Sempervivum, Hen & Chicks	Α	М	J	J	A	s	Pink/Red	FS/PS	D	X	\square	
Solidago, Crown of Rays	А	М	J	J	A	s	Yellow	FS/PS			\square	Х
<i>Solidago</i> , Little Lemon	Α	М	J	J	Α	S	Yellow	FS		ĺ	Х	
<i>Stachys</i> , Lamb's Ears	Α	М	J	J	A	s	Purple	FS/PS			Х	
<i>Tanacetum</i> , Painted Daisy	А	М	J	J	A	s	Pink, Red	FS/PS			Х	
Thymus, Red, Woolly, Mother of	А	М	J	J	A	s	Red, Pink, Purp	FS/PS		X	\square	
<i>Tradescantia</i> , Concord	А	М	J	J	A	s	Purple	FS/PS	W		Х	
Trollius, Globe Flower	Α	М	J	J	A	s	Orange	FS/PS	w		\square	Х
<i>Veronica</i> , Turkish	Α	М	J	J	A	s	Blue	FS/PS		X	\square	
Veronica, Icicle, Red Fox, Border Blue	А	М	J	J	A	S	Wht, Pink, Blue	FS/PS			X	
Veronica, Royal Candles	Α	М	J	J	A	s	Blue	FS/PS			Х	
Veronica, Tidal Pool	А	М	J	J	A	s	Blue	FS/PS		Х		
Vinca, Common Periwinkle	A	М	J	J	A	s	Purple	PS/SH		X		
Yucca, Soapweed (Native)	А	М	J	J	A	s	White	FS	D		Х	
Zauschneria, California Fuchsia	А	м	J	J	A	s	Orange	FS/PS		X		

DEER RESISTANT AND SUSCEPTIBLE PLANTS

Deer resistant plants, now there is a conundrum. Deer are very resilient and their foraging abilities rival those of their smaller rodent cousins, mice. Are any plants truly deer resistant? If the deer population is large enough or if forage is limited, they will eat just about any plant, any place, any time.

There are, however, some plants deer prefer **not** to eat and some that are their plants of choice. That is how this list was compiled. We selected six different university or governmental agency sources from the internet and noted an 'X' for "Resistant to Deer" and an "A" for "Attracts Deer," for each reference that was found. Thus, with a plant like Digitalis or Lamium that has six 'X's it is a good bet that these will not be bothered by deer. This list is not complete, but just for the plants we grow. The sources probably overlap some; that is, one source lists resistance and another source copies the work and the myth or fact is perpetuated. So, use this at your discretion, ask others what has worked, look in the landscape. What has been browsed what has not? And above all realize **no plant** is ever completely **deer resistant**.

TREES		PERENNIALS		PERENNIALS	
Betula papyrifera	ххх	Astilbe selections	хххх	Penstemon species	хх
Gleditsia triacanthos 'Skycole'	ххх	Baptisia species	ХХ	Perovskia atriplicifolia	хххх
SHRUBS		Bergenia cordifolia	ХХ	Polemonium caeruleum	ххх
Berberis species	хххх	Caryopteris clandonensis	xxxxx	Potentilla selections	ххх
Cornus sericea var. coloradensis	ххх	Coreopsis selections	хххх	Rudbeckia 'Goldsturm'	хх
Forsythia species	xxxx	Dicentra spectabilis selections	XXXXX	Salvia selections	хх
Potentilla fruticosa selections	ххх	Digitalis species	xxxxxx	Solidago selections	XXXXX
Rhus aromatica 'Gro-low', trilobata	хх	Echinacea selections	хххх	Stachys lanata	XXXXX
Ribes aureum	ххх	Echinops ritro	ХХ	Thymus species	ххх
Spiraea species	ххх	Eupatorium species	ХХ	Veronica selections	хх
Syringa vulgaris	ХХ	Euphorbia species	ххх	Yucca species	xxxx
EVERGREENS		Gaillardia selections	XXX	Vinca minor	ХХ
Buxus species	хх	Galium odoratum	хххх	GRASSES	
Juniperus 'Prince of Wales'	хх	Geranium selections	хххх	Andropogon species	xx
Picea abies	хх	Iberis sempervirens	xxx	Calamagrostis selections	xx
Picea pungens selections	хх	<i>Iris</i> species	ххх	Chasmanthium lat.	хх
Pinus mugo selections	хх	Lamium selections	xxxxxx	Festuca 'Ellijah Blue'	хх
Pinus nigra	хх	Lavandula species	XXXXX	Miscanthus selections	ххх
Pinus sylvestris	ххх	Leucanthemum selections	ХХ	Molinia selections	хх
PERENNIALS		Liatris species	xxx	Pennisetum 'Hameln'	xx
Achillea species	XXXXX	Mahonia	XXXXX	SUSCEPTIBLE PLANTS	1
Ajuga selections	ххх	Matteuccia struthiopteris	хххх	Hosta species	AA
Allium species	ххх	Monarda selections	xxxxx	Rhododendron selections	AA
Aquilegia selections	ххх	Nepeta selections	xxxxx	Taxus x media selections	AA
Arctostaphylos uva-ursi 'Mass'.	хх	Paeonia selections	ХХ	Thuja occidentalis selections	AA
Artemisia schmidtiana	хххх	Papaver species	хххх		

Each 'X' represents a source found indicating "deer resistance." Each "A" represents deer attraction.

118 COMMON NAME INDEX

*The page numbers are off by 2 pages on this priceless version of the catalog Α Ajuga – 80 Alder – 39 Almond – 51 Alpine Currant – 53 Amur Chokecherry - 27 Anemone - 81 Apple – 21-23 Arborvitae - 71.77 Ash – 17 Ash Leaf Spirea - 59 Aspen - 24-25 Aster - 82-83

Astilbe – 83 Avens -88

Azalea - 52

<u>B</u>

Baby's Breath – 89 Barberry – 40-41 Basin Wildrye - 104 Basket of Gold - 83 Bath's Pink - 85 Bee Balm - 93 Bellflower - 83-84 Bergenia - 83 Birch – 15 Black Chokeberry – 40 Blanket Flower - 87 Bleeding Heart – 85 Blue Bells - 84 Blue Oat Grass - 103 Blueberries – 109 Bluestem - 102, 105 Boxwood – 42 Buckeye - 14 Buckthorn – 52 Buckwheat - 86 Phone: (406) 755-2248 Buffaloberry - 59 Burning Bush - 45 <u>C</u> Candytuft - 90 Caragana Shrub – 42 Weeping Tree - 16 Cardinal Flower – 92 Caryopteris - 84 Catmint - 93-94 Cherry - 26-28 Chokeberry - 40 Cinquefoil – 96 Clematis - 100 Coffeetree - 18 Columbine - 81 Columnar Aspen – 24 Common Chokecherry – 28 Coneflower - 86, 96-97 Coralbells - 90 Coreopsis - 84-85 Cotoneaster - 44-45 Cottonwood - 24-25 Crabapples - 19-21 Cranesbill - 88

D

Daisy – 91 Daphne – 45 Daylily – 89 Dianthus – 85 Dogwood - 43-44

Creeping Phlox - 96

Currant - 53, 108

Elder – 58 Elderberry – 58 Elm – 34-35 Euonymus – 45 Euphorbia - 86

E

E

False Indigo - 83 Falsespirea - 59 False Sunflower - 89 Feather Reed Grass - 102 Fern – 87 Fescue - 103 Fir – 67 Flame Grass – 104 Fothergilla - 46 Forsythia – 46 Fountain Grass - 104 Foxglove - 85

<u>G</u>

Garden Phlox – 96 Gayfeather - 92 Geranium - 88 Geum - 88 Ginkgo – 17 Globe Flower - 99 Goatsbeard – 82 Goldenrod – 98 Gooseberry - 108 Grama Grass - 102 Grape - 99, 109 Grasses - 102-105

<u>H</u>

Hackberry - 16 Harebell - 84 Hawthorn - 16 Hen & Chicks - 98 COMMON NAME INDEX 119

Holly – 47 Hollyhock – 80 Honeyberry – 107 Honeylocust – 17-18 Honeysuckle - 45, 47, 101 Hops – 100 Hydrangea – 46-47, 100 Tree form – 18

Indian Steel Indian Grass – 105 Iris – 91 Irish Moss – 97 Ironwood – 24 lvy – 101

J

Jacob's Ladder - 96 Joe Pye Weed - 86 Jostaberry - 108 Juniper – 67-70

<u>K</u> Kinnikinick -82

L

Lady's Mantle - 80 Lamb's Ears – 98 Lamium - 91 Lavender – 91 Locust – 31 Ligularia – 92 Lilac – 62-64 Tree forms – 32 Lily – 90 Linden – 32-33

120 COMMON NAME INDEX

Μ Maackia – 18 Magnolia – 47 Mahogany – 42 Mahonia – 47, 93 Maiden Grass - 104 Maiden Pink – 85 Maltese Cross - 93 Maple – 9-14, 39 Meadow Sage - 97 Mint – 93-94 Mockorange - 47-48 Mohican Wayfaring Tree – 64 Moneywort - 93 Moor Grass - 104 Moss – 97 Mountain Ash – 31 Mountain Bluet - 84

<u>N</u>

Nanking Cherry – 51 Ninebark – 48-49 Northern Sea Oats – 103 Norway Maple – 10-11

<u>0</u>

Oak – 30 Onion – 80 Oregon Grape Holly – 47

<u>P</u>

Painted Daisy – 98 Pasqueflower – 96 Peach – 26 Pear – 29 Pearly Everlasting – 80 Peashrub – 42 Penstemon – 94-95 Peony – 94 Periwinkle – 101 Phone: (406) 755-2248 Phlox – 96
Pie Cherry – 26
Pine – 74-77
Plantain Lily – 90
Plum Fruiting – 26-27
Poplar – 24
Poppy – 94
Potentilla – 49-50, 96
Prairie Dropseed – 105
Prairie Junegrass – 104
Primrose, Evening – 94
Pussytoes – 81

Q

Quaking Aspen – 25

<u>R</u>

Rabbitbrush – 43 Raspberry – 57, 108 Redcedar – 70 Rhododendron – 52 Rhubarb – 107 Rockcress – 82 Roses – 54-57

<u>s</u>

Sage – 95, 97 Sagebrush – 40 Sand Cherry – 28, 50-51 Sea Pink – 82 Sedge – 102-103 Sedum – 97-98 Serviceberry – 14-15, 39 Silverberry – 45 Skyracer Moor Grass – 104 Smokebush – 44 Snow in Summer – 84 Snow on the Mountain – 80

Soapweed - 100 Soapwort - 97 Speedwell - 99 Spiderwort – 99 Spirea - 59-61 Spurge – 86 Spruce - 71-74 Strawberry – 87, 107 Stonecrop - 97-98 Sumac - 52-53 Summersweet - 43 Sunflower - 89 Sweet Cherry - 26 Sweetgrass - 103 Sweet Pea - 101 Sweet Woodruff - 87 Switch Grass - 104

Snowberry – 61-62

Ι

Thimbleberry – 57 Thistle – 85 Thyme – 98-99 Tufted Hair Grass – 103

⊻ Viburnum – 35, 64-65 Virginia Creeper – 101

W

Weigela – 65 Wheatgrass – 104 Willow – 31, 57-58 Wildrye – 104 Wintercreeper – 100 Wisteria – 101 Woodbine – 101 Wormwood – 82

COMMON NAME INDEX 121


<u>Y</u> Yarrow – 79-80 Yew – 77 Yucca – 100

*The page numbers are off by 2 pages on this priceless version of the catalog

FLATHEAD VALLEY MONTANA

Glacier Nursery is located at Milepost #42 on Montana Highway 35. (Approximately 10 miles east of Kalispell)

Centered in the beautiful Flathead Valley of Northwest Montana, Glacier Nursery is surrounded by fantastic outdoor recreation. Whether it be fishing, hiking, golfing, boating, skiing, snowmobiling, or just looking at our spectacular scenery, you will not be disappointed.



Average annual rainfall" 18" (mostly snow)

Elevation: 2955 feet




Why buy from Glacier Nursery, LLC?

- ONE STOP SHOPPING FIND ALL YOUR PLANT NEEDS AT ONE LOCATION. We have approximately 900 varieties of trees, shrubs, evergreens and perennials available for immediate pickup or shipment in spring, summer, and fall.
- GET WHAT YOU WANT, WHEN YOU NEED IT. We offer convenient and timely deliveries to your yard or job site. We offer deliveries on a weekly basis throughout the planting season to help you stay on schedule. Orders received by Thursday at 4:00 p.m. are delivered by the following Friday afternoon (delivery location and order size affect this schedule).
- WE HAVE APPROXIMATELY 2,500 B&B TREES AND 200,000 CONTAINER PLANTS in our yard on May 1, ready for immediate shipping throughout the summer, saving you from having to maintain a costly inventory.
- **PREMIUM GRADE** Northern grown nursery stock you can depend on, and prices that will help you stay competitive.
- LET US BE YOUR PERSONAL SHOPPER. If you have specific requirements for plants, our trained plant professionals will personally select the plants you need.
- **VOLUME DISCOUNT!** The more you buy, the more you save.

Glacier Nursery, LLC 2025



(406) 755-2248 gnursery@glaciemursery.com or on our website at glaciernursery.com



"MONTANA GROWN YOU KNOW IT'S HARDY"

PRSRT MKTG U.S. Postage PAID Permit # 27 Kalispell, MT